Arbeitsbericht

MeteoSchweiz
MétéoSuisse
MeteoSvizzera
MeteoSvizra
MeteoSwiss



Autoren
Christoph Schmutz
Daniela Schmuki
Simon Rohling

201 Aeronautical Climatological Information Zurich LSZH

Arbeitsbericht

MeteoSchweiz

Nummer: 201

Autoren
Christoph Schmutz
Daniela Schmuki
Simon Rohling

Aeronautical Climatological Information Zurich LSZH

Bestelladresse:
Bundesamt für Meteorologie und Klimatologie (MeteoSchweiz)
Office fédéral de météorologie et de climatologie (MétéoSuisse)
Ufficio federale di meteorologia e climatologia (MeteoSvizzera)
Uffizi federal per meteorologia e climatologia (MeteoSvizra)
Federal Office of Meteorology and Climatology (MeteoSwiss)

MeteoSchweiz
Krähbühlstrasse 58
Postfach 514
CH-8044 Zürich

Telefon +41 1 256 91 11
Telefax +41 1 256 92 78
info@meteoschweiz.ch
www.meteoschweiz.ch

Table of Contents

4. TEMPERATURE

5. PRESSURE

6. WEATHER PHENOMENA

Introduction

This report „Aeronautical Climatological Information Zurich LSZH“ may only be used by:

- Civil aviation airlines operating flights to or from Zurich airport including their administrative services as well as their crews
- Private pilots and crews operating flights from or to the airport
- Operative and administrative services of the airport
- Aeronautical administration

This report is not intended for any other commercial use than aviation. The above defined users shall receive the right to apply the service solely for own use and for aeronautical purposes. The users shall ensure that no unauthorised use of the services takes place. The “General Terms and Conditions for Standard Range of Services” of MeteoSwiss apply.

The report provides all climatological information required for the long term planning of flight operations in Zurich. In part A the reader gets introduced to the geographical setting of the airport, the important meteorological patterns of the region with notes and basic interpretation of the data. Information about the main weather patterns bases on the “Klimaatlas der Schweiz” (MeteoSwiss 1984, 1991, 1995) and the tables of this report. In part B the data is presented mainly in form of tables and graphics, allowing a direct view of the information.

The statistics were established following the ICAO recommendations on aeronautical climatological information (Convention on International Civil Aviation, Annex 3), but is more detailed and enriched with additional information.

The data is based on half-hourly (XX20 and XX50) METAR (Aviation Routine Weather Report) collected on a span of 10 years between

January 1993 and December 2002.

The METAR at 0020 UTC is usually missing due to a regular break of the observer. Each table or graphic contains the NA (not available) values of missing METAR. Due to a regular observation break, the amount of the NA values between 00 and 01 UTC is quite considerable.
All time information is given in UTC.
An index with the used abbreviations can be found on page 110.

No climatological conclusions in a scientific sense should be drawn of the tables and graphics contained in this report, since the raw METAR data might not satisfy climatological requirements.

Second edition (August 2004): The tables in chapter 1.4. and 1.6. (WIND RWY 16 and WIND RWY 28) have been corrected.

We would like to thank the following persons and institutions for their help and contributions:

Olivier Duding, Karl Heinz Hack, Adrian Scherzinger, Mark Huber, Martin Peter, Marcel Haefliger, Markus Aebischer, Stefan Vonlanthen, Franziska Hoff, Barbara Kümin
(all MeteoSwiss)

René Sieber
Institute of Cartography
ETH Hoenggerberg

A Climatology

1. GEOGRAPHICAL SETTING

1.1. Overview Switzerland



Figure 1: Most important airports of Switzerland

1.2. Overview Region Zurich

Zurich airport (official elevation 1416 ft / 432 m) is located 5 NM / 9 km north of Zurich City. (See also figures 1, 2 and 3)
It is situated at the north-eastern part of the Swiss Plateau, a large basin with low hills between the Alps and the Jura. West of the airport region foothills of the Jura can be found. In direction south-east to south-west the alpine foothills and behind them the Alps rise. The orography of the Swiss Plateau canalises the wind in two preferred directions: North-east (Bise) or south-west (Westerly Flow).



Important Mountains in the Region:

Säntis	8205 ft / 2501 m
Pilatus	6909 ft / 2106 m
Napf	4613 ft / 1406 m
Hörnli	3753 ft / 1144 m

Figure 2: 3 D map of the Zurich region
© Atlas of Switzerland - interactive 2000

1.3. Overview Airport Zurich



Figure 3: 3 D map of the Zurich region as seen from an altitude of approximately 30000 ft / msl
© Atlas of Switzerland - interactive 2000

Mountains and hills around the airport:

Lägern	2845 ft / 867 m
Üetliberg	2802 ft / 854 m
Zürichberg	2415 ft / 736 m
Gubrist	2116 ft / 645 m
Egg	2018 ft / 615 m
Bühlhof	1716 ft / 523 m
Holberg	1575 ft / 480 m
Hard	1542 ft / 470 m
Hönggerberg	1516 ft / 462 m
LSZH	1416 ft / 432 m

2. METEOROLOGICAL PATTERNS

2.1. Westerly Flow

2.1.1. Synoptic Overview and Associated Weather

Westerly flow is the dominant one among the four flow or advection patterns described here. This is true in respect of frequency and wind speed. The westerly flow pattern is typically associated with the frequent changes from warm to cold air masses and vice versa, which is connected to the passages of frontal zones. The activity depends on the wind speed, the humidity of the air mass and its stability, as well as the altitude and the structure of the mountain range, the air mass is flowing across. The eastern part of the northern alpine ridge is especially exposed to the changeability of this flow pattern. The south side of the Alps enjoys a certain protection during the whole year, the south-western part of Switzerland and the Valais only in the summer.

2.1.2. Season of Encounter

This pattern may appear at any time of the year, but is more frequent during the winter season than in summer. The reason for this is the more frequent development of heavy depressions in the colder seasons due to an increase of the temperature difference between warm and cold air masses at the Polar Front.
The weather is usually unsettled and windy (even sometimes with gales from October to March), due to the succession of warm and cold fronts with dry intervals in between. In March and April westerly flow brings characteristically unstable weather. In eastern Switzerland, the region of Zurich airport, westerly winds are more frequent than in western Switzerland because of the flow split of the northerly wind (Alps act as barrier).

2.1.3. Local Weather Phenomena

Front Passes over Cold Air Pool of the Swiss Plateau
In winter, after a period of high pressure, a shallow layer of cold air forms on the Swiss Plateau, frequently topped by a layer of stratus (inversion with low clouds). The westerly flow regime starts then with the arrival of a low pressure system and its first front (usually a warm front), preceded by westerly winds. It first passes over the pool of cold air, entrenched in the Swiss Plateau, and starts to entrain the cold air by turbulent mixing from the top downwards. When the frontal precipitation falls into the old humid and cold air mass, the visibility may drop from 2000 - 3000 m to 1000 m or even below. After the passage of the warm front the visibility increases only slightly. After the following cold front the visibility is usually very good.

Freezing Rain
The rather rare occurrence of freezing rain is associated with two situations: 1) The one just described in the paragraph above: Temperatures below the freezing point in the thin cold air layer near the ground and very high freezing level in the warm air above. 2) Warm fronts: Freezing rain can occur when the temperature difference between the lower cold air and the upper warm air masses is high enough.
In Zurich freezing rain was only observed in December, January and rarely in February.

Snow
In situations of a warm front with a low freezing level (2500 – 4000 ft / msl), precipitation frequently starts as snow, passes through the cold air mass below and reaches the ground in this form. With the approaching warm front the freezing level rises and after 2 – 3 hours snow turns into rain.
In Zurich snowfall occurs usually from November to April with two maxima in December and February.

Thunderstorm
In summer the Jura and the alpine foothills reinforce the thunderstorm activity along a cold front coming in from the west. While the thunderstorms are especially active near the mountain range, they may also affect the area of the airport.

2.1.4. Aviation Hazards

- Low ceiling and poor visibility within the frontal zones with onset of precipitation
- Turbulence and icing conditions in clouds
- Wind shear in frontal zones
- Gusts in passing cold fronts
- Snowfall (when temperatures are low enough)
- Rare cases of freezing rain, depending on the vertical temperature structure
- Post frontal weather conditions are very unsteady with gusts and rapid changes between good and bad conditions
- Possibility of embedded CB`s in cold fronts (rarely in warm fronts)
- Alps and Jura obscured by clouds
- Crosswinds behind the cold fronts at Geneva airport (Joran wind)

2.2. Northerly Flow

2.2.1. Synoptic Overview and Associated Weather

The northerly flow pattern combines air mass advection from the north-west and north. Typical for this situation is the marked difference in the type of weather between the western and eastern parts as well as between the northern and southern parts of Switzerland. On the continental and the regional scale the northern and the eastern areas of Europe are influenced by more cloudy and rainy weather (cyclonic character). The western and southern parts benefit from the influence of the following anticyclone, because these parts are further away from the dominating depression. In addition to that, the southern regions are favourably influenced by the leeward down draught (Foehn) from the mountain range. Below 2000 m a flow split into north-east (Bise) in the west and into north-west in the east of the Swiss Plateau is observed.

2.2.2. Season of Encounter

This pattern is more frequent in winter and spring, often occurs after a westerly flow and usually leads to a north-easterly flow regime (Bise). It normally lasts between 5 and 7 days, especially in summer and autumn periods of only 3 days are possible.

2.2.3. Local Weather Phenomena

Barrier Clouds and Precipitation
Due to the barrier effect of the Alps the northerly flow gets blocked over the Swiss Plateau, the pressure increases and the air mass rises over the Alps. A closed cloud layer occurs above the Swiss Plateau with the lowest ceiling close to the Alps, accompanied by precipitation along the northern mountain range and in eastern Switzerland. Visibility is poor in the region of the airport Zurich due to the stationary clouds and precipitation and even thunderstorms are possible. With low temperatures precipitation falls as snow and often in large amounts and for several hours.

Northerly Foehn
The Foehn wind is caused by the pressure gradient between the northern (higher due to barrier effect) and southern part of the mountain range. The Alps disappear in clouds. In southern Switzerland severe clear air turbulence occur and the dry leeward down draught (Foehn wind) brings warm weather south of the Alps associated with low-level wind gusts.

2.2.4. Aviation Hazards

- North of the Alps: - Poor visibility, low ceiling (400 – 800 ft / grd) and precipitation
  - Icing conditions in clouds
  - Mountains obscured by clouds
  - Heavy snowfall for several hours between November and April
- South of the Alps: - Severe turbulence over and south of the mountains
  - Low-level wind gusts

2.3. Easterly Flow

2.3.1. Synoptic Overview and Associated Weather

The easterly flow pattern develops after a significant pressure gradient from north-east to south-west across the Alps has been built up. In Switzerland the type of weather connected with this situation has usually an anticyclonic influence. However, in cases of a northern position of an active Mediterranean depression, cyclonic influence is dominating. The plains on either side of the Alps may be under a cover of low stratus combined with a persistent inversion and dry, subsiding air above the low clouds (elevated fog or stratus). The continental easterly wind called Bise accelerates over the Swiss Plateau between the Jura and the Alps and achieves its maximum speed at the “bottleneck” of Geneva. However, Bise is not exclusively associated to an easterly flow weather type.

2.3.2. Season of Encounter

This pattern is very frequent in winter and spring, rarely occurs in summer and can last for several days. It is less frequent than westerly, northerly or southerly flow.
Because of the flow split the Bise is more frequent in the western part of Switzerland. While in Zurich the flow split leads to northern or north-westerly wind with an increasing northern wind component.

2.3.3. Local Weather Phenomena

Elevated Fog
In late autumn and winter the typical situation with elevated fog or stratus up to 2000 m / msl occurs in the cold air pool of the Swiss Plateau. The Bise gets canalized between the Jura and the Alps. Because of the “bottleneck” in the Geneva region, the wind speed is generally increased. This may lead to more persistent stratus layers in this region. The elevated fog situation can last for several days and mainly occurs in autumn and winter with the highest probability in December and January. Above the fog or stratus layer the atmosphere is clear due to anticyclonic influence.
In spring and summer the easterly flow usually is associated with fair weather due to the dry and frequently warm continental air mass.

Turbulence
Turbulence due to Bise occurs also in the region of Zurich. Runway 28 may also be used in situations with Bise due to runway restrictions. In these cases the pilot needs to pay attention to the Bise turbulence and persistent wind-shear associated to a substantial increase of wind speed with height.

2.3.4. Aviation Hazards

- Strong winds and turbulence near the ground especially in western Switzerland
- Elevated fog: - Poor visibility below the stratus layer
  - Often closed cloud layer over the Swiss Plateau
  - Gaps in the cloud layer may close again quite rapidly

2.4. Southerly Flow

2.4.1. Synoptic Overview and Associated Weather

Southerly flow patterns are considerably rarer than the northerly ones that also belong to the meridional flow types. The activity of the southerly flow pattern is sustained by a surface depression over the eastern Northatlantic and western Europe. The west to east direction of the Alps causes the development of Foehn winds on the leeward side combined with a strong pressure gradient from south to north. Foehn situations are often associated with the southerly flow. The usually dry and rather often sunny “Foehn weather” to the north of the alpine ridge is in striking contrast to the humid weather along the southerly slopes of the Alps. There is also a subtype of the Foehn situation which is restricted to the typical Foehn valleys within the Alps when the pressure gradient is not too accentuated.

2.4.2. Season of Encounter

The southerly flow pattern is very frequent in autumn, less frequent in winter and spring, but sometimes occurs even in summer. Since Foehn winds may also develop in other synoptic situations like south–easterly and westerly flow patterns or in a low pressure system, southerly Foehn winds are more frequent than just the southerly flow patterns.

2.4.3. Local Weather Phenomena

Southerly Foehn
With southerly flow the alpine ridge acts like a barrier. This results in clouds and precipitation on the windward side and a so called Foehn wall forms in the region of the mountain crest. In the Foehn valleys it is mostly warm, windy and dry with high visibility.
When the pressure gradient is big enough, the warm and dry Foehn influences the central and eastern part of Switzerland. Approaching fronts from the west usually are slowed down and the sky keeps relatively clear. The southerly Foehn can also be identified by the typical clouds on the leeward side of the Alps: Altocumulus lenticularis and rotor clouds.

Turbulence
North of the Alps turbulence and lee waves occur and can also reach the region of the airport. Especially in the Foehn valleys attention must be paid to severe turbulence and down draft.

High Temperatures
The warm and dry Foehn wind increases the temperatures north of the Alps. There are higher temperatures measured in Zurich than south of the Alps. This might affect the performance of the engines.

2.4.4. Aviation Hazards

- South of the Alps: - Very low ceiling, poor visibility, persistent precipitation, icing conditions in clouds
  - Thunderstorms with associated heavy turbulence in summer
  - Mountains obscured by clouds
- North of the Alps: - Lee waves, turbulence
  - Wind shear when the dry warm Foehn wind flows over the cold air pool of the Swiss Plateau or when the Foehn gets weak by the approaching front in the west
  - High temperatures reduce engine performance

2.5. Flat Pressure Pattern

2.5.1. Synoptic Overview and Associated Weather

Flat Pressure Pattern with Thermal Thunderstorms
Flat pressure leads to a weak or inexistent synoptic flow. In contrary to the anticyclonic regime there is only little or no subsidence, which leads to a high chance of convection. In the indifferent situation of this pattern the weather shows a distinct diurnal variation: after sunshine during the first half of the day, deep convection clouds are building up, but not exclusively in mountainous terrain. Thermal thunderstorms are induced. Winds aloft carry the upper sections of convective clouds away from the place of formation. Thunderstorms induced by these thermal and orographic conditions show an irregular pattern in the distribution of the total amount of precipitation. Great differences may be observed within a distance of only a few kilometres!

Flat Pressure Pattern with Frontal Thunderstorms
The continuous warming of the land mass in flat pressure situations increases the temperature difference between the continent and the adjacent sea surface. This creates a pressure gradient between the continent and the ocean. In summer this repeatedly leads to outbreaks of cool and moist maritime air masses towards the Alps. With reference to the similar but more pronounced situation in southern Asia, the above development has been named 'European Summer Monsoon'. Thunderstorms which develop in the immediate vicinity of such an outbreak of cold air are called frontal thunderstorms. If the passage of the cold front happens to coincide with the time of greatest diurnal warming or just after, the activity of the frontal thunderstorms is again increased.

2.5.2. Season of Encounter

Synoptic situation with a small horizontal surface pressure gradient over large parts of a continent are most frequent during the summer, since temperature differences between polar and tropical region are smallest in this particular season. This pattern usually lasts for several days.

2.5.3. Local Weather Phenomena

Convection
During hot days a lot of warm air bubbles are lifted and rise up to the condensation base, where they turn into cumulus clouds. Below the convection clouds moderate to severe turbulence with strong vertical winds occur. Cumulus congestus may rise quickly up to the tropopause. Typically cumulonimbus capillatus (CB) with anvil produce thunderstorm. As a rule-of-thumb, the difference between dew-point and temperature multiplied by 400 equals the cloud base height in feet.

Thunderstorm
Thermal thunderstorms occur due to convection at the end of the day while frontal thunderstorms happen at any time of the day. Very heavy thunderstorms are the result of a line of frontal thunderstorms which reach a convecting air mass during the late afternoon in summer. Thunderstorms are accompanied with different aviation hazard, such as heavy rain and fog with reduced visibility. Occasionally precipitation also falls in the form of hail which can damage the structure of an airplane. Wind shear, strong gusts and strong up and down draughts occur near the thunderstorm.
In Zurich thunderstorms are most frequent from May to August between 12 and 00 UTC.

High Temperatures
This weather pattern is normally accompanied by very high temperatures in summer. The density of hot air decreases and this leads to a dangerous decrease of the engine performance, too.

2.5.4. Aviation Hazards

- Thunderstorm:
  - Heavy rain with reduced visibility and rapid cooling
  - Severe wind shear and gusts in proximity of thunderstorms
  - Sudden gusts up to 60 kt
  - Lightning
  - Hail in strong thunderstorms
  - Outflow of cold air associated with sudden change of the wind regime at distant places from the active thunderstorm
  - Microbursts (very strong and small scaled outflow of cold air usually associated with CB's)
- Visibility frequently reduced due to haze
- High temperatures reduce engine performance

2.6. High Pressure Pattern

2.6.1. Synoptic Overview and Associated Weather

This pattern normally produces favourable conditions for the aviation because of the influence of an anticyclone with strong subsidence. That sinking process increases the temperature of the air masses due to compression. The relative humidity decreases and clouds dissolve. Warm anticyclones are accompanied by distinct flow patterns aloft. On continental scale this prevents cyclones and frontal zones to enter regions with anticyclones.

High Pressure Pattern in Summer
The atmospheric pressure is higher than the average values and only few convective clouds are produced. The convective clouds are mostly limited to mountainous regions. Over the Alps of Switzerland a thermal low can be observed. It is caused by the excessive heating of alpine air during the day in comparison with air over the plain at the same height. The daytime heating is clearly stronger on the valley bottom than at higher levels.
In this season the Azores high can also expand up to central Europe and guarantees high temperatures and clear sky for several days or even weeks.

High Pressure Pattern in the Colder Seasons
From November to March maintained anticyclonic conditions repeatedly occur over the continent. After several days of subsidence a very strong temperature inversion is formed, which is a few hundred meters thick. The negative radiation balance of the surface during the winter half year prevents the subsidence from reaching the lowest atmospheric layer.

2.6.2. Season of Encounter

High Pressure Pattern is observed at any time of the year and can last between one day and several weeks. They usually last longer in summer and winter, because approaching deep Atlantic cyclones in spring and autumn degrade the ridge of the high pressure. In summer this pattern often degenerates to a flat pressure pattern with air mass thunderstorms.

2.6.3. Local Weather Phenomena

Radiation Fog
In the colder seasons during clear and calm nights a radiation deficit occurs over the ground due to the negative long wave radiation budget. Temperature over the ground decreases as a consequence. The visibility in areas with radiation fog can drop from 800 – 1000 m to 100 – 200 m quite rapidly. The important conditions for radiation fog are clear sky (increased radiation with the development of an inversion layer), low wind speed and high relative humidity.
The region of the airport Zurich fulfils these conditions in the cold seasons very often. The airport is placed in a flat basin with moderate hills. There are two important moisture sources (the moorland Neracher Ried in the north and the river Glatt in the west). In the past the airport area used to be a moorland with marsh. Radiation fog is an often observed phenomenon in this region and occurs usually between September and March. There is a high chance for no dissolution during the whole day from November to February.
Also in summer formation of radiation fog can not be excluded during the night, especially in the early morning.

High Temperatures
This weather pattern is normally accompanied by very high temperatures in summer. The density of hot air decreases and this leads to a dangerous decrease of the engine performance, too.

2.6.4. Aviation Hazards

- High temperatures reduce engine performance
- Haze reduces visibility in summer
- Isolated thunderstorms in summer when the anticyclone weakens by surface heating
- Radiation fog and fog patches decrease visibility in autumn and winter
- Radiation fog can occur quite quickly and decrease visibility to 100 – 1000 m

B Tables and Graphics

1. WIND

1.1. Wind Polygon

1.1.1. Wind Polygon 10 Years

Frequencies in percent of occurrence of concurrent wind direction every 10° and wind speed within specified ranges (legend). Frequencies are calculated relative to all potentially possible minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Calm is for the wind speed with 0 kt. Variable is for the wind speed between 1 and 3 kt and no wind direction.

Example: In the 10 years period 4.8% of all observations showed a wind speed between 1 and 25 knots with a concurrent wind direction of 250 degrees.



NA: 2.6 %
Calm: 11.6 %
Variable: 14.0 %

1.1.2. Wind Polygon per Season

Example: In the 10 years period in winter 6.6% of all observations showed a wind speed between 1 and 25 knots with a concurrent wind direction of 250 degrees.

Winter (Dec/Jan/Feb)



NA: 3.2 %
Calm: 10.2 %
Variable: 10.8 %

Spring (Mar/Apr/May)



NA: 2.6 %
Calm: 10.5 %
Variable: 12.5 %

Summer (Jun/Jul/Aug)



NA: 2.4 %
Calm: 12.3 %
Variable: 17.0 %

Autumn (Sep/Oct/Nov)



NA: 2.4 %
Calm: 13.5 %
Variable: 15.4 %

1.1.3. Wind Polygon per Month

Example: In the 10 years period in January 5.7% of all observations showed a wind speed between 1 and 25 knots with a concurrent wind direction of 250 degrees.



NA: 3.4 %
Calm: 10.5 %
Variable: 12.7 %



NA: 3.9 %
Calm: 11.6 %
Variable: 9.6 %



NA: 2.5 %
Calm: 10.8 %
Variable: 10.1 %



NA: 3.1 %
Calm: 9.8 %
Variable: 12.1 %

May



NA: 2.3 %
Calm: 11.9 %
Variable: 16.6 %

June



NA: 2.4 %
Calm: 13.5 %
Variable: 19.0 %

July



NA: 2.3 %
Calm: 11.9 %
Variable: 16.6 %

August



NA: 2.4 %
Calm: 13.5 %
Variable: 19.0 %

September



NA: 2.4 %
Calm: 13.7 %
Variable: 15.5 %

October



NA: 2.3 %
Calm: 13.8 %
Variable: 16.1 %

November



NA: 2.5 %
Calm: 12.9 %
Variable: 14.5 %

December



NA: 2.3 %
Calm: 8.8 %
Variable: 10.1 %

1.1.4. Wind Polygon per Hour

Example: In the 10 years period between 00 and 01 UTC 3.3% of all observations showed a wind speed between 1 and 25 knots with a concurrent wind direction of 250 degrees.

00 - 01 UTC



NA: 50.1 %
Calm: 21.8 %
Variable: 12.2 %

01 - 02 UTC



NA: 0.5 %
Calm: 21.9 %
Variable: 13.0 %

02 - 03 UTC



NA: 0.4 %
Calm: 22.6 %
Variable: 12.6 %

03 - 04 UTC



NA: 0.4 %
Calm: 23.0 %
Variable: 12.1 %

04 - 05 UTC



NA: 0.4 %
Calm: 22.7 %
Variable: 13.0 %

05 - 06 UTC



NA: 0.5 %
Calm: 19.5 %
Variable: 14.9 %

06 - 07 UTC



NA: 0.5 %
Calm: 14.3 %
Variable: 16.8 %

07 - 08 UTC



NA: 0.6 %
Calm: 9.3 %
Variable: 18.1 %

08 - 09 UTC



NA: 0.5 %
Calm: 6.3 %
Variable: 17.7 %

09 - 10 UTC



NA: 0.4 %
Calm: 3.8 %
Variable: 17.5 %

10 - 11 UTC



NA: 0.4 %
Calm: 2.0 %
Variable: 16.4 %

11 - 12 UTC



NA: 0.6 %
Calm: 1.6 %
Variable: 15.1 %

12 - 13 UTC



NA: 0.5 %
Calm: 1.7 %
Variable: 14.2 %

13 - 14 UTC



NA: 0.5 %
Calm: 1.9 %
Variable: 13.2 %

14 - 15 UTC



NA: 0.5 %
Calm: 2.5 %
Variable: 11.8 %

15 - 16 UTC



NA: 0.4 %
Calm: 3.8 %
Variable: 11.4 %

16 - 17 UTC



NA: 0.5 %
Calm: 5.4 %
Variable: 10.9 %

17 - 18 UTC



NA: 0.4 %
Calm: 7.5 %
Variable: 12.6 %

18 - 19 UTC



NA: 0.5 %
Calm: 9.2 %
Variable: 13.0 %

19 - 20 UTC



NA: 2.0 %
Calm: 12.6 %
Variable: 14.4 %

20 - 21 UTC



NA: 0.6 %
Calm: 14.6 %
Variable: 14.3 %

21 - 22 UTC



NA: 0.5 %
Calm: 17.1 %
Variable: 13.8 %

22 - 23 UTC



NA: 0.6 %
Calm: 18.7 %
Variable: 12.8 %

23 - 00 UTC



NA: 0.9 %
Calm: 20.5 %
Variable: 12.3 %

1.2. Wind Speed and Direction

1.2.1. Wind Speed and Direction 10 Years

Frequencies in percent of concurrent wind direction (in 30° sectors) and wind speed within specified ranges. Calm is for the wind speed with 0 kt. Variable is for the wind speed between 1 and 3 kt. Frequencies are calculated relative to all potentially possible minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 4.7% of all observations showed a wind speed between 1 and 5 knots with a concurrent wind direction between 350 and 010 degrees.

		Wind Speed (kt) 10 Years												
		0	**1 - 5**	**6 - 10**	**11 - 15**	**16 - 20**	**21 - 25**	**26 - 30**	**31 - 35**	**36 - 40**	**41- 45**	**46 - 50**	**> 50**	**NA**
Wind Direction	**Calm**	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.5	2.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.3	3.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	3.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.7	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.8	4.7	2.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.7	2.6	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.3	1.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.2.2. Wind Speed and Direction per Season

Example (dark shading): In the 10 years period in winter 4.4% of all observations showed a wind speed between 1 and 5 knots with a concurrent wind direction between 350 and 010 degrees.

	Wind Speed (kt) Winter (Dec/Jan/Feb)													
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2
	Variable	0.0	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.9	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.5	3.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.8	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.9	2.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.6	6.1	4.3	1.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.9	2.6	1.4	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.3	0.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	5.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Spring (Mar/Apr/May)													
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.2	2.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.2	4.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.9	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	3.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.6	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.1	4.9	1.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.0	3.1	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.3	2.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.7	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Summer (Jun/Jul/Aug)													
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.0	2.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.2	3.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	3.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.3	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.7	3.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.3	2.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	5.2	2.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	7.8	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Autumn (Sep/Oct/Nov)													
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.9	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.2	3.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	3.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	4.0	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.0	4.5	1.6	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.6	1.9	0.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.2	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	7.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.2.3. Wind Speed and Direction per Month

Example (dark shading): In the 10 years period in January 5% of all observations showed a wind speed between 1 and 5 knots with a concurrent wind direction between 350 and 010 degrees.

	Wind Speed (kt) January													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4
	Variable	0.0	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.2	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.7	3.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.4	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.3	2.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.0	5.4	3.9	1.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.8	2.0	1.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) February													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9
	Variable	0.0	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.2	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.7	2.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.6	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.7	7.1	4.7	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.0	3.7	1.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.2	0.9	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0	5.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) March													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.5	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.9	3.4	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.6	1.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.2	6.5	3.2	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.6	3.4	1.7	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.9	1.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	5.6	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) April													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1
	Variable	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.2	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.8	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.9	5.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.7	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	3.4	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.4	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.9	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.7	5.5	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.2	3.6	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.9	1.7	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.8	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) May												
Wind Direction	0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Calm	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	5.1	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
020-030-040	0.0	5.2	2.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
050-060-070	0.0	4.7	5.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
080-090-100	0.0	2.7	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
110-120-130	0.0	2.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
140-150-160	0.0	3.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
170-180-190	0.0	2.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
200-210-220	0.0	3.3	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
230-240-250	0.0	4.4	2.8	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
260-270-280	0.0	4.0	2.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
290-300-310	0.0	5.2	2.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
320-330-340	0.0	7.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) June												
Wind Direction	0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Calm	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	4.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
020-030-040	0.0	3.7	2.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
050-060-070	0.0	3.7	2.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
080-090-100	0.0	2.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
110-120-130	0.0	2.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
140-150-160	0.0	3.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
170-180-190	0.0	3.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
200-210-220	0.0	3.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
230-240-250	0.0	4.9	3.2	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
260-270-280	0.0	4.5	3.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
290-300-310	0.0	6.3	2.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
320-330-340	0.0	7.9	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) July												
Wind Direction	0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Calm	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	4.7	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
020-030-040	0.0	4.0	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
050-060-070	0.0	4.1	3.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
080-090-100	0.0	3.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
110-120-130	0.0	2.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
140-150-160	0.0	3.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
170-180-190	0.0	2.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
200-210-220	0.0	3.3	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
230-240-250	0.0	4.4	3.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
260-270-280	0.0	4.5	3.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
290-300-310	0.0	4.7	3.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
320-330-340	0.0	6.9	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) August												
Wind Direction	0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
Variable	0.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	5.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
020-030-040	0.0	4.2	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
050-060-070	0.0	4.7	2.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
080-090-100	0.0	3.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
110-120-130	0.0	2.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
140-150-160	0.0	3.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
170-180-190	0.0	2.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
200-210-220	0.0	3.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
230-240-250	0.0	4.7	3.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
260-270-280	0.0	3.7	2.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
290-300-310	0.0	4.7	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
320-330-340	0.0	8.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) September												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.3	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.5	3.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	2.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.9	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.3	4.5	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.4	2.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	5.0	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	7.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) October												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.1	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.6	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.6	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	3.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.9	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.6	4.7	1.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.2	1.7	0.8	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.2	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	7.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) November												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	Variable	0.0	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.4	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	5.6	3.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	4.1	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.0	4.2	1.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.2	1.7	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.3	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) December												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.3	2.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.8	4.1	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.1	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	4.8	3.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.2	5.8	4.4	1.7	0.4	0.1	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.8	2.3	1.1	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	2.8	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	4.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.2.4. Wind Speed and Direction per Hour

Example (dark shading): In the 10 years period between 00 and 01 UTC 5.4% of all observations showed a wind speed between 1 and 5 knots with a concurrent wind direction between 350 and 010 degrees.

	Wind Speed (kt) 00 - 01 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.1
	Variable	0.0	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.4	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	2.7	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	4.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	3.3	3.2	1.7	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.5	1.2	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	8.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 01 - 02 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	2.4	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	4.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.5	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	3.6	3.5	1.6	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.6	1.3	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.5	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	8.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 02 - 03 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	22.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	Variable	0.0	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	2.4	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	4.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.9	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	3.5	3.8	1.8	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.8	1.3	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	8.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 03 - 04 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	23.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	Variable	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.8	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	2.5	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	4.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.8	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	3.6	3.3	1.8	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.5	1.3	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.9	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	8.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 04 - 05 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	22.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	Variable	0.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	6.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	2.1	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	4.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.9	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	3.9	3.3	1.5	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.4	1.4	0.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	8.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 05 - 06 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	6.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.7	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	2.7	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.1	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.8	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.1	3.5	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.9	1.4	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.0	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	8.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 06 - 07 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	6.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.3	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.0	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	4.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.4	3.7	1.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.4	1.6	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	8.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 07 - 08 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
	Variable	0.0	18.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.2	2.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.2	2.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	4.6	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	6.4	5.0	1.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.2	2.1	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 08 - 09 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.7	2.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.6	4.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	1.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	3.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	4.3	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	6.9	6.2	2.2	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.9	2.8	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	3.7	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	5.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 09 - 10 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	Variable	0.0	17.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.8	2.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	5.0	5.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	1.5	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	2.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.9	2.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	6.6	7.0	2.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.4	3.9	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.4	1.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	4.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 10 - 11 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	Variable	0.0	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.7	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.3	3.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	5.1	6.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	1.5	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	2.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.7	2.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	6.6	7.1	3.4	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.7	4.4	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.4	1.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	5.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 11 - 12 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
	Variable	0.0	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.9	3.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.8	6.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	1.4	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	1.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.2	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.8	7.7	3.1	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	5.2	4.8	1.7	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.2	2.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	5.6	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 12 - 13 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.7	3.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.6	7.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	1.6	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.0	1.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.7	7.2	2.9	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.9	5.3	1.7	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.6	3.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	5.5	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 13 - 14 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	13.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.5	3.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.8	6.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	1.6	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	1.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.6	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.4	6.7	2.6	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.7	5.4	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.8	3.7	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	5.4	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 14 - 15 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.0	3.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	5.1	6.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	1.9	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	0.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.3	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.5	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	6.1	5.7	2.4	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	5.0	4.8	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.9	4.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	5.7	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 15 - 16 UTC													
		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
Wind Direction	Calm	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	Variable	0.0	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.6	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.2	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	5.8	6.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	2.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	1.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	2.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.7	1.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	5.3	4.8	2.6	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	5.0	4.1	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	5.0	3.7	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.2	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 16 - 17 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.8	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	7.0	5.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.4	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	1.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	2.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.8	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.9	4.6	2.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.1	3.3	0.9	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	5.6	3.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.5	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 17 - 18 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	Variable	0.0	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.2	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	5.5	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	7.5	4.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	4.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	3.2	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	2.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.7	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.9	4.3	1.6	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.2	2.7	0.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.8	2.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.1	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 18 - 19 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	6.1	2.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	7.2	2.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	4.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	2.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.1	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.5	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.6	4.1	1.8	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	4.1	1.7	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	5.3	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	6.6	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 19 - 20 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
	Variable	0.0	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.8	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.7	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	4.8	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	4.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	3.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.8	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.2	3.3	1.8	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.4	1.6	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.4	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	7.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 20 - 21 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
	Variable	0.0	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	4.3	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.9	2.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	4.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	4.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	4.9	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.6	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	4.1	3.2	1.6	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.7	1.6	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.1	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	7.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 21 - 22 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	17.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	Variable	0.0	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.9	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.5	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	4.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	5.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	3.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.4	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	3.5	3.3	1.6	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.9	1.4	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.0	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	7.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 22 - 23 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
	Variable	0.0	12.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.9	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	3.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	4.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	5.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.1	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	3.7	3.5	1.8	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	2.9	1.5	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.2	0.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	7.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) 23 - 00 UTC												
Wind Direction		0	1 - 5	6 - 10	11 - 15	16 - 20	21 - 25	26 - 30	31 - 35	36 - 40	41- 45	46 - 50	> 50	NA
	Calm	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
	Variable	0.0	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	020-030-040	0.0	3.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	050-060-070	0.0	2.7	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	080-090-100	0.0	3.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	110-120-130	0.0	5.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	140-150-160	0.0	5.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	170-180-190	0.0	4.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	200-210-220	0.0	3.5	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	230-240-250	0.0	3.6	3.5	1.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	260-270-280	0.0	3.0	1.5	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	290-300-310	0.0	4.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	320-330-340	0.0	8.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.3. Cumulative Wind Speed and Direction

1.3.1. Cumulative Wind Speed and Direction 10 Years

Cumulative frequencies in percent of concurrent wind direction (in 30° sectors) and wind speed within specified ran ges. Calm is for the wind speed with 0 kt. Variable is for the wind speed between 1 and 3 kt. Frequencies are calculated relative to all potentially possible minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where cumulative frequencies differ from each other.

Example (dark shading): In the 10 years period 5.1% of all observations showed a wind speed between 1 and 10 knots with a concurrent wind direction between 350 and 010 degrees.

	Wind Speed (kt) 10 Years													
Wind Direction		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Variable	0.0	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.7	5.1	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	
	020-030-040	0.0	4.5	6.6	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	
	050-060-070	0.0	4.3	7.8	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	
	080-090-100	0.0	2.9	3.5	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	
	110-120-130	0.0	2.9	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	2.6
	140-150-160	0.0	3.8	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
	170-180-190	0.0	3.4	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	
	200-210-220	0.0	3.7	5.3	5.4	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	
	230-240-250	0.0	4.8	9.5	11.6	12.2	12.3	12.4	12.4	12.4	12.4	12.4	12.4	
	260-270-280	0.0	3.7	6.3	7.1	7.3	7.4	7.4	7.4	7.4	7.4	7.4	7.4	
	290-300-310	0.0	4.3	5.8	6.1	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	
	320-330-340	0.0	6.9	7.5	7.5	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	

1.3.2. Cumulative Wind Speed and Direction per Season

Example (dark shading): In the 10 years period in winter 4.8% of all observations showed a wind speed between 1 and 10 knots with a concurrent wind direction between 350 and 010 degrees.

	Wind Speed (kt) Winter (Dec/Jan/Feb)													
		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Wind Direction	Calm	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2
	Variable	0.0	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.4	4.8	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	
	020-030-040	0.0	4.9	6.9	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	
	050-060-070	0.0	4.5	7.9	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
	080-090-100	0.0	2.8	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	
	110-120-130	0.0	3.2	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	
	140-150-160	0.0	4.9	5.4	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	
	170-180-190	0.0	3.8	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	
	200-210-220	0.0	3.9	6.5	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	
	230-240-250	0.0	4.6	10.7	15.0	16.5	16.8	16.9	16.9	16.9	16.9	16.9	16.9	
	260-270-280	0.0	2.9	5.5	6.9	7.3	7.4	7.4	7.4	7.4	7.4	7.4	7.4	
	290-300-310	0.0	3.3	4.0	4.1	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	
	320-330-340	0.0	5.7	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	

	Wind Speed (kt) Spring (Mar/Apr/May)													
		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Wind Direction	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.4	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	
	020-030-040	0.0	4.2	6.4	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
	050-060-070	0.0	4.2	8.7	9.3	9.3	9.3	9.3	9.3	9.3	9.3	9.3	9.3	
	080-090-100	0.0	2.9	3.8	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	
	110-120-130	0.0	3.0	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	
	140-150-160	0.0	3.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
	170-180-190	0.0	3.2	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
	200-210-220	0.0	3.6	5.1	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	
	230-240-250	0.0	5.1	10.0	11.9	12.5	12.6	12.6	12.6	12.6	12.6	12.6	12.6	
	260-270-280	0.0	4.0	7.0	7.9	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	
	290-300-310	0.0	4.3	6.4	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	
	320-330-340	0.0	6.7	7.6	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	

	Wind Speed (kt) Summer (Jun/Jul/Aug)													
		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Wind Direction	Calm	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.9	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	
	020-030-040	0.0	4.0	6.0	6.1	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	
	050-060-070	0.0	4.2	7.4	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	
	080-090-100	0.0	3.1	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	
	110-120-130	0.0	2.4	2.8	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	
	140-150-160	0.0	3.2	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	
	170-180-190	0.0	2.7	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
	200-210-220	0.0	3.3	4.3	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	
	230-240-250	0.0	4.7	8.0	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	
	260-270-280	0.0	4.3	7.1	7.5	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	
	290-300-310	0.0	5.2	7.8	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
	320-330-340	0.0	7.8	8.8	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	

	Wind Speed (kt) Autumn (Sep/Oct/Nov)													
		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Wind Direction	Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.0	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	
	020-030-040	0.0	4.9	6.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
	050-060-070	0.0	4.2	7.3	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
	080-090-100	0.0	2.8	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
	110-120-130	0.0	3.0	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
	140-150-160	0.0	3.7	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	
	170-180-190	0.0	3.8	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	
	200-210-220	0.0	4.0	5.3	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	
	230-240-250	0.0	5.0	9.4	11.0	11.4	11.5	11.6	11.6	11.6	11.6	11.6	11.6	
	260-270-280	0.0	3.6	5.5	6.1	6.3	6.4	6.4	6.4	6.4	6.4	6.4	6.4	
	290-300-310	0.0	4.2	5.0	5.1	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	
	320-330-340	0.0	7.3	7.6	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	

1.3.3. Cumulative Wind Speed and Direction per Month

Example (dark shading): In the 10 years period in January 5.4% of all observations showed a wind speed between 1 and 10 knots with a concurrent wind direction between 350 and 010 degrees.

	Wind Speed (kt) January												
		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Wind Direction	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4
	Variable	0.0	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	5.0	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	
	020-030-040	0.0	5.2	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
	050-060-070	0.0	4.7	8.4	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	
	080-090-100	0.0	3.0	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	
	110-120-130	0.0	3.0	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
	140-150-160	0.0	4.7	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	
	170-180-190	0.0	3.4	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	
	200-210-220	0.0	3.3	5.5	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	
	230-240-250	0.0	4.0	9.4	13.4	14.7	15.1	15.1	15.1	15.1	15.1	15.1	15.1	
	260-270-280	0.0	2.8	4.8	6.1	6.5	6.6	6.6	6.6	6.6	6.6	6.6	6.6	
	290-300-310	0.0	4.0	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	
	320-330-340	0.0	6.7	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	

	Wind Speed (kt) February												
		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Wind Direction	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9
	Variable	0.0	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.2	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	
	020-030-040	0.0	4.2	5.7	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	
	050-060-070	0.0	3.7	6.4	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	
	080-090-100	0.0	3.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	
	110-120-130	0.0	3.6	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
	140-150-160	0.0	5.0	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	
	170-180-190	0.0	3.9	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	
	200-210-220	0.0	3.6	5.8	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	
	230-240-250	0.0	4.7	11.7	16.4	17.7	17.9	17.9	17.9	17.9	17.9	17.9	17.9	
	260-270-280	0.0	3.0	6.7	8.5	9.1	9.2	9.2	9.2	9.2	9.2	9.2	9.2	
	290-300-310	0.0	3.2	4.1	4.4	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	
	320-330-340	0.0	5.7	6.0	6.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	

	Wind Speed (kt) March												
		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Wind Direction	Calm	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	3.9	4.5	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	
	020-030-040	0.0	3.5	5.2	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	
	050-060-070	0.0	3.9	7.4	7.8	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	
	080-090-100	0.0	3.3	4.1	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	
	110-120-130	0.0	3.9	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
	140-150-160	0.0	4.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	
	170-180-190	0.0	3.5	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	
	200-210-220	0.0	3.6	5.5	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	
	230-240-250	0.0	5.2	11.6	14.9	16.1	16.3	16.3	16.3	16.3	16.3	16.3	16.3	
	260-270-280	0.0	3.6	7.0	8.7	9.1	9.2	9.2	9.2	9.2	9.2	9.2	9.2	
	290-300-310	0.0	3.9	5.8	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	
	320-330-340	0.0	5.6	6.3	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	

	Wind Speed (kt) April												
		0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Wind Direction	Calm	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1
	Variable	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	350-360-010	0.0	4.2	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	
	020-030-040	0.0	3.8	5.9	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	
	050-060-070	0.0	3.9	9.1	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	
	080-090-100	0.0	2.7	3.7	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	
	110-120-130	0.0	2.8	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
	140-150-160	0.0	3.4	3.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
	170-180-190	0.0	3.4	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
	200-210-220	0.0	3.9	5.6	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	
	230-240-250	0.0	5.7	11.2	12.8	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	
	260-270-280	0.0	4.2	7.8	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	
	290-300-310	0.0	3.9	5.6	6.1	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	
	320-330-340	0.0	6.8	7.7	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	

	Wind Speed (kt) May												
Wind Direction	0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Calm	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	5.1	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	
020-030-040	0.0	5.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	
050-060-070	0.0	4.7	9.7	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	10.2	
080-090-100	0.0	2.7	3.7	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	
110-120-130	0.0	2.3	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	
140-150-160	0.0	3.1	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	
170-180-190	0.0	2.6	3.2	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
200-210-220	0.0	3.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
230-240-250	0.0	4.4	7.3	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	
260-270-280	0.0	4.0	6.3	6.5	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	
290-300-310	0.0	5.2	7.9	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
320-330-340	0.0	7.8	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	

	Wind Speed (kt) June												
Wind Direction	0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Calm	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	4.9	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	
020-030-040	0.0	3.7	6.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	
050-060-070	0.0	3.7	6.6	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
080-090-100	0.0	2.8	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	
110-120-130	0.0	2.4	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	
140-150-160	0.0	3.2	3.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
170-180-190	0.0	3.0	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	
200-210-220	0.0	3.5	4.4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	
230-240-250	0.0	4.9	8.1	8.6	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	
260-270-280	0.0	4.5	7.8	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	
290-300-310	0.0	6.3	9.2	9.9	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
320-330-340	0.0	7.9	9.1	9.2	9.2	9.2	9.2	9.2	9.2	9.2	9.2	9.2	

	Wind Speed (kt) July												
Wind Direction	0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Calm	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	4.7	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	
020-030-040	0.0	4.0	6.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	
050-060-070	0.0	4.1	7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
080-090-100	0.0	3.2	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	
110-120-130	0.0	2.4	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	
140-150-160	0.0	3.1	3.8	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	
170-180-190	0.0	2.4	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	
200-210-220	0.0	3.3	4.7	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	
230-240-250	0.0	4.4	8.0	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	
260-270-280	0.0	4.5	7.7	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	
290-300-310	0.0	4.7	7.8	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
320-330-340	0.0	6.9	7.9	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	

	Wind Speed (kt) August												
Wind Direction	0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
Variable	0.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	5.0	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	
020-030-040	0.0	4.2	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	
050-060-070	0.0	4.7	7.6	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	
080-090-100	0.0	3.4	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	
110-120-130	0.0	2.4	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	
140-150-160	0.0	3.1	3.6	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	
170-180-190	0.0	2.5	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
200-210-220	0.0	3.1	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	
230-240-250	0.0	4.7	7.8	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
260-270-280	0.0	3.7	6.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	
290-300-310	0.0	4.7	6.3	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
320-330-340	0.0	8.6	9.3	9.3	9.3	9.3	9.3	9.3	9.3	9.3	9.3	9.3	

	Wind Speed (kt) September												
Wind Direction	0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Calm	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
Variable	0.0	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	5.3	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	
020-030-040	0.0	4.3	6.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	
050-060-070	0.0	3.5	6.9	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	
080-090-100	0.0	2.9	3.4	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	
110-120-130	0.0	2.7	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	
140-150-160	0.0	2.9	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	
170-180-190	0.0	3.1	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	
200-210-220	0.0	3.9	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	
230-240-250	0.0	5.3	9.8	11.3	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	
260-270-280	0.0	4.4	6.7	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	
290-300-310	0.0	5.0	6.1	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	
320-330-340	0.0	7.6	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	

	Wind Speed (kt) October												
Wind Direction	0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Calm	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	5.2	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	
020-030-040	0.0	5.1	7.5	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	
050-060-070	0.0	3.6	5.7	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	
080-090-100	0.0	2.6	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	
110-120-130	0.0	3.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	
140-150-160	0.0	3.8	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	
170-180-190	0.0	3.9	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	
200-210-220	0.0	3.9	5.2	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	
230-240-250	0.0	4.6	9.3	10.7	11.2	11.3	11.4	11.4	11.4	11.4	11.4	11.4	
260-270-280	0.0	3.2	4.9	5.7	6.0	6.1	6.2	6.2	6.2	6.2	6.2	6.2	
290-300-310	0.0	4.2	5.0	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	
320-330-340	0.0	7.8	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	

	Wind Speed (kt) November												
Wind Direction	0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Calm	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
Variable	0.0	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	4.6	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	
020-030-040	0.0	5.4	7.2	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	
050-060-070	0.0	5.6	9.4	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
080-090-100	0.0	3.0	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	
110-120-130	0.0	3.4	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	
140-150-160	0.0	4.4	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	
170-180-190	0.0	4.4	5.2	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	
200-210-220	0.0	4.1	5.7	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	
230-240-250	0.0	5.0	9.2	11.1	11.7	11.9	11.9	11.9	11.9	11.9	11.9	11.9	
260-270-280	0.0	3.2	5.0	5.5	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	
290-300-310	0.0	3.3	3.8	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	
320-330-340	0.0	6.5	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	

	Wind Speed (kt) December												
Wind Direction	0	1 - 5	1 - 10	1 - 15	1 - 20	1 - 25	1 - 30	1 - 35	1 - 40	1- 45	1 - 50	1-99	NA
Calm	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
350-360-010	0.0	4.0	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	
020-030-040	0.0	5.3	8.0	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	
050-060-070	0.0	4.8	8.9	9.7	9.7	9.7	9.7	9.7	9.7	9.7	9.7	9.7	
080-090-100	0.0	2.3	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	
110-120-130	0.0	2.8	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	
140-150-160	0.0	5.0	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	
170-180-190	0.0	4.1	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	
200-210-220	0.0	4.8	8.1	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	
230-240-250	0.0	5.2	11.1	15.5	17.1	17.5	17.6	17.7	17.7	17.7	17.7	17.7	
260-270-280	0.0	2.8	5.1	6.2	6.5	6.6	6.6	6.6	6.6	6.6	6.6	6.6	
290-300-310	0.0	2.8	3.4	3.5	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	
320-330-340	0.0	4.8	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	

1.4. Wind RWY 16 (34)

1.4.1. Wind RWY 16 (34) 10 Years

Frequencies in percent of the concurrent wind speed and wind direction relative to runway 16 (headwind, tailwind, left and right crosswind). Calm is for the wind speed with 0 kt. Variable is for the wind speed between 1 and 3 kt. Frequencies are calculated relative to all potentially possible minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 38.2% of all observations showed a headwind relative to runway 16 (tailwind relative to runway 34) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) 10 Years													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	38.2	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	41.7	3.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	34.5	11.1	3.5	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	27.3	6.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.4.2. Wind RWY 16 (34) per Season

Example (dark shading): In the 10 years period in winter 44.1% of all observations showed a headwind relative to runway 16 (tailwind relative to runway 34) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) Winter (Dec/Jan/Feb)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2
	Variable	0.0	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	44.1	3.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	37.9	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	30.1	12.7	6.6	2.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	27.5	6.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Spring (Mar/Apr/May)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	38.3	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	42.1	4.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	34.7	11.9	3.3	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	26.3	8.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Summer (Jun/Jul/Aug)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	32.2	2.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	45.1	5.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	37.8	10.3	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	27.4	6.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Autumn (Sep/Oct/Nov)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.9	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	41.7	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	35.3	9.2	2.6	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	28.1	5.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.4.3. Wind RWY 16 (34) per Month

Example (dark shading): In the 10 years period in January 41.5% of all observations showed a headwind relative to runway 16 (tailwind relative to runway 34) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) January													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4
	Variable	0.0	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	41.5	3.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	40.6	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	30.6	10.8	6.1	1.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	29.3	6.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) February													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9
	Variable	0.0	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	44.8	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	36.4	2.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	29.3	14.7	7.4	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	25.6	4.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) March													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	43.7	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	36.9	4.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	32.0	14.1	5.6	1.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	25.3	6.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) April													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1
	Variable	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	39.3	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	41.8	4.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	35.9	12.9	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	24.6	9.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) May													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	31.5	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	47.9	5.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	36.4	8.6	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	29.1	9.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) June													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	31.6	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	46.2	6.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	40.6	10.6	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	25.8	6.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) July													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	32.1	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	44.3	6.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	36.1	12.0	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	27.0	7.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) August												
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	32.9	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	45.0	3.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	36.8	8.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	29.4	6.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) September												
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	35.7	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	43.7	2.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	37.1	9.8	2.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	26.4	6.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) October												
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.1	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	41.5	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	35.4	9.4	2.7	0.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	27.7	4.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) November												
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	Variable	0.0	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	41.0	2.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	40.0	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	33.4	8.5	2.9	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	30.2	6.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) December													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	46.0	4.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	36.7	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	30.4	12.7	6.3	2.3	0.6	0.1	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	27.3	7.1	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.5. Wind RWY 14 (32)

1.5.1. Wind RWY 14 (32) 10 Years

Frequencies in percent of the concurrent wind speed and wind direction relative to runway 14 (headwind, tailwind, left and right crosswind). Calm is for the wind speed with 0 kt. Variable is for the wind speed between 1 and 3 kt. Frequencies are calculated relative to all potentially possible minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 35.8% of all observations showed a headwind relative to runway 14 (tailwind relative to runway 32) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) 10 Years													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Headwind	0.0	35.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Tailwind	0.0	42.8	5.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Right Crosswind	0.0	32.9	10.7	3.2	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Left Crosswind	0.0	29.2	7.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6

1.5.2. Wind RWY 14 (32) per Season

Example (dark shading): In the 10 years period in winter 39.4% of all observations showed a headwind relative to runway 14 (tailwind relative to runway 32) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) Winter (Dec/Jan/Feb)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2
	Variable	0.0	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	39.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	41.1	5.4	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	29.7	13.5	6.4	1.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	27.5	6.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Spring (Mar/Apr/May)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	36.1	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	42.5	6.6	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	33.4	11.3	2.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	28.4	9.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Summer (Jun/Jul/Aug)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	31.8	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	44.4	6.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	36.1	8.4	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	30.6	7.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Autumn (Sep/Oct/Nov)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	35.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	43.4	3.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	32.7	9.4	2.5	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	30.5	6.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.5.3. Wind RWY 14 (32) per Month

Example (dark shading): In the 10 years period in January 38.2% of all observations showed a headwind relative to runway 14 (tailwind relative to runway 32) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) January													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4
	Variable	0.0	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	38.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	42.9	4.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	28.8	11.8	6.0	1.8	0.5	0.1	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	30.1	6.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) February													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9
	Variable	0.0	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.1	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	40.9	6.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	30.1	15.0	7.1	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	26.2	5.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) March													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	40.4	7.8	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	32.0	14.1	5.0	1.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	26.2	6.7	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) April													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1
	Variable	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.1	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	42.5	6.0	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	34.3	12.7	2.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	27.0	9.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) May													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	34.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	44.7	6.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	33.9	7.0	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	32.2	10.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) June													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	30.8	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	45.4	7.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	39.0	8.6	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	29.0	6.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) July													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	32.4	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	43.2	7.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	36.1	9.5	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	29.1	8.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) August													
		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Wind Direction	Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	32.4	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	44.8	4.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	33.3	7.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	33.6	6.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) September													
		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Wind Direction	Calm	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	32.8	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	45.8	3.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	33.7	9.5	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	29.7	6.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) October													
		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Wind Direction	Calm	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	33.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	44.2	3.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	32.6	9.7	2.4	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	30.5	5.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) November													
		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Wind Direction	Calm	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	Variable	0.0	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	40.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	40.3	2.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	31.7	9.0	2.8	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	31.4	7.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) December													
		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Wind Direction	Calm	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	42.7	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	39.6	5.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	30.2	13.8	6.2	2.2	0.5	0.1	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	26.2	8.1	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.6. Wind RWY 28 (10)

1.6.1. Wind RWY 28 (10) 10 Years

Frequencies in percent of the concurrent wind speed and wind direction relative to runway 28 (headwind, tailwind, left and right crosswind). Calm is for the wind speed with 0 kt. Variable is for the wind speed between 1 and 3 kt. Frequencies are calculated relative to all potentially possible minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 36.5% of all observations showed a headwind relative to runway 28 (tailwind relative to runway 10) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) 10 Years													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	36.5	10.7	2.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	31.1	4.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	35.7	5.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	33.2	8.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.6.2. Wind RWY 28 (10) per Season

Example (dark shading): In the 10 years period in winter 32.9% of all observations showed a headwind relative to runway 28 (tailwind relative to runway 10) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) Winter (Dec/Jan/Feb)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2
	Variable	0.0	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	32.9	11.8	5.2	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	33.1	3.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	30.8	5.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	34.6	14.1	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Spring (Mar/Apr/May)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6
	Variable	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	36.1	12.0	3.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	30.1	5.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	36.0	7.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	33.4	7.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Summer (Jun/Jul/Aug)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	39.5	10.4	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	29.4	4.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	40.4	5.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	31.1	4.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) Autumm (Sep/Oct/Nov)													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
	Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.6	8.5	2.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	31.8	3.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	35.8	4.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	33.6	7.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

1.6.3. Wind RWY 28 (10) per Month

Example (dark shading): In the 10 years period in January 33.7% of all observations showed a headwind relative to runway 28 (tailwind relative to runway 10) with a wind speed between 0 and 5 knots (0 < X ≤ 5).

	Wind Speed (kt) January													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4
	Variable	0.0	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	33.7	10.3	4.9	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	33.8	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	34.4	4.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	32.0	12.9	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) February													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9
	Variable	0.0	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	31.4	14.2	5.9	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	31.0	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	28.1	4.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	37.3	14.1	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) March													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
	Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	33.4	14.1	5.0	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	29.6	4.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	30.9	5.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	36.4	11.1	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) April													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1
	Variable	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.3	12.4	2.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	28.7	7.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	34.2	7.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	35.3	7.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) May													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.8	9.4	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	32.1	6.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	43.3	8.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	28.4	4.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) June													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	41.3	11.1	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	28.2	4.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	40.2	6.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	31.5	4.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	Wind Speed (kt) July													
Wind Direction		0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
	Calm	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	Variable	0.0	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Headwind	0.0	37.9	11.9	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Tailwind	0.0	29.3	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Right Crosswind	0.0	39.3	6.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Left Crosswind	0.0	31.5	4.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Wind Direction	Wind Speed (kt) August												
	0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Calm	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
Variable	0.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Headwind	0.0	39.4	8.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Tailwind	0.0	30.7	3.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Right Crosswind	0.0	41.7	4.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Left Crosswind	0.0	30.4	3.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Wind Direction	Wind Speed (kt) September												
	0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Calm	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
Variable	0.0	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Headwind	0.0	40.2	9.5	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Tailwind	0.0	28.0	4.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Right Crosswind	0.0	36.3	5.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Left Crosswind	0.0	33.2	6.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Wind Direction	Wind Speed (kt) October												
	0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Calm	13.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Headwind	0.0	37.7	8.5	2.2	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	
Tailwind	0.0	31.7	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Right Crosswind	0.0	35.7	4.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Left Crosswind	0.0	33.1	7.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Wind Direction	Wind Speed (kt) November												
	0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Calm	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
Variable	0.0	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Headwind	0.0	35.0	7.7	2.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Tailwind	0.0	35.5	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Right Crosswind	0.0	35.5	4.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Left Crosswind	0.0	34.5	7.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Wind Direction	Wind Speed (kt) December												
	0	0 - 5	5 - 10	10 - 15	15 - 20	20 - 25	25 - 30	30 - 35	35 - 40	40 - 45	45 - 50	> 50	NA
Calm	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Variable	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Headwind	0.0	33.5	11.1	4.9	1.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	
Tailwind	0.0	34.4	4.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Right Crosswind	0.0	29.7	6.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Left Crosswind	0.0	34.8	15.3	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

2.1. Wind Gusts

2.1.1. Wind Gusts 10 Years

Frequencies in per mil of concurrent wind direction (in 10° sectors) and wind gust speed within specified ranges. Frequencies are calculated relative to all potentially possible minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations (also in per mil). It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 0.2‰ of all observations showed a wind gust between 21 and 25 knots with a concurrent wind direction of 250 degrees.

	Wind Speed (kt) 10 Years							
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	040	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	050	0.00	0.03	0.04	0.01	0.00	0.00	0.00	
	060	0.00	0.04	0.05	0.01	0.00	0.00	0.00	
	070	0.01	0.04	0.04	0.01	0.00	0.00	0.00	
	080	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.3
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	220	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	230	0.00	0.02	0.06	0.03	0.02	0.00	0.00	
	240	0.00	0.04	0.13	0.13	0.08	0.00	0.00	
	250	0.00	0.04	0.20	0.24	0.12	0.01	0.00	
	260	0.00	0.03	0.14	0.13	0.07	0.01	0.00	
	270	0.00	0.02	0.06	0.04	0.01	0.00	0.00	
	280	0.00	0.02	0.05	0.03	0.01	0.00	0.00	
	290	0.00	0.01	0.03	0.02	0.01	0.00	0.00	
	300	0.00	0.01	0.03	0.01	0.01	0.00	0.00	
	310	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	320	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

2.1.2. Maximum Wind Gust in 10 Years

On the 26th of December 1999 at 1050 UTC a wind gust of 60 kt was measured. This extreme value was caused by the gale Lothar.

2.1.3. Wind Gusts per Season

Example (dark shading): In the 10 years period in winter 0.44‰ of all observations showed a wind gust between 21 and 25 knots with a concurrent wind direction of 250 degrees.

	Wind Speed (kt) Winter (Dec/Jan/Feb)								
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.01	0.02	0.02	0.00	0.00	0.00	0.00	
	040	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	050	0.01	0.04	0.08	0.01	0.00	0.00	0.00	
	060	0.01	0.06	0.07	0.03	0.00	0.00	0.00	
	070	0.01	0.05	0.04	0.03	0.00	0.00	0.00	
	080	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	31.8
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	210	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	220	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	230	0.00	0.03	0.15	0.07	0.04	0.01	0.00	
	240	0.00	0.09	0.29	0.30	0.20	0.01	0.00	
	250	0.00	0.05	0.44	0.58	0.29	0.02	0.00	
	260	0.00	0.05	0.25	0.26	0.13	0.02	0.00	
	270	0.00	0.02	0.07	0.08	0.03	0.00	0.00	
	280	0.00	0.02	0.08	0.05	0.01	0.01	0.00	
	290	0.00	0.01	0.02	0.03	0.02	0.00	0.00	
	300	0.00	0.01	0.01	0.01	0.01	0.00	0.00	
	310	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	320	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

	Wind Speed (kt) Spring (Mar/Apr/May)								
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	040	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	050	0.00	0.01	0.03	0.01	0.00	0.00	0.00	
	060	0.00	0.03	0.07	0.00	0.00	0.00	0.00	
	070	0.00	0.02	0.07	0.01	0.00	0.00	0.00	
	080	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	090	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.3
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	220	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	230	0.00	0.01	0.03	0.02	0.02	0.00	0.00	
	240	0.00	0.03	0.10	0.12	0.09	0.00	0.00	
	250	0.00	0.04	0.14	0.18	0.07	0.00	0.00	
	260	0.00	0.04	0.14	0.13	0.05	0.00	0.00	
	270	0.00	0.03	0.09	0.04	0.01	0.00	0.00	
	280	0.00	0.03	0.06	0.04	0.01	0.00	0.00	
	290	0.00	0.01	0.04	0.02	0.01	0.00	0.00	
	300	0.00	0.03	0.06	0.02	0.01	0.00	0.00	
	310	0.00	0.00	0.01	0.01	0.00	0.00	0.00	
	320	0.00	0.00	0.01	0.01	0.00	0.00	0.00	
	330	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

	Wind Speed (kt) Summer (Jun/Jul/Aug)								
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	040	0.00	0.01	0.01	0.01	0.00	0.00	0.00	
	050	0.00	0.03	0.03	0.00	0.00	0.00	0.00	
	060	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
	070	0.01	0.02	0.02	0.00	0.00	0.00	0.00	
	080	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.01	0.00	0.00	0.00	0.00	23.5
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	220	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	230	0.00	0.00	0.01	0.01	0.00	0.00	0.00	
	240	0.00	0.01	0.03	0.01	0.00	0.00	0.00	
	250	0.00	0.03	0.04	0.02	0.00	0.00	0.00	
	260	0.00	0.03	0.05	0.03	0.02	0.00	0.00	
	270	0.01	0.03	0.03	0.01	0.00	0.00	0.00	
	280	0.00	0.02	0.04	0.01	0.00	0.00	0.00	
	290	0.01	0.02	0.03	0.02	0.02	0.00	0.00	
	300	0.00	0.00	0.05	0.01	0.00	0.00	0.00	
	310	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	320	0.00	0.02	0.00	0.00	0.00	0.00	0.00	
	330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

	Wind Speed (kt) Autumn (Sep/Oct/Nov)								
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	040	0.01	0.02	0.01	0.00	0.00	0.00	0.00	
	050	0.00	0.03	0.04	0.00	0.00	0.00	0.00	
	060	0.01	0.04	0.04	0.00	0.00	0.00	0.00	
	070	0.01	0.04	0.02	0.00	0.00	0.00	0.00	
	080	0.00	0.01	0.02	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.9
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	220	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	230	0.00	0.03	0.03	0.03	0.01	0.00	0.00	
	240	0.00	0.04	0.10	0.08	0.03	0.00	0.00	
	250	0.00	0.04	0.19	0.19	0.13	0.02	0.00	
	260	0.01	0.02	0.11	0.08	0.09	0.02	0.00	
	270	0.00	0.01	0.04	0.04	0.02	0.01	0.00	
	280	0.00	0.02	0.04	0.01	0.01	0.00	0.00	
	290	0.00	0.01	0.02	0.01	0.01	0.00	0.00	
	300	0.00	0.01	0.01	0.01	0.00	0.00	0.00	
	310	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	320	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.01	0.00	0.00	0.00	0.00	0.00	

2.1.4. Wind Gusts per Month

Example (dark shading): In the 10 years period in January 0.32‰ of all observations showed a wind gust speed between 21 and 25 knots with a concurrent wind direction of 250 degrees.

	Wind Speed (kt) January								
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	040	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	050	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	060	0.00	0.04	0.02	0.00	0.00	0.00	0.00	
	070	0.02	0.09	0.02	0.00	0.00	0.00	0.00	
	080	0.00	0.03	0.01	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	34.3
	180	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	220	0.00	0.00	0.01	0.01	0.00	0.00	0.00	
	230	0.00	0.04	0.09	0.09	0.08	0.02	0.00	
	240	0.01	0.08	0.20	0.27	0.25	0.00	0.00	
	250	0.00	0.02	0.32	0.34	0.11	0.01	0.00	
	260	0.00	0.05	0.19	0.25	0.11	0.03	0.00	
	270	0.00	0.02	0.02	0.06	0.02	0.00	0.00	
	280	0.00	0.02	0.09	0.04	0.02	0.01	0.00	
	290	0.00	0.00	0.02	0.02	0.01	0.00	0.00	
	300	0.00	0.02	0.02	0.01	0.02	0.00	0.00	
	310	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	320	0.00	0.00	0.01	0.01	0.00	0.00	0.00	
	330	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	340	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

	Wind Speed (kt) February								
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	040	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	050	0.00	0.02	0.08	0.00	0.00	0.00	0.00	
	060	0.00	0.04	0.09	0.02	0.00	0.00	0.00	
	070	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	080	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.6
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	210	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	220	0.00	0.03	0.02	0.00	0.00	0.00	0.00	
	230	0.00	0.01	0.15	0.04	0.02	0.00	0.00	
	240	0.00	0.11	0.29	0.20	0.05	0.00	0.00	
	250	0.00	0.09	0.52	0.70	0.27	0.00	0.00	
	260	0.01	0.08	0.33	0.31	0.19	0.00	0.00	
	270	0.01	0.03	0.10	0.10	0.01	0.00	0.00	
	280	0.00	0.03	0.06	0.09	0.02	0.01	0.00	
	290	0.00	0.02	0.03	0.06	0.03	0.00	0.00	
	300	0.00	0.00	0.00	0.02	0.01	0.00	0.00	
	310	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	320	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

	Wind Speed (kt) March								
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	040	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	050	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	060	0.00	0.01	0.02	0.00	0.00	0.00	0.00	
	070	0.00	0.03	0.02	0.01	0.00	0.00	0.00	
	080	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	090	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	100	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24.9
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.02	0.01	0.00	0.01	0.00	0.00	
	220	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
	230	0.00	0.02	0.07	0.05	0.05	0.00	0.00	
	240	0.00	0.06	0.21	0.27	0.26	0.00	0.00	
	250	0.00	0.05	0.25	0.40	0.17	0.00	0.00	
	260	0.00	0.05	0.28	0.32	0.13	0.01	0.00	
	270	0.00	0.05	0.12	0.08	0.02	0.00	0.00	
	280	0.00	0.05	0.12	0.09	0.01	0.00	0.00	
	290	0.00	0.02	0.05	0.04	0.00	0.00	0.00	
	300	0.00	0.03	0.06	0.02	0.01	0.00	0.00	
	310	0.00	0.00	0.02	0.00	0.00	0.00	0.00	
	320	0.00	0.00	0.02	0.01	0.00	0.00	0.00	
	330	0.01	0.00	0.02	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

	Wind Speed (kt) April								
Wind Direction		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	040	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	050	0.00	0.01	0.08	0.01	0.00	0.00	0.00	
	060	0.00	0.05	0.10	0.00	0.00	0.00	0.00	
	070	0.01	0.00	0.10	0.01	0.00	0.00	0.00	
	080	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
	090	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.01	0.00	0.00	0.00	31.0
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	220	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	230	0.01	0.01	0.01	0.00	0.00	0.00	0.00	
	240	0.00	0.03	0.06	0.06	0.01	0.00	0.00	
	250	0.01	0.06	0.10	0.12	0.02	0.00	0.00	
	260	0.00	0.04	0.10	0.06	0.01	0.00	0.00	
	270	0.00	0.02	0.08	0.02	0.00	0.00	0.00	
	280	0.01	0.02	0.04	0.02	0.00	0.00	0.00	
	290	0.00	0.01	0.02	0.00	0.02	0.00	0.00	
	300	0.00	0.03	0.05	0.04	0.02	0.00	0.00	
	310	0.00	0.01	0.01	0.01	0.00	0.00	0.00	
	320	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
	330	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Wind Direction	Wind Speed (kt) May								
		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	040	0.00	0.01	0.02	0.00	0.01	0.00	0.00	
	050	0.00	0.02	0.01	0.01	0.00	0.00	0.00	
	060	0.00	0.04	0.09	0.00	0.00	0.00	0.00	
	070	0.00	0.04	0.09	0.01	0.00	0.00	0.00	
	080	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.0
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	220	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	230	0.00	0.01	0.02	0.00	0.00	0.00	0.00	
	240	0.01	0.00	0.02	0.02	0.01	0.00	0.00	
	250	0.00	0.02	0.06	0.03	0.02	0.00	0.00	
	260	0.00	0.02	0.05	0.02	0.02	0.00	0.00	
	270	0.00	0.02	0.05	0.02	0.01	0.00	0.00	
	280	0.00	0.03	0.01	0.00	0.01	0.00	0.00	
	290	0.00	0.01	0.05	0.02	0.01	0.00	0.00	
	300	0.00	0.02	0.08	0.01	0.00	0.00	0.00	
	310	0.00	0.00	0.01	0.01	0.00	0.00	0.00	
	320	0.00	0.01	0.01	0.01	0.00	0.00	0.00	
	330	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.01	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Wind Direction	Wind Speed (kt) June								
		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.02	0.00	0.01	0.00	0.00	0.00	
	040	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	050	0.01	0.03	0.06	0.00	0.00	0.00	0.00	
	060	0.00	0.02	0.04	0.00	0.00	0.00	0.00	
	070	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	080	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
	140	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	150	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.3
	190	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	200	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.01	0.02	0.01	0.00	0.00	0.00	
	220	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	230	0.00	0.00	0.00	0.00	0.01	0.00	0.00	
	240	0.00	0.02	0.02	0.02	0.01	0.00	0.00	
	250	0.00	0.02	0.02	0.04	0.01	0.00	0.00	
	260	0.00	0.06	0.02	0.03	0.04	0.00	0.00	
	270	0.02	0.06	0.04	0.02	0.01	0.00	0.00	
	280	0.00	0.04	0.04	0.02	0.00	0.00	0.00	
	290	0.01	0.02	0.07	0.02	0.02	0.00	0.00	
	300	0.00	0.01	0.06	0.01	0.00	0.00	0.00	
	310	0.00	0.01	0.02	0.00	0.00	0.00	0.00	
	320	0.00	0.01	0.00	0.01	0.00	0.00	0.00	
	330	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Wind Direction	Wind Speed (kt) July								
		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
	040	0.00	0.01	0.01	0.01	0.00	0.00	0.00	
	050	0.00	0.05	0.01	0.01	0.00	0.00	0.00	
	060	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
	070	0.01	0.01	0.01	0.00	0.00	0.00	0.00	
	080	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	120	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.02	0.00	0.00	0.01	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	180	0.00	0.01	0.00	0.00	0.00	0.00	0.00	23.1
	190	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
	200	0.01	0.00	0.01	0.00	0.00	0.00	0.00	
	210	0.01	0.01	0.00	0.00	0.00	0.00	0.00	
	220	0.00	0.02	0.03	0.00	0.00	0.00	0.00	
	230	0.00	0.01	0.02	0.02	0.00	0.00	0.00	
	240	0.00	0.02	0.05	0.02	0.00	0.00	0.00	
	250	0.00	0.03	0.04	0.02	0.00	0.00	0.00	
	260	0.00	0.02	0.08	0.03	0.02	0.00	0.00	
	270	0.01	0.02	0.02	0.00	0.00	0.00	0.00	
	280	0.01	0.00	0.05	0.02	0.00	0.00	0.00	
	290	0.01	0.02	0.01	0.02	0.02	0.00	0.00	
	300	0.01	0.00	0.07	0.03	0.00	0.00	0.00	
	310	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	320	0.00	0.03	0.01	0.00	0.00	0.00	0.00	
	330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
	350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Wind Direction	Wind Speed (kt) August								
		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.00	0.02	0.00	0.00	0.00	0.00	0.00	
	040	0.00	0.03	0.00	0.01	0.00	0.00	0.00	
	050	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
	060	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
	070	0.01	0.05	0.03	0.01	0.00	0.00	0.00	
	080	0.00	0.01	0.01	0.01	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	180	0.00	0.00	0.00	0.01	0.00	0.00	0.00	24.0
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	220	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	230	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	240	0.00	0.00	0.03	0.00	0.00	0.00	0.00	
	250	0.00	0.03	0.05	0.00	0.00	0.00	0.00	
	260	0.01	0.01	0.07	0.02	0.00	0.00	0.00	
	270	0.00	0.02	0.02	0.02	0.00	0.00	0.00	
	280	0.00	0.03	0.02	0.00	0.00	0.00	0.00	
	290	0.00	0.02	0.02	0.02	0.01	0.00	0.00	
	300	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	310	0.00	0.02	0.01	0.01	0.00	0.00	0.00	
	320	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	330	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.01	0.01	0.00	0.00	0.00	0.00	

	Wind Speed (kt) September								
		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
Wind Direction	360	0.01	0.01	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	020	0.01	0.00	0.01	0.00	0.00	0.00	0.00	
	030	0.00	0.01	0.02	0.00	0.00	0.00	0.00	
	040	0.01	0.02	0.01	0.00	0.00	0.00	0.00	
	050	0.00	0.06	0.09	0.01	0.00	0.00	0.00	
	060	0.02	0.07	0.06	0.00	0.00	0.00	0.00	
	070	0.02	0.03	0.02	0.00	0.00	0.00	0.00	
	080	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
	090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.02	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.8
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	220	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	230	0.00	0.00	0.01	0.01	0.00	0.00	0.00	
	240	0.00	0.02	0.07	0.05	0.00	0.00	0.00	
	250	0.00	0.05	0.19	0.09	0.00	0.00	0.00	
	260	0.00	0.01	0.06	0.06	0.01	0.00	0.00	
	270	0.00	0.02	0.02	0.01	0.00	0.00	0.00	
	280	0.00	0.02	0.02	0.00	0.00	0.01	0.00	
	290	0.00	0.02	0.02	0.01	0.00	0.00	0.00	
	300	0.00	0.00	0.01	0.02	0.00	0.00	0.00	
	310	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	320	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	330	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.01	0.00	0.00	0.00	0.00	0.00	

	Wind Speed (kt) October								
		10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
Wind Direction	360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	010	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	020	0.02	0.00	0.00	0.00	0.00	0.00	0.00	
	030	0.01	0.02	0.02	0.00	0.00	0.00	0.00	
	040	0.01	0.02	0.02	0.00	0.00	0.00	0.00	
	050	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
	060	0.00	0.04	0.04	0.00	0.00	0.00	0.00	
	070	0.01	0.06	0.03	0.00	0.01	0.00	0.00	
	080	0.00	0.01	0.04	0.01	0.00	0.00	0.00	
	090	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.1
	180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	210	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	220	0.00	0.01	0.01	0.00	0.00	0.00	0.00	
	230	0.00	0.06	0.05	0.02	0.01	0.00	0.00	
	240	0.00	0.05	0.09	0.08	0.01	0.00	0.00	
	250	0.00	0.04	0.18	0.24	0.24	0.05	0.00	
	260	0.01	0.02	0.18	0.06	0.20	0.05	0.00	
	270	0.00	0.01	0.08	0.09	0.03	0.02	0.00	
	280	0.00	0.02	0.08	0.02	0.02	0.00	0.00	
	290	0.00	0.01	0.03	0.02	0.02	0.00	0.00	
	300	0.00	0.02	0.03	0.02	0.00	0.00	0.00	
	310	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
	320	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	350	0.00	0.01	0.00	0.00	0.00	0.00	0.00	

Wind Direction	Wind Speed (kt) November							
	10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
360	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
010	0.00	0.00	0.00	0.01	0.00	0.00	0.00	
020	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
030	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
040	0.00	0.02	0.00	0.00	0.00	0.00	0.00	
050	0.00	0.02	0.00	0.00	0.00	0.00	0.00	
060	0.00	0.02	0.01	0.01	0.00	0.00	0.00	
070	0.01	0.04	0.01	0.00	0.00	0.00	0.00	
080	0.01	0.01	0.01	0.00	0.00	0.00	0.00	
090	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
150	0.00	0.00	0.01	0.00	0.00	0.00	0.00	
160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24.7
190	0.00	0.02	0.00	0.00	0.00	0.00	0.00	
200	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
210	0.01	0.01	0.00	0.00	0.00	0.00	0.00	
220	0.00	0.02	0.02	0.00	0.00	0.00	0.00	
230	0.00	0.02	0.05	0.05	0.01	0.00	0.00	
240	0.00	0.05	0.13	0.13	0.07	0.00	0.00	
250	0.01	0.02	0.19	0.23	0.13	0.00	0.00	
260	0.01	0.04	0.09	0.12	0.07	0.00	0.00	
270	0.00	0.00	0.02	0.03	0.02	0.00	0.00	
280	0.00	0.02	0.02	0.01	0.01	0.00	0.00	
290	0.00	0.02	0.02	0.01	0.00	0.00	0.00	
300	0.00	0.00	0.00	0.01	0.01	0.00	0.00	
310	0.00	0.00	0.02	0.00	0.01	0.00	0.00	
320	0.00	0.01	0.01	0.01	0.00	0.00	0.00	
330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Wind Direction	Wind Speed (kt) December							
	10-15	16-20	21-25	26-30	31-40	41-60	>60	NA
360	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
010	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
020	0.00	0.01	0.00	0.00	0.00	0.00	0.00	
030	0.02	0.06	0.05	0.00	0.00	0.00	0.00	
040	0.00	0.05	0.02	0.00	0.00	0.00	0.00	
050	0.03	0.08	0.17	0.04	0.00	0.00	0.00	
060	0.02	0.11	0.10	0.07	0.00	0.00	0.00	
070	0.00	0.05	0.08	0.08	0.00	0.00	0.00	
080	0.00	0.03	0.03	0.01	0.00	0.00	0.00	
090	0.00	0.00	0.02	0.00	0.00	0.00	0.00	
100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
110	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
120	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
130	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
140	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
150	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
160	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
180	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.1
190	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
200	0.00	0.00	0.02	0.00	0.00	0.00	0.00	
210	0.00	0.01	0.02	0.01	0.00	0.00	0.00	
220	0.00	0.02	0.01	0.00	0.00	0.00	0.00	
230	0.00	0.04	0.21	0.07	0.02	0.00	0.00	
240	0.00	0.09	0.38	0.42	0.29	0.02	0.00	
250	0.01	0.04	0.47	0.71	0.48	0.05	0.00	
260	0.00	0.04	0.24	0.24	0.10	0.02	0.00	
270	0.00	0.02	0.09	0.07	0.06	0.00	0.00	
280	0.00	0.02	0.08	0.02	0.00	0.02	0.00	
290	0.00	0.01	0.03	0.01	0.01	0.01	0.00	
300	0.00	0.02	0.01	0.00	0.01	0.01	0.00	
310	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
320	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
330	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
340	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
350	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

3. VISIBILITY AND CEILING

3.1. Visibility

3.1.1. Hourly Visibility 10 Years

Cumulative frequencies in percent of visibility below specified values at specified times (months in 3.1.2.). Frequencies are calculated relative to all potentially possible observations each hour (month) minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 26% of all observations between 04 and 05 UTC showed a visibility below 5000 m.

	Visibility (m) 10 Years											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.2	0.4	1.0	3.4	4.4	4.7	5.9	9.9	18.3	30.8	69.2	50.2
	01 - 02	0.2	0.4	1.2	3.7	4.7	5.3	6.6	10.5	19.2	33.3	66.7	0.5
	02 - 03	0.2	0.5	1.3	4.3	5.5	5.9	7.3	11.8	21.4	36.3	63.7	0.4
	03 - 04	0.2	0.4	1.6	5.3	6.2	6.8	8.5	13.6	24.7	39.8	60.2	0.5
	04 - 05	0.2	0.4	1.7	4.9	6.4	7.1	8.9	14.2	26.0	41.4	58.6	0.5
	05 - 06	0.2	0.3	1.5	5.1	6.1	6.7	8.9	14.9	26.2	42.3	57.7	0.6
	06 - 07	0.1	0.3	1.2	4.1	5.2	5.9	8.2	14.3	25.7	41.5	58.5	0.6
	07 - 08	0.1	0.2	1.0	3.2	4.0	4.7	6.7	13.5	23.8	38.5	61.5	0.6
	08 - 09	0.0	0.0	0.4	2.3	3.0	3.6	5.1	11.3	20.5	34.4	65.6	0.5
	09 - 10	0.0	0.0	0.2	1.3	1.7	2.1	3.6	8.4	16.9	30.1	69.9	0.5
	10 - 11	0.0	0.0	0.0	0.5	0.7	1.0	2.0	6.0	13.8	26.3	73.7	0.4
	11 - 12	0.0	0.0	0.0	0.3	0.5	0.6	1.3	4.3	11.4	22.4	77.6	0.6
	12 - 13	0.0	0.0	0.1	0.2	0.2	0.3	0.9	3.2	9.2	19.8	80.2	0.5
	13 - 14	0.0	0.0	0.1	0.2	0.2	0.3	0.6	2.6	7.7	17.6	82.4	0.6
	14 - 15	0.0	0.0	0.1	0.3	0.3	0.3	0.7	2.7	7.5	17.5	82.5	0.5
	15 - 16	0.0	0.0	0.2	0.3	0.4	0.4	0.9	3.1	8.5	17.6	82.4	0.4
	16 - 17	0.0	0.0	0.2	0.4	0.5	0.6	0.9	3.1	9.6	19.3	80.7	0.5
	17 - 18	0.0	0.0	0.1	0.5	0.5	0.6	0.8	2.7	9.4	19.8	80.2	0.5
	18 - 19	0.0	0.0	0.1	0.5	0.6	0.7	1.1	3.0	9.7	20.4	79.6	0.5
	19 - 20	0.0	0.0	0.1	0.6	0.9	1.0	1.4	3.4	10.2	21.5	78.5	2.1
	20 - 21	0.0	0.0	0.2	1.0	1.3	1.4	1.9	4.2	11.0	22.9	77.1	0.6
	21 - 22	0.1	0.2	0.4	1.4	1.8	2.0	2.6	5.6	12.5	24.2	75.8	0.6
	22 - 23	0.1	0.3	0.7	1.7	2.5	2.7	3.6	7.0	14.2	26.0	74.0	0.7
	23 - 00	0.2	0.4	0.9	2.5	3.3	3.7	4.9	8.5	15.9	28.6	71.4	0.9

3.1.2. Monthly Visibility 10 Years

Example (dark shading): In the 10 years period in March 11.2% of all observations showed a visibility below 5000 m.

	Visibility (m) 10 Years											
Time (Months)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	January	0.2	0.4	1.5	4.5	5.4	6.0	8.8	20.8	38.9	55.4	44.6	3.3
	February	0.2	0.3	0.5	1.6	2.1	2.5	4.1	9.2	19.1	34.9	65.1	4.1
	March	0.1	0.1	0.4	1.0	1.2	1.4	2.2	4.4	11.2	24.4	75.6	2.5
	April	0.0	0.0	0.1	0.5	0.8	0.9	1.2	2.8	6.2	15.8	84.2	3.0
	May	0.0	0.0	0.2	0.7	0.9	1.0	1.2	1.9	4.6	12.6	87.4	2.3
	June	0.0	0.0	0.0	0.3	0.4	0.4	0.6	1.2	3.3	9.7	90.3	2.3
	July	0.0	0.0	0.0	0.3	0.4	0.4	0.6	0.9	2.6	7.5	92.5	2.3
	August	0.0	0.0	0.1	0.5	0.8	0.9	1.3	2.4	5.4	14.1	85.9	2.4
	September	0.0	0.0	0.7	2.9	3.6	4.0	4.9	7.2	12.8	25.3	74.7	2.4
	October	0.2	0.5	2.0	5.5	6.6	7.2	8.7	13.6	25.1	41.8	58.2	2.3
	November	0.1	0.2	0.9	3.6	4.8	5.4	7.6	14.3	31.1	50.2	49.8	2.9
	December	0.0	0.1	0.6	2.1	3.1	3.5	5.2	11.9	26.1	44.5	55.5	2.4

3.1.3. Hourly Visibility per Season

Example (dark shading): In the 10 years period in winter 35.4% of all observations between 04 and 05 UTC showed a visibility below 5000 m.

	Visibility (m) Winter (Dec/Jan/Feb)											
Time (UTC)	< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
00 - 01	0.3	0.8	1.8	4.1	5.7	6.1	8.2	16.2	30.4	47.7	52.3	50.4
01 - 02	0.4	0.9	1.8	4.3	5.9	6.6	8.8	16.3	30.8	49.4	50.6	1.0
02 - 03	0.4	1.0	1.7	4.5	5.7	6.3	8.3	17.1	32.2	51.8	48.2	1.0
03 - 04	0.4	0.9	1.8	5.2	6.2	6.8	9.2	18.1	34.8	53.1	46.9	1.0
04 - 05	0.3	0.6	2.1	5.2	6.7	7.5	10.0	18.7	35.4	53.2	46.8	1.2
05 - 06	0.2	0.4	1.5	4.4	6.1	6.9	10.2	18.9	34.9	53.4	46.6	1.2
06 - 07	0.1	0.2	1.0	4.2	5.4	6.2	10.1	20.3	36.5	54.7	45.3	1.1
07 - 08	0.1	0.3	1.4	4.4	5.4	6.6	10.6	24.6	38.4	53.7	46.3	1.2
08 - 09	0.1	0.1	0.8	4.3	5.7	7.1	9.8	24.0	37.3	52.5	47.5	1.2
09 - 10	0.0	0.1	0.6	3.5	4.2	4.9	8.5	20.3	34.5	51.0	49.0	1.1
10 - 11	0.0	0.0	0.1	1.7	2.3	3.0	5.5	15.5	30.5	47.3	52.7	1.0
11 - 12	0.0	0.0	0.1	1.2	1.7	2.1	4.2	12.2	26.4	43.0	57.0	1.6
12 - 13	0.0	0.0	0.2	0.6	0.9	1.2	3.2	9.9	23.0	39.1	60.9	1.1
13 - 14	0.0	0.0	0.2	0.7	0.8	1.1	2.4	8.0	20.0	35.9	64.1	1.1
14 - 15	0.0	0.0	0.2	1.0	1.1	1.3	2.6	8.6	20.2	36.5	63.5	1.2
15 - 16	0.0	0.1	0.5	1.1	1.4	1.5	2.7	9.2	22.1	36.5	63.5	1.1
16 - 17	0.0	0.1	0.4	1.2	1.5	1.6	2.7	9.0	24.0	39.2	60.8	1.2
17 - 18	0.1	0.1	0.4	1.5	1.5	1.7	2.2	7.6	22.2	39.4	60.6	1.0
18 - 19	0.0	0.0	0.4	1.5	1.7	1.8	2.7	7.9	22.3	39.9	60.1	1.2
19 - 20	0.0	0.0	0.5	1.6	2.1	2.4	3.5	8.3	22.9	39.9	60.1	2.4
20 - 21	0.1	0.1	0.3	2.0	2.9	3.0	4.2	9.2	23.2	40.8	59.2	1.2
21 - 22	0.2	0.4	0.8	2.5	3.4	3.6	4.7	11.4	24.5	41.3	58.7	1.0
22 - 23	0.2	0.6	1.1	2.7	3.7	4.1	5.8	13.2	26.1	43.3	56.7	1.1
23 - 00	0.5	0.7	1.2	3.3	4.7	5.0	6.9	14.6	27.7	45.3	54.7	1.6

	Visibility (m) Spring (Mar/Apr/May)											
Time (UTC)	< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
00 - 01	0.0	0.0	0.1	1.1	1.5	1.6	1.6	3.7	8.1	19.6	80.4	50.3
01 - 02	0.0	0.0	0.2	1.3	1.6	1.9	2.2	3.9	9.0	21.5	78.5	0.5
02 - 03	0.0	0.1	0.3	2.0	2.8	3.1	3.9	5.3	11.6	24.5	75.5	0.4
03 - 04	0.1	0.3	0.9	3.0	3.7	4.0	5.0	7.4	14.8	29.7	70.3	0.4
04 - 05	0.2	0.5	1.3	3.3	4.0	4.3	5.3	8.5	17.0	32.1	67.9	0.4
05 - 06	0.3	0.3	1.3	3.3	3.7	4.0	5.3	9.6	17.7	34.3	65.7	0.4
06 - 07	0.2	0.3	0.8	1.9	2.5	2.9	4.2	8.6	16.4	32.9	67.1	0.5
07 - 08	0.1	0.1	0.6	1.1	1.3	1.5	2.9	5.6	13.7	28.9	71.1	0.7
08 - 09	0.0	0.0	0.2	0.6	0.8	0.9	1.5	3.6	9.7	23.9	76.1	0.7
09 - 10	0.0	0.0	0.1	0.2	0.3	0.3	0.8	2.2	6.2	17.9	82.1	0.4
10 - 11	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.5	4.7	14.4	85.6	0.5
11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	3.5	11.8	88.2	0.3
12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.0	9.9	90.1	0.5
13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	8.3	91.7	0.5
14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.7	8.5	91.5	0.4
15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	3.0	8.4	91.6	0.3
16 - 17	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8	3.4	8.8	91.2	0.3
17 - 18	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8	3.4	9.9	90.1	0.3
18 - 19	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.5	4.0	10.7	89.3	0.2
19 - 20	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.8	3.8	11.8	88.2	2.1
20 - 21	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.1	3.7	12.0	88.0	0.4
21 - 22	0.0	0.0	0.0	0.0	0.1	0.1	0.4	1.3	4.6	13.3	86.7	0.7
22 - 23	0.0	0.0	0.0	0.1	0.3	0.4	0.8	1.6	5.2	14.4	85.6	0.8
23 - 00	0.0	0.0	0.1	0.5	0.9	1.2	1.4	2.6	6.2	16.8	83.2	0.9

	Visibility (m) Summer (Jun/Jul/Aug)											
Time (UTC)	< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
00 - 01	0.0	0.0	0.0	0.5	0.5	0.7	0.9	1.4	4.1	11.2	88.8	49.9
01 - 02	0.0	0.0	0.1	0.4	0.8	1.1	1.4	2.4	5.1	13.9	86.1	0.2
02 - 03	0.0	0.1	0.2	1.1	1.5	1.7	2.4	3.8	7.6	17.8	82.2	0.1
03 - 04	0.0	0.1	0.2	2.3	2.9	3.2	4.1	6.8	13.0	24.0	76.0	0.3
04 - 05	0.0	0.1	0.2	1.8	2.7	3.4	4.1	7.3	14.1	25.7	74.3	0.2
05 - 06	0.0	0.0	0.2	1.9	2.3	2.6	3.1	5.2	11.6	24.6	75.4	0.4
06 - 07	0.0	0.0	0.1	0.4	0.9	1.3	1.9	3.2	8.1	20.7	79.3	0.3
07 - 08	0.0	0.0	0.0	0.1	0.1	0.1	0.3	1.5	5.2	16.6	83.4	0.3
08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.7	10.3	89.7	0.0
09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	7.5	92.5	0.2
10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.3	5.6	94.4	0.1
11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	5.0	95.0	0.4
12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.5	95.5	0.1
13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.8	96.2	0.2
14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	3.2	96.8	0.2
15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.7	96.3	0.1
16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	4.5	95.5	0.2
17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	5.1	94.9	0.2
18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.6	5.7	94.3	0.2
19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.6	6.7	93.3	1.6
20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	6.6	93.4	0.3
21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	7.0	93.0	0.3
22 - 23	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.6	2.3	7.4	92.6	0.4
23 - 00	0.0	0.0	0.0	0.1	0.2	0.2	0.7	0.9	2.6	9.8	90.2	0.4

	Visibility (m) Autumn (Sep/Oct/Nov)											
Time (UTC)	< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
00 - 01	0.4	0.8	2.3	7.7	10.1	10.6	13.1	18.4	30.9	45.4	54.6	50.1
01 - 02	0.3	0.8	2.8	8.7	10.6	11.8	14.3	19.8	32.2	48.8	51.2	0.4
02 - 03	0.3	1.1	3.2	9.7	12.1	12.7	14.6	21.1	34.7	51.6	48.4	0.2
03 - 04	0.2	0.4	3.6	10.7	12.3	13.3	15.9	22.4	36.6	53.0	47.0	0.2
04 - 05	0.1	0.4	3.1	9.5	12.0	13.3	16.0	22.7	37.9	55.1	44.9	0.2
05 - 06	0.2	0.4	3.1	10.7	12.2	13.4	17.0	25.9	41.0	57.5	42.5	0.3
06 - 07	0.2	0.6	2.8	9.8	12.2	13.4	16.6	25.5	42.1	58.3	41.7	0.5
07 - 08	0.1	0.3	1.8	7.3	9.3	10.5	13.2	22.7	38.2	55.5	44.5	0.4
08 - 09	0.0	0.1	0.4	4.2	5.7	6.6	9.1	17.6	32.7	51.6	48.4	0.2
09 - 10	0.0	0.1	0.2	1.5	2.5	3.1	5.2	11.5	25.8	44.5	55.5	0.2
10 - 11	0.0	0.0	0.1	0.3	0.7	1.0	2.4	7.2	19.4	38.8	61.2	0.2
11 - 12	0.0	0.0	0.0	0.1	0.2	0.4	0.8	4.2	15.3	30.6	69.4	0.3
12 - 13	0.0	0.0	0.0	0.0	0.1	0.1	0.3	2.4	10.9	26.5	73.5	0.3
13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.9	8.4	23.1	76.9	0.5
14 - 15	0.0	0.0	0.1	0.1	0.1	0.1	0.4	1.5	7.8	22.3	77.7	0.3
15 - 16	0.0	0.0	0.1	0.2	0.2	0.2	0.6	2.4	8.8	22.6	77.4	0.4
16 - 17	0.0	0.0	0.2	0.3	0.4	0.7	0.9	2.5	10.8	25.2	74.8	0.4
17 - 18	0.0	0.0	0.1	0.3	0.4	0.7	0.9	2.3	10.8	25.4	74.6	0.7
18 - 19	0.0	0.0	0.1	0.5	0.7	0.9	1.5	3.4	11.4	26.1	73.9	0.5
19 - 20	0.0	0.0	0.1	0.9	1.5	1.7	2.1	4.2	13.0	28.2	71.8	2.4
20 - 21	0.0	0.1	0.6	2.0	2.3	2.6	3.4	6.4	16.2	32.7	67.3	0.7
21 - 22	0.1	0.4	1.0	3.0	3.9	4.2	5.2	9.5	19.5	35.9	64.1	0.4
22 - 23	0.2	0.5	1.6	4.0	5.9	6.2	7.7	12.9	23.7	39.5	60.5	0.4
23 - 00	0.2	0.8	2.5	6.3	7.7	8.7	10.6	16.0	27.5	43.2	56.8	0.7

3.1.4. Hourly Visibility per Month

Example (dark shading): In the 10 years period in January 44.4% of all observations between 04 and 05 UTC showed a visibility below 5000 m.

	Visibility (m) January												
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.3	1.0	2.6	6.2	7.8	8.2	12.4	24.8	43.1	57.5	42.5	50.6
	01 - 02	0.7	1.3	3.1	6.7	8.3	8.7	12.1	25.5	42.5	58.5	41.5	1.3
	02 - 03	0.7	1.5	2.6	7.5	8.8	9.3	11.7	25.8	43.4	60.5	39.5	1.1
	03 - 04	0.3	1.3	3.3	7.8	9.0	9.3	13.2	25.6	45.5	61.8	38.2	1.1
	04 - 05	0.3	0.7	3.3	6.9	8.8	10.1	13.2	25.3	44.4	62.5	37.5	1.1
	05 - 06	0.0	0.2	2.1	6.4	8.2	9.2	13.6	26.1	42.8	61.3	38.7	1.3
	06 - 07	0.0	0.3	1.1	6.0	6.7	7.8	12.9	25.3	45.0	62.6	37.4	1.1
	07 - 08	0.0	0.3	1.8	6.0	7.2	8.6	14.0	33.8	48.8	62.0	38.0	1.1
	08 - 09	0.0	0.0	1.3	5.9	8.0	10.1	13.5	33.8	47.6	61.7	38.3	1.1
	09 - 10	0.0	0.2	1.3	5.7	6.7	7.2	11.9	28.3	45.1	61.6	38.4	1.0
	10 - 11	0.0	0.0	0.3	3.3	4.7	5.7	9.3	22.5	41.9	58.7	41.3	1.1
	11 - 12	0.0	0.0	0.3	2.0	3.0	3.9	7.7	19.3	38.0	53.8	46.2	1.6
	12 - 13	0.0	0.0	0.3	1.3	1.5	2.1	4.6	15.1	33.4	50.7	49.3	1.0
	13 - 14	0.0	0.0	0.3	1.3	1.5	1.6	2.3	11.4	29.3	48.0	52.0	1.0
	14 - 15	0.0	0.0	0.3	1.6	2.0	2.1	2.8	13.9	30.2	47.9	52.1	1.3
	15 - 16	0.0	0.2	1.1	2.0	2.0	2.0	3.9	14.8	31.9	48.5	51.5	1.0
	16 - 17	0.0	0.3	1.0	2.3	2.6	2.8	5.1	13.6	35.3	50.3	49.7	1.3
	17 - 18	0.2	0.2	0.8	3.1	3.1	3.3	4.4	12.2	33.2	51.6	48.4	1.0
	18 - 19	0.0	0.0	0.7	3.3	3.4	3.8	5.1	12.8	33.1	50.9	49.1	1.5
	19 - 20	0.0	0.0	1.0	3.1	3.5	4.3	5.9	13.5	34.5	50.7	49.3	2.3
	20 - 21	0.3	0.3	1.0	4.1	4.7	4.9	6.5	15.0	34.8	50.8	49.2	1.3
	21 - 22	0.7	1.0	1.8	5.1	5.9	6.1	7.9	19.0	35.4	50.7	49.3	1.5
	22 - 23	0.5	1.1	2.1	5.1	5.7	6.5	9.3	20.6	37.0	53.4	46.6	1.5
	23 - 00	0.8	1.1	2.3	5.9	7.0	7.0	10.5	22.6	38.5	55.3	44.7	1.5

	Visibility (m) February												
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.4	0.7	0.7	1.8	2.5	2.9	4.0	8.7	19.6	36.4	63.6	51.2
	01 - 02	0.5	0.5	1.1	2.0	2.7	3.2	5.2	9.7	21.1	41.0	59.0	1.8
	02 - 03	0.7	1.1	1.3	2.9	3.1	3.4	5.8	11.6	23.8	43.9	56.1	1.8
	03 - 04	1.1	1.1	1.4	4.0	4.9	5.8	7.2	14.5	25.7	46.8	53.2	2.0
	04 - 05	0.5	0.5	1.6	5.1	6.5	7.4	8.3	14.7	28.3	46.7	53.3	2.1
	05 - 06	0.7	0.9	1.4	4.2	5.4	6.7	8.5	15.2	29.1	47.7	52.3	2.0
	06 - 07	0.4	0.4	1.1	3.6	5.2	6.0	9.7	19.7	31.4	48.6	51.4	1.8
	07 - 08	0.4	0.4	1.4	4.3	5.6	6.7	10.5	20.6	31.4	46.9	53.1	1.8
	08 - 09	0.2	0.2	1.1	4.0	4.9	6.2	8.3	20.5	31.2	45.6	54.4	2.3
	09 - 10	0.0	0.0	0.5	2.9	3.4	4.3	7.6	16.2	26.2	43.5	56.5	1.8
	10 - 11	0.0	0.0	0.0	0.7	1.1	2.0	4.9	10.1	20.4	38.0	62.0	2.0
	11 - 12	0.0	0.0	0.0	0.5	0.9	0.9	2.9	7.3	16.5	33.5	66.5	2.5
	12 - 13	0.0	0.0	0.0	0.0	0.4	0.4	2.7	6.2	13.8	27.7	72.3	2.1
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.7	12.0	23.4	76.6	2.1
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.2	1.4	3.1	11.8	23.0	77.0	2.1
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.5	11.2	19.5	80.5	1.8
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.0	11.9	25.0	75.0	2.0
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.3	11.6	25.9	74.1	2.0
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.3	10.6	27.6	72.4	1.8
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.2	11.4	25.7	74.3	3.5
	20 - 21	0.0	0.0	0.0	0.0	0.2	0.2	0.5	2.9	11.3	28.3	71.7	2.3
	21 - 22	0.0	0.0	0.0	0.0	0.2	0.2	0.5	4.3	14.1	29.4	70.6	1.6
	22 - 23	0.0	0.2	0.2	1.1	1.4	1.4	2.0	6.7	16.4	30.6	69.4	1.4
	23 - 00	0.4	0.7	0.7	1.5	2.2	2.4	2.9	8.5	18.4	33.3	66.7	2.5

	Visibility (m) March											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.0	0.0	0.3	1.9	1.9	1.9	1.9	4.8	12.6	28.4	71.6	50.0
	01 - 02	0.0	0.0	0.2	2.1	2.3	2.3	2.4	4.9	13.4	29.6	70.4	0.3
	02 - 03	0.0	0.2	0.6	2.3	3.1	3.1	4.2	6.1	15.5	31.9	68.1	0.3
	03 - 04	0.2	0.5	1.3	2.9	3.5	3.7	4.7	7.6	17.6	32.9	67.1	0.0
	04 - 05	0.3	0.6	1.5	3.1	3.9	4.4	5.2	8.3	19.1	34.3	65.7	0.3
	05 - 06	0.5	0.5	1.3	3.9	3.9	4.5	6.8	12.8	23.3	38.6	61.4	0.2
	06 - 07	0.5	0.8	1.8	3.2	3.7	4.5	6.8	12.8	24.1	39.3	60.7	0.2
	07 - 08	0.2	0.3	1.3	2.4	2.9	3.6	6.0	11.3	21.9	37.6	62.4	0.5
	08 - 09	0.0	0.0	0.5	1.8	2.0	2.0	3.3	8.5	19.9	35.6	64.4	1.1
	09 - 10	0.0	0.0	0.2	0.6	0.6	0.6	1.9	5.2	12.8	29.7	70.3	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.2	0.2	3.4	9.2	25.0	75.0	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	7.1	21.0	79.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5.2	17.3	82.7	0.5
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.7	13.0	87.0	0.5
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.2	13.4	86.6	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	4.7	13.1	86.9	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.2	0.6	1.3	6.0	15.4	84.6	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.1	6.5	15.8	84.2	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	6.5	16.9	83.1	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.5	6.0	16.2	83.8	2.4
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.2	0.6	2.3	6.0	17.3	82.7	0.3
	21 - 22	0.0	0.0	0.0	0.0	0.2	0.2	1.1	2.4	7.3	19.9	80.1	1.1
	22 - 23	0.0	0.0	0.0	0.2	0.7	0.8	1.8	2.6	8.6	21.0	79.0	1.1
	23 - 00	0.0	0.0	0.2	0.3	1.1	1.8	2.4	3.9	9.7	24.2	75.8	0.6

	Visibility (m) April											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.0	0.0	0.0	0.7	0.7	1.0	1.0	2.7	5.8	15.9	84.1	50.8
	01 - 02	0.0	0.0	0.0	0.5	1.0	1.2	1.7	3.5	6.6	18.9	81.1	1.0
	02 - 03	0.0	0.0	0.0	1.0	2.0	2.3	3.2	4.7	10.4	22.8	77.2	0.7
	03 - 04	0.0	0.0	0.2	2.5	3.5	4.0	5.2	7.2	12.9	28.2	71.8	0.8
	04 - 05	0.2	0.3	0.7	3.2	4.0	4.2	5.0	9.7	16.8	32.6	67.4	0.7
	05 - 06	0.3	0.3	1.0	2.9	3.5	3.7	4.5	9.6	18.7	36.7	63.3	1.0
	06 - 07	0.2	0.2	0.5	1.0	1.7	1.9	2.9	8.4	16.5	33.3	66.7	1.0
	07 - 08	0.0	0.0	0.5	0.7	0.7	0.8	1.7	3.7	11.3	27.9	72.1	1.5
	08 - 09	0.0	0.0	0.0	0.0	0.5	0.7	1.2	1.9	5.6	20.9	79.1	1.0
	09 - 10	0.0	0.0	0.0	0.0	0.2	0.3	0.3	1.0	3.7	14.3	85.7	0.7
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.8	3.9	10.8	89.2	0.8
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	2.4	8.2	91.8	0.8
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.4	7.6	92.4	1.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.7	7.2	92.8	0.8
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	6.4	93.6	1.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.7	7.1	92.9	0.8
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.5	6.4	93.6	0.7
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.3	7.5	92.5	0.5
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.7	8.5	91.5	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.9	10.8	89.2	2.3
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.9	9.9	90.1	0.8
	21 - 22	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.0	3.7	10.9	89.1	0.7
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	4.2	12.0	88.0	1.3
	23 - 00	0.0	0.0	0.0	0.5	0.8	1.0	1.0	2.5	5.1	15.2	84.8	1.2

	Visibility (m) May											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.0	0.0	0.0	0.6	1.9	1.9	1.9	3.5	5.8	14.2	85.8	50.0
	01 - 02	0.0	0.0	0.3	1.3	1.6	2.1	2.4	3.2	6.9	16.0	84.0	0.2
	02 - 03	0.0	0.0	0.2	2.6	3.2	3.7	4.2	5.0	8.7	18.7	81.3	0.2
	03 - 04	0.2	0.3	1.1	3.6	3.9	4.2	5.2	7.4	13.9	28.0	72.0	0.3
	04 - 05	0.2	0.5	1.6	3.7	4.2	4.4	5.8	7.6	15.2	29.4	70.6	0.2
	05 - 06	0.0	0.2	1.6	3.2	3.6	3.7	4.7	6.5	11.3	27.6	72.4	0.2
	06 - 07	0.0	0.0	0.2	1.3	2.1	2.3	2.8	4.7	8.7	26.1	73.9	0.3
	07 - 08	0.0	0.0	0.0	0.2	0.2	0.2	1.0	1.8	7.8	21.2	78.8	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.7	15.2	84.8	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.1	9.5	90.5	0.3
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	7.1	92.9	0.5
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	6.1	93.9	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.7	95.3	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.5	95.5	0.3
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	5.6	94.4	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	5.2	94.8	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	4.7	95.3	0.0
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	6.3	93.7	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.7	6.6	93.4	0.2
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.5	8.4	91.6	1.6
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.1	8.7	91.3	0.0
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.9	9.0	91.0	0.2
	22 - 23	0.0	0.0	0.0	0.2	0.2	0.3	0.5	0.8	2.7	10.0	90.0	0.0
	23 - 00	0.0	0.0	0.0	0.7	0.7	0.7	0.8	1.3	3.7	10.9	89.1	0.8

	Visibility (m) June											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.3	10.6	89.4	49.8
	01 - 02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	5.5	13.8	86.2	0.0
	02 - 03	0.0	0.0	0.0	0.8	0.8	0.8	1.7	3.3	8.3	18.5	81.5	0.0
	03 - 04	0.0	0.0	0.0	2.5	3.2	3.5	4.2	7.8	14.8	25.2	74.8	0.0
	04 - 05	0.0	0.0	0.0	1.8	2.5	3.0	4.0	6.7	12.2	23.2	76.8	0.2
	05 - 06	0.0	0.0	0.0	1.3	1.5	1.7	2.2	4.2	9.2	20.1	79.9	0.3
	06 - 07	0.0	0.0	0.0	0.0	0.2	0.5	1.0	1.8	6.0	16.7	83.3	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.5	12.0	88.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	6.8	93.2	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.2	95.8	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.3	96.7	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.4	96.6	0.7
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.0	96.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.2	96.8	0.3
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	3.8	96.2	0.3
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.8	96.2	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.5	95.5	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0	5.5	94.5	0.0
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.2	6.0	94.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.9	8.8	91.2	1.7
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	8.8	91.2	0.2
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.7	7.9	92.1	0.5
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.3	8.3	91.7	0.2
	23 - 00	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.5	2.0	9.7	90.3	0.3

	Visibility (m) July											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.0	0.0	0.0	0.6	0.6	0.6	0.6	1.0	3.2	7.4	92.6	49.7
	01 - 02	0.0	0.0	0.0	0.3	0.6	0.8	1.1	1.5	2.9	8.1	91.9	0.3
	02 - 03	0.0	0.0	0.0	0.6	1.3	1.6	1.9	2.4	4.2	11.3	88.7	0.2
	03 - 04	0.0	0.2	0.2	1.9	2.3	2.4	3.2	4.4	9.0	18.4	81.6	0.2
	04 - 05	0.0	0.2	0.3	1.6	2.4	2.8	3.4	4.9	9.5	18.3	81.7	0.3
	05 - 06	0.0	0.0	0.0	1.1	1.3	1.5	1.8	2.8	8.1	18.5	81.5	0.6
	06 - 07	0.0	0.0	0.0	0.3	0.3	0.5	1.0	1.9	5.0	14.6	85.4	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	3.2	10.2	89.8	0.3
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	6.3	93.7	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.8	95.2	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.6	5.2	94.8	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.9	95.1	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.9	96.1	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	96.9	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	2.6	97.4	0.3
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.9	97.1	0.2
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.2	96.8	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	4.0	96.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	4.8	95.2	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	4.9	95.1	1.1
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	4.5	95.5	0.2
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.2	94.8	0.3
	22 - 23	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	1.5	5.7	94.3	0.3
	23 - 00	0.0	0.0	0.0	0.0	0.2	0.3	0.5	0.6	2.1	7.3	92.7	0.3

	Visibility (m) August											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.0	0.0	0.0	1.0	1.0	1.3	1.9	2.6	5.8	15.5	84.5	50.2
	01 - 02	0.0	0.0	0.3	1.0	1.6	2.4	2.9	5.0	6.9	19.7	80.3	0.2
	02 - 03	0.0	0.2	0.5	1.9	2.4	2.7	3.7	5.7	10.2	23.7	76.3	0.2
	03 - 04	0.0	0.0	0.5	2.6	3.2	3.7	4.9	8.3	15.3	28.6	71.4	0.6
	04 - 05	0.0	0.0	0.3	1.9	3.2	4.4	5.0	10.3	20.5	35.5	64.5	0.2
	05 - 06	0.0	0.0	0.5	3.1	4.2	4.5	5.2	8.7	17.3	35.0	65.0	0.3
	06 - 07	0.0	0.0	0.2	1.0	2.1	2.9	3.7	5.7	13.3	30.7	69.3	0.3
	07 - 08	0.0	0.0	0.0	0.2	0.3	0.3	0.8	3.6	9.9	27.5	72.5	0.3
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	5.8	17.7	82.3	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.2	13.5	86.5	0.5
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.2	91.8	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	6.8	93.2	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5.5	94.5	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5.0	95.0	0.0
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	3.1	96.9	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.4	95.6	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	5.7	94.3	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.8	5.8	94.2	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	6.1	93.9	0.2
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.6	93.4	1.9
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	6.5	93.5	0.6
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	8.1	91.9	0.2
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	3.1	8.3	91.7	0.6
	23 - 00	0.0	0.0	0.0	0.0	0.2	0.2	1.5	1.6	3.7	12.3	87.7	0.6

	Visibility (m) September											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.0	0.0	1.0	5.3	7.0	7.0	8.7	10.7	17.3	32.0	68.0	50.0
	01 - 02	0.0	0.3	1.8	6.4	8.2	9.7	10.8	12.9	20.8	35.5	64.5	0.8
	02 - 03	0.0	0.2	2.0	8.5	11.2	11.8	12.2	15.8	24.7	40.3	59.7	0.0
	03 - 04	0.0	0.0	2.5	9.9	12.0	13.5	16.2	19.2	28.1	43.1	56.9	0.3
	04 - 05	0.0	0.0	2.3	9.0	11.7	13.0	16.2	21.4	32.1	47.6	52.4	0.2
	05 - 06	0.3	0.3	3.0	11.4	12.4	13.4	16.5	24.2	35.6	51.4	48.6	0.2
	06 - 07	0.0	0.2	2.2	9.9	10.7	11.2	13.6	19.1	32.7	50.3	49.7	0.7
	07 - 08	0.0	0.0	1.0	4.7	6.9	7.6	9.1	15.6	27.5	45.1	54.9	0.7
	08 - 09	0.0	0.0	0.0	1.3	2.2	3.2	4.0	8.7	17.7	38.6	61.4	0.2
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.8	9.7	28.2	71.8	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.2	21.4	78.6	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.5	13.5	86.5	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.5	10.5	89.5	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	9.5	90.5	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.8	92.2	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	93.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	9.3	90.7	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	11.0	89.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	11.9	88.1	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.4	12.0	88.0	1.5
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4.3	14.7	85.3	0.3
	21 - 22	0.0	0.0	0.0	0.2	0.2	0.2	0.7	3.3	7.3	19.9	80.1	0.2
	22 - 23	0.0	0.0	0.0	0.8	1.8	2.3	3.3	6.5	10.9	22.9	77.1	0.2
	23 - 00	0.0	0.0	0.7	2.5	4.2	5.0	6.7	9.0	15.7	27.3	72.7	0.5

	Visibility (m) October											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	1.0	1.9	3.9	11.9	15.2	15.8	19.0	24.8	38.1	52.3	47.7	50.0
	01 - 02	0.5	1.5	4.8	13.4	15.2	16.6	20.0	26.0	38.4	55.5	44.5	0.0
	02 - 03	0.5	2.4	6.0	13.6	16.3	17.0	19.2	26.7	41.5	56.2	43.8	0.2
	03 - 04	0.3	1.0	6.6	14.2	15.6	16.3	18.1	26.8	42.7	57.4	42.6	0.0
	04 - 05	0.3	0.6	4.8	12.4	15.0	16.0	17.9	25.2	42.7	59.0	41.0	0.0
	05 - 06	0.3	0.3	4.4	14.5	16.0	17.4	20.8	30.2	46.5	60.3	39.7	0.2
	06 - 07	0.5	1.0	4.4	12.4	16.8	18.2	21.8	31.5	48.1	60.8	39.2	0.0
	07 - 08	0.2	0.3	3.1	10.5	12.3	13.9	17.0	27.5	42.9	59.7	40.3	0.3
	08 - 09	0.0	0.0	0.3	6.0	7.1	7.7	10.6	20.0	37.1	55.2	44.8	0.0
	09 - 10	0.0	0.0	0.0	1.5	3.1	3.4	5.3	11.6	30.2	48.1	51.9	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.3	0.6	1.9	5.5	20.8	41.9	58.1	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.3	0.6	2.7	14.2	32.6	67.4	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	7.1	28.4	71.6	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.8	23.3	76.7	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.0	21.5	78.5	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.2	20.2	79.8	0.2
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.5	8.7	23.9	76.1	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.6	9.7	24.4	75.6	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.4	11.2	25.2	74.8	0.3
	19 - 20	0.0	0.0	0.0	0.7	1.5	1.6	2.0	4.6	12.9	29.6	70.4	1.5
	20 - 21	0.0	0.2	0.8	2.3	2.6	2.9	3.9	7.8	18.7	36.5	63.5	0.6
	21 - 22	0.0	0.8	1.9	4.0	5.7	6.6	7.9	12.1	23.0	39.8	60.2	0.3
	22 - 23	0.3	1.1	2.6	6.6	9.2	9.4	11.3	17.3	29.7	45.4	54.6	0.5
	23 - 00	0.6	2.4	5.2	10.7	11.2	12.8	14.6	21.6	32.3	50.8	49.2	0.6

	Visibility (m) November											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.3	0.3	2.0	5.7	8.0	8.7	11.4	19.4	37.1	51.8	48.2	50.2
	01 - 02	0.3	0.7	1.5	6.2	8.2	8.9	12.1	20.3	37.0	55.3	44.7	0.5
	02 - 03	0.3	0.7	1.7	7.0	8.5	9.2	12.4	20.8	37.7	58.1	41.9	0.5
	03 - 04	0.3	0.3	1.5	7.9	9.0	9.9	13.2	20.9	38.8	58.2	41.8	0.3
	04 - 05	0.0	0.7	2.0	6.9	9.2	10.7	13.9	21.4	38.8	58.7	41.3	0.3
	05 - 06	0.0	0.5	1.8	6.0	8.2	9.4	13.4	23.1	40.9	60.6	39.4	0.5
	06 - 07	0.0	0.7	1.7	7.1	8.9	10.4	14.1	25.5	45.4	63.5	36.5	0.8
	07 - 08	0.0	0.7	1.3	6.5	8.7	9.9	13.5	24.9	44.1	61.5	38.5	0.3
	08 - 09	0.0	0.3	1.0	5.2	7.9	8.7	12.7	24.0	43.0	61.0	39.0	0.5
	09 - 10	0.0	0.3	0.7	3.2	4.5	5.9	9.6	19.0	37.4	57.4	42.6	0.7
	10 - 11	0.0	0.0	0.2	0.8	1.7	2.5	5.2	14.9	32.1	53.0	47.0	0.3
	11 - 12	0.0	0.0	0.0	0.3	0.5	0.8	1.8	9.4	28.3	45.7	54.3	0.5
	12 - 13	0.0	0.0	0.0	0.0	0.2	0.3	0.8	5.9	23.2	40.5	59.5	0.8
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.9	19.3	36.7	63.3	1.3
	14 - 15	0.0	0.0	0.2	0.2	0.3	0.3	1.3	4.2	18.6	37.8	62.2	0.7
	15 - 16	0.0	0.0	0.3	0.5	0.7	0.7	1.9	6.6	21.4	40.7	59.3	1.0
	16 - 17	0.0	0.0	0.5	0.8	1.3	1.8	2.4	6.2	22.0	42.5	57.5	0.8
	17 - 18	0.0	0.0	0.3	1.0	1.4	1.9	2.5	5.4	20.4	40.9	59.1	1.3
	18 - 19	0.0	0.0	0.2	1.5	2.0	2.7	4.0	6.7	21.2	41.4	58.6	1.0
	19 - 20	0.0	0.0	0.2	2.1	3.1	3.5	4.5	7.7	23.0	43.3	56.7	4.2
	20 - 21	0.0	0.0	1.0	3.9	4.4	4.9	6.2	9.8	25.6	47.0	53.0	1.0
	21 - 22	0.3	0.3	1.0	4.9	5.7	5.7	7.1	13.1	28.1	48.1	51.9	0.8
	22 - 23	0.2	0.3	2.2	4.4	6.5	6.9	8.4	14.7	30.3	50.3	49.7	0.5
	23 - 00	0.0	0.0	1.5	5.4	7.6	8.1	10.4	17.3	34.3	51.2	48.8	1.0

	Visibility (m) December											
Time (UTC)		< 50	< 100	< 150	< 350	< 600	< 800	< 1500	< 3000	< 5000	< 8000	≥ 8000	NA
	00 - 01	0.3	0.6	1.9	4.1	6.4	7.0	7.6	14.3	27.4	48.1	51.9	49.4
	01 - 02	0.0	0.8	1.3	4.0	6.3	7.6	8.7	13.2	27.9	48.1	51.9	0.0
	02 - 03	0.0	0.3	1.1	3.1	5.0	5.8	7.3	13.6	28.6	50.2	49.8	0.2
	03 - 04	0.0	0.3	0.8	3.5	4.5	5.3	6.9	14.0	32.4	50.2	49.8	0.0
	04 - 05	0.0	0.5	1.3	3.6	4.9	5.0	8.4	15.7	32.8	49.7	50.3	0.3
	05 - 06	0.0	0.3	1.0	2.6	4.7	4.9	8.3	15.0	32.4	50.8	49.2	0.3
	06 - 07	0.0	0.0	0.8	2.9	4.4	4.7	7.8	16.0	32.7	52.4	47.6	0.5
	07 - 08	0.0	0.2	1.0	2.9	3.4	4.5	7.3	19.0	34.4	51.5	48.5	0.6
	08 - 09	0.0	0.0	0.2	3.1	4.2	4.9	7.4	17.5	32.5	49.5	50.5	0.3
	09 - 10	0.0	0.0	0.0	1.8	2.4	3.2	6.0	15.9	31.4	47.2	52.8	0.5
	10 - 11	0.0	0.0	0.0	1.0	1.0	1.1	2.4	13.2	28.1	44.4	55.6	0.0
	11 - 12	0.0	0.0	0.0	1.0	1.1	1.3	1.9	9.6	23.7	40.7	59.3	0.6
	12 - 13	0.0	0.0	0.3	0.5	0.8	1.1	2.3	8.1	21.0	37.7	62.3	0.3
	13 - 14	0.0	0.0	0.3	0.8	1.0	1.5	3.2	7.6	17.8	35.1	64.9	0.3
	14 - 15	0.0	0.0	0.3	1.3	1.3	1.5	3.4	8.4	17.9	37.3	62.7	0.2
	15 - 16	0.0	0.0	0.3	1.3	2.1	2.4	3.4	9.6	22.2	39.7	60.3	0.5
	16 - 17	0.0	0.0	0.3	1.1	1.6	1.8	2.3	8.9	23.7	41.0	59.0	0.5
	17 - 18	0.0	0.0	0.5	1.3	1.3	1.6	1.6	6.8	20.8	39.4	60.6	0.2
	18 - 19	0.0	0.0	0.6	1.1	1.5	1.5	2.6	7.9	22.0	40.0	60.0	0.3
	19 - 20	0.0	0.0	0.5	1.5	2.6	2.8	3.9	8.5	21.6	41.9	58.1	1.5
	20 - 21	0.0	0.0	0.0	1.8	3.4	3.7	5.0	9.0	22.3	41.9	58.1	0.0
	21 - 22	0.0	0.2	0.5	2.1	3.7	4.2	5.3	10.3	23.2	42.6	57.4	0.0
	22 - 23	0.0	0.3	0.8	1.8	3.7	4.0	5.8	11.8	24.1	44.8	55.2	0.3
	23 - 00	0.2	0.2	0.7	2.3	4.7	5.2	6.8	12.0	25.4	46.0	54.0	0.8

3.2. Runway Visual Range (RVR)

3.2.1. Hourly RVR 10 Years

Cumulative frequencies in percent of runway visual range below specified values at specified times (months in 3.2.2.). Frequencies are calculated relative to all potentially possible observations each hour (month) minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 6.9 % of all observations between 04 and 05 UTC showed a runway visual range below 1000 m.

	Runway Visual Range (m) 10 Years										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.8	2.4	4.1	4.9	5.6	6.4	50.2
	01 - 02	0.0	0.0	0.0	0.8	2.9	4.3	5.3	6.0	6.9	0.5
	02 - 03	0.0	0.0	0.0	0.6	3.0	4.9	6.1	7.0	7.9	0.4
	03 - 04	0.0	0.0	0.0	0.7	3.3	5.7	7.1	7.8	8.9	0.5
	04 - 05	0.0	0.0	0.0	0.9	3.2	5.5	6.9	7.7	9.0	0.5
	05 - 06	0.0	0.0	0.1	1.0	3.0	5.2	6.4	7.2	8.3	0.6
	06 - 07	0.0	0.0	0.0	0.9	2.6	4.0	4.8	5.6	6.8	0.6
	07 - 08	0.0	0.0	0.0	1.0	1.9	2.8	3.5	4.2	5.5	0.6
	08 - 09	0.0	0.0	0.0	0.6	1.3	2.1	2.8	3.3	4.3	0.5
	09 - 10	0.0	0.0	0.0	0.4	0.8	1.2	1.6	2.1	3.0	0.5
	10 - 11	0.0	0.0	0.0	0.2	0.3	0.4	0.6	0.9	1.7	0.4
	11 - 12	0.0	0.0	0.0	0.1	0.2	0.2	0.4	0.5	1.1	0.6
	12 - 13	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.7	0.5
	13 - 14	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.6	0.6
	14 - 15	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.3	0.5	0.5
	15 - 16	0.0	0.0	0.0	0.2	0.2	0.3	0.4	0.4	0.6	0.4
	16 - 17	0.0	0.0	0.0	0.2	0.2	0.4	0.5	0.7	0.8	0.5
	17 - 18	0.0	0.0	0.0	0.1	0.3	0.4	0.6	0.6	0.7	0.5
	18 - 19	0.0	0.0	0.0	0.1	0.3	0.5	0.6	0.8	1.1	0.5
	19 - 20	0.0	0.0	0.0	0.1	0.4	0.9	1.1	1.3	1.6	2.1
	20 - 21	0.0	0.0	0.0	0.2	0.7	1.1	1.7	2.0	2.5	0.6
	21 - 22	0.0	0.0	0.0	0.4	1.1	1.8	2.3	2.8	3.3	0.6
	22 - 23	0.0	0.0	0.0	0.5	1.6	2.5	3.1	3.8	4.4	0.7
	23 - 00	0.0	0.0	0.0	0.7	2.2	3.4	4.0	4.6	5.2	0.9

3.2.2. Monthly RVR 10 Years

Example (dark shading): In the 10 years period 6.9% of all observations in October showed a runway visual range below 1000 m.

	Runway Visual Range (m) 10 Years										
Time (Month)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	January	0.0	0.0	0.0	1.1	3.1	4.4	5.4	6.3	7.9	3.3
	February	0.0	0.0	0.0	0.8	1.5	2.1	2.5	2.8	3.7	4.1
	March	0.0	0.0	0.0	0.5	1.0	1.5	1.7	1.9	2.3	2.5
	April	0.0	0.0	0.0	0.2	0.4	0.7	0.9	1.0	1.2	3.0
	May	0.0	0.0	0.0	0.1	0.5	0.8	1.0	1.1	1.3	2.3
	June	0.0	0.0	0.0	0.0	0.2	0.3	0.5	0.6	0.7	2.3
	July	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.5	0.6	2.3
	August	0.0	0.0	0.0	0.0	0.3	0.7	1.0	1.1	1.4	2.4
	September	0.0	0.0	0.0	0.6	2.0	3.5	4.3	4.9	5.6	2.4
	October	0.0	0.0	0.0	1.0	3.5	5.7	6.9	7.8	9.1	2.3
	November	0.0	0.0	0.0	0.7	2.1	3.5	4.6	5.5	6.9	2.9
	December	0.0	0.0	0.0	0.3	1.2	2.0	2.9	3.6	4.5	2.4

3.2.3. Hourly RVR per Season

Example (dark shading): In the 10 years period in winter 7.3% of all observations between 04 and 05 UTC showed a runway visual range below 1000 m.

	Runway Visual Range (m) Winter (Dec/Jan/Feb)										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	1.1	2.7	4.5	5.6	6.8	7.8	50.4
	01 - 02	0.0	0.0	0.0	1.0	3.1	4.8	5.9	6.8	8.0	1.0
	02 - 03	0.0	0.0	0.0	1.1	3.3	4.5	5.5	6.3	7.8	1.0
	03 - 04	0.0	0.0	0.1	1.1	3.9	5.7	6.8	7.5	8.7	1.0
	04 - 05	0.0	0.0	0.0	1.0	3.4	5.4	7.3	8.4	10.0	1.2
	05 - 06	0.0	0.0	0.0	0.7	3.2	5.0	6.5	7.7	9.0	1.1
	06 - 07	0.0	0.0	0.0	0.7	2.6	4.4	5.5	6.4	8.0	1.1
	07 - 08	0.0	0.0	0.0	1.7	2.9	4.2	5.2	6.2	8.2	1.2
	08 - 09	0.0	0.0	0.0	1.6	2.9	4.1	5.5	6.4	8.4	1.2
	09 - 10	0.0	0.0	0.0	1.2	2.4	3.3	4.1	5.3	7.2	1.1
	10 - 11	0.0	0.0	0.0	0.7	1.1	1.5	1.8	2.6	4.6	1.0
	11 - 12	0.0	0.0	0.0	0.3	0.6	0.9	1.4	1.7	3.3	1.6
	12 - 13	0.0	0.0	0.0	0.2	0.2	0.4	0.7	1.0	2.1	1.1
	13 - 14	0.0	0.0	0.0	0.2	0.4	0.5	0.7	1.0	1.8	1.1
	14 - 15	0.0	0.0	0.0	0.5	0.7	0.8	1.1	1.2	1.7	1.2
	15 - 16	0.0	0.0	0.0	0.7	0.8	1.1	1.3	1.5	1.8	1.0
	16 - 17	0.0	0.0	0.0	0.6	0.8	1.3	1.6	2.1	2.4	1.1
	17 - 18	0.0	0.0	0.0	0.4	1.0	1.4	1.7	1.9	2.3	1.0
	18 - 19	0.0	0.0	0.0	0.3	1.1	1.3	1.6	2.0	2.6	1.2
	19 - 20	0.0	0.0	0.0	0.2	1.2	2.0	2.4	2.9	3.3	2.2
	20 - 21	0.0	0.0	0.0	0.3	1.3	2.1	2.9	3.5	4.3	1.1
	21 - 22	0.0	0.0	0.0	0.7	1.9	2.8	3.5	4.4	5.2	1.0
	22 - 23	0.0	0.0	0.0	0.6	2.7	3.6	4.4	4.9	5.8	1.1
	23 - 00	0.0	0.0	0.0	1.1	3.3	4.0	4.9	5.8	7.0	1.6

	Runway Visual Range (m) Spring (Mar/Apr/May)										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.3	1.0	1.6	2.1	2.1	2.2	50.3
	01 - 02	0.0	0.1	0.1	0.4	1.3	1.7	2.1	2.4	3.1	0.5
	02 - 03	0.0	0.0	0.0	0.2	1.3	2.7	3.4	4.3	4.7	0.4
	03 - 04	0.0	0.0	0.0	0.6	2.2	3.9	4.9	5.2	6.2	0.4
	04 - 05	0.0	0.0	0.0	1.2	2.8	4.4	4.8	5.1	5.7	0.3
	05 - 06	0.0	0.0	0.2	1.9	3.1	4.1	4.5	4.7	5.3	0.4
	06 - 07	0.0	0.0	0.1	0.9	1.7	2.3	2.6	2.8	3.7	0.4
	07 - 08	0.0	0.0	0.1	0.5	0.8	1.2	1.4	1.6	2.2	0.7
	08 - 09	0.0	0.0	0.0	0.3	0.4	0.5	0.5	0.8	1.1	0.7
	09 - 10	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.4	0.7	0.4
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.4
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	2.1
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.4
	21 - 22	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.5	0.7	0.7
	22 - 23	0.0	0.0	0.0	0.0	0.2	0.3	0.5	0.7	0.9	0.8
	23 - 00	0.0	0.0	0.0	0.1	0.3	0.8	1.2	1.4	1.4	0.8

	Runway Visual Range (m) Summer (Jun/Jul/Aug)										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.0	0.4	0.7	0.8	1.1	1.3	49.9
	01 - 02	0.0	0.0	0.0	0.1	0.3	0.8	1.4	1.7	1.9	0.2
	02 - 03	0.0	0.0	0.0	0.0	0.9	1.8	2.3	2.7	3.1	0.1
	03 - 04	0.0	0.0	0.0	0.1	1.3	2.8	3.7	3.9	4.3	0.3
	04 - 05	0.0	0.0	0.0	0.2	1.4	2.4	3.2	3.5	4.4	0.2
	05 - 06	0.0	0.0	0.0	0.3	0.8	1.6	2.2	2.5	2.9	0.4
	06 - 07	0.0	0.0	0.0	0.0	0.2	0.6	1.0	1.3	1.5	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	1.6
	20 - 21	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.3
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.3
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.5	0.4
	23 - 00	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.4	0.6	0.4

	Runway Visual Range (m) Autumn (Sep/Oct/Nov)										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	1.8	5.7	9.6	11.2	12.5	14.5	50.1
	01 - 02	0.0	0.0	0.0	1.9	6.9	9.9	11.8	13.4	14.7	0.4
	02 - 03	0.0	0.0	0.0	1.3	6.4	10.8	13.1	14.8	15.9	0.2
	03 - 04	0.0	0.0	0.1	0.9	6.0	10.5	13.3	14.7	16.5	0.2
	04 - 05	0.0	0.0	0.0	1.0	5.4	9.8	12.3	13.9	16.0	0.2
	05 - 06	0.0	0.0	0.0	1.2	4.9	10.2	12.5	13.9	16.1	0.3
	06 - 07	0.0	0.0	0.1	1.9	6.0	8.5	10.4	12.2	14.2	0.5
	07 - 08	0.0	0.0	0.0	1.8	4.1	6.0	7.5	9.1	11.5	0.4
	08 - 09	0.0	0.0	0.1	0.7	2.1	3.7	5.1	6.2	7.9	0.2
	09 - 10	0.0	0.0	0.0	0.4	0.8	1.3	2.0	2.9	4.2	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.7	2.0	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.9	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.3
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5
	14 - 15	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.3
	15 - 16	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.3	0.4	0.3
	16 - 17	0.0	0.0	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.4
	17 - 18	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.4	0.5	0.5
	18 - 19	0.0	0.0	0.0	0.0	0.2	0.6	0.9	1.4	1.7	0.5
	19 - 20	0.0	0.0	0.0	0.2	0.6	1.5	2.0	2.3	3.0	2.4
	20 - 21	0.0	0.0	0.0	0.6	1.4	2.5	3.7	4.3	5.4	0.7
	21 - 22	0.0	0.0	0.0	0.8	2.6	4.3	5.3	6.1	7.3	0.4
	22 - 23	0.0	0.0	0.0	1.4	3.6	6.1	7.6	9.3	10.3	0.4
	23 - 00	0.0	0.0	0.0	1.8	5.2	8.6	9.9	10.7	12.0	0.7

3.2.4. Hourly RVR per Month

Example (dark shading): In the 10 years period 10.1% of all observations between 04 and 05 UTC showed a runway visual range below 1000 m.

	Runway Visual Range (m) January									
Time (UTC)	< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
00 - 01	0.0	0.0	0.0	2.0	4.2	6.5	7.5	8.5	10.5	50.6
01 - 02	0.0	0.0	0.0	1.1	4.7	6.9	7.5	8.5	10.3	1.3
02 - 03	0.0	0.0	0.0	0.8	4.4	6.0	7.5	8.6	11.1	1.1
03 - 04	0.0	0.0	0.0	0.8	4.1	6.4	8.6	9.6	11.4	1.1
04 - 05	0.0	0.0	0.0	1.3	4.6	7.7	10.1	11.9	14.4	1.1
05 - 06	0.0	0.0	0.0	0.8	4.2	6.7	8.5	9.8	12.6	1.3
06 - 07	0.0	0.0	0.0	0.7	2.9	5.9	8.0	9.0	11.6	1.1
07 - 08	0.0	0.0	0.0	2.1	3.6	5.5	6.9	8.5	11.3	1.1
08 - 09	0.0	0.0	0.0	2.0	3.8	5.9	7.3	8.0	10.9	1.1
09 - 10	0.0	0.0	0.0	1.8	3.9	5.4	6.5	8.0	9.8	1.0
10 - 11	0.0	0.0	0.0	1.5	2.3	3.1	3.4	4.9	7.8	1.1
11 - 12	0.0	0.0	0.0	0.5	1.1	1.6	2.5	3.0	5.4	1.6
12 - 13	0.0	0.0	0.0	0.3	0.3	0.7	1.0	1.1	2.6	1.0
13 - 14	0.0	0.0	0.0	0.3	0.7	0.7	1.0	1.3	2.0	1.0
14 - 15	0.0	0.0	0.0	1.0	1.1	1.5	1.8	2.0	2.3	1.3
15 - 16	0.0	0.0	0.0	1.6	2.0	2.1	2.1	2.3	2.8	1.0
16 - 17	0.0	0.0	0.0	1.5	1.8	2.6	3.1	4.2	4.6	1.3
17 - 18	0.0	0.0	0.0	1.1	2.4	3.1	3.6	3.9	4.1	1.0
18 - 19	0.0	0.0	0.0	0.8	2.5	2.8	3.1	3.8	4.7	1.5
19 - 20	0.0	0.0	0.0	0.5	3.0	3.6	4.1	4.8	5.8	2.3
20 - 21	0.0	0.0	0.0	0.5	2.9	3.6	4.7	6.0	7.0	1.3
21 - 22	0.0	0.0	0.0	1.5	3.8	4.9	6.2	7.5	8.5	1.5
22 - 23	0.0	0.0	0.0	1.0	5.6	6.5	7.4	7.9	8.8	1.5
23 - 00	0.0	0.0	0.0	1.5	5.6	6.2	7.2	8.8	10.5	1.5

	Runway Visual Range (m) February									
Time (UTC)	< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
00 - 01	0.0	0.0	0.0	0.7	1.1	2.2	3.3	3.6	4.4	51.2
01 - 02	0.0	0.0	0.0	1.3	2.2	3.6	4.0	4.5	5.2	1.8
02 - 03	0.0	0.0	0.0	2.3	3.4	4.9	5.4	5.6	6.1	1.8
03 - 04	0.0	0.0	0.2	2.5	5.2	6.7	6.7	7.1	7.6	2.0
04 - 05	0.0	0.0	0.0	1.4	3.8	5.6	7.1	7.6	8.3	2.1
05 - 06	0.0	0.0	0.0	1.3	3.2	4.9	6.0	6.9	7.4	1.8
06 - 07	0.0	0.0	0.0	1.3	3.2	4.5	4.7	5.2	6.3	1.8
07 - 08	0.0	0.0	0.0	2.3	4.0	4.9	5.4	6.0	7.9	1.8
08 - 09	0.0	0.0	0.0	2.2	3.6	3.6	4.4	5.6	7.8	2.3
09 - 10	0.0	0.0	0.0	1.3	2.2	3.1	3.6	4.9	7.0	1.8
10 - 11	0.0	0.0	0.0	0.0	0.2	0.7	1.1	1.3	3.8	2.0
11 - 12	0.0	0.0	0.0	0.0	0.2	0.4	0.7	1.1	3.3	2.5
12 - 13	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	2.0	2.1
13 - 14	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.4	1.6	2.1
14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.1	2.1
15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.8
16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0
17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0
18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.8
19 - 20	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.5	3.2
20 - 21	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.5	2.1
21 - 22	0.0	0.0	0.0	0.2	0.4	0.7	0.7	1.1	1.4	1.6
22 - 23	0.0	0.0	0.0	0.4	1.4	2.0	2.3	2.3	2.3	1.4
23 - 00	0.0	0.0	0.0	1.5	1.8	2.9	3.1	3.6	4.0	2.5

	Runway Visual Range (m) March										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	1.0	1.9	1.9	2.3	2.3	2.3	50.0
	01 - 02	0.0	0.0	0.0	0.6	1.9	2.4	2.6	2.8	3.2	0.3
	02 - 03	0.0	0.0	0.0	0.5	2.1	3.2	4.0	4.7	5.2	0.3
	03 - 04	0.0	0.0	0.0	1.1	3.9	5.6	6.1	6.5	7.7	0.0
	04 - 05	0.0	0.0	0.0	1.3	3.7	5.3	6.1	6.6	7.3	0.3
	05 - 06	0.0	0.0	0.3	2.3	4.0	5.7	6.3	6.5	7.4	0.2
	06 - 07	0.0	0.0	0.3	2.3	3.2	3.5	3.9	4.2	5.8	0.0
	07 - 08	0.0	0.0	0.3	1.5	1.9	2.8	3.1	3.4	4.7	0.5
	08 - 09	0.0	0.0	0.0	1.0	1.1	1.5	1.5	1.8	2.4	1.1
	09 - 10	0.0	0.0	0.0	0.3	0.5	0.6	1.0	1.0	1.8	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.5	2.4
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	1.0	0.3
	21 - 22	0.0	0.0	0.0	0.0	0.2	0.7	0.7	1.0	1.3	1.1
	22 - 23	0.0	0.0	0.0	0.0	0.2	0.5	1.0	1.1	1.6	1.1
	23 - 00	0.0	0.0	0.0	0.2	0.5	1.6	1.9	2.1	2.1	0.6

	Runway Visual Range (m) April										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.0	0.3	1.7	1.7	1.7	1.7	50.8
	01 - 02	0.0	0.2	0.2	0.5	0.7	1.2	1.9	1.9	2.5	1.0
	02 - 03	0.0	0.0	0.0	0.2	0.7	2.0	2.7	3.2	4.0	0.7
	03 - 04	0.0	0.0	0.0	0.2	1.3	2.5	3.7	4.0	4.5	0.8
	04 - 05	0.0	0.0	0.0	1.0	1.7	3.4	3.7	3.9	4.9	0.7
	05 - 06	0.0	0.0	0.3	1.9	2.5	3.4	3.7	4.0	4.4	1.0
	06 - 07	0.0	0.0	0.0	0.5	1.2	1.9	2.0	2.4	2.7	1.0
	07 - 08	0.0	0.0	0.0	0.2	0.5	0.8	0.8	1.0	1.0	1.5
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	1.0	1.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.7
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.8
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.8
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7
	22 - 23	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.5	0.5	1.3
	23 - 00	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.3	1.3	1.2

	Runway Visual Range (m) May										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.0	0.6	1.3	2.3	2.3	2.6	50.0
	01 - 02	0.0	0.0	0.0	0.2	1.1	1.6	1.9	2.6	3.4	0.2
	02 - 03	0.0	0.0	0.0	0.0	1.1	2.7	3.6	4.8	4.8	0.2
	03 - 04	0.0	0.0	0.0	0.5	1.5	3.4	4.9	5.0	6.3	0.3
	04 - 05	0.0	0.0	0.0	1.3	2.9	4.4	4.5	4.8	5.0	0.0
	05 - 06	0.0	0.0	0.0	1.5	2.6	3.4	3.6	3.7	4.0	0.2
	06 - 07	0.0	0.0	0.0	0.0	0.6	1.6	1.8	1.9	2.6	0.2
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.8	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.2
	22 - 23	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.5	0.0
	23 - 00	0.0	0.0	0.0	0.0	0.3	0.5	0.6	0.8	0.8	0.6

	Runway Visual Range (m) June										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	49.8
	01 - 02	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.8	0.8	0.0
	02 - 03	0.0	0.0	0.0	0.0	1.3	2.0	2.5	2.7	2.8	0.0
	03 - 04	0.0	0.0	0.0	0.2	1.2	2.3	3.8	4.2	4.5	0.0
	04 - 05	0.0	0.0	0.0	0.5	1.5	2.3	2.8	3.0	3.8	0.2
	05 - 06	0.0	0.0	0.0	0.0	0.5	1.0	1.5	1.5	2.0	0.3
	06 - 07	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.2
	23 - 00	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.3

	Runway Visual Range (m) July										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.6	0.6	49.7
	01 - 02	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.3	1.3	0.3
	02 - 03	0.0	0.0	0.0	0.0	0.2	0.8	1.5	1.9	2.3	0.2
	03 - 04	0.0	0.0	0.0	0.0	1.0	1.9	2.3	2.6	2.7	0.2
	04 - 05	0.0	0.0	0.0	0.0	1.3	1.9	2.8	3.1	3.2	0.3
	05 - 06	0.0	0.0	0.0	0.2	0.8	1.1	1.5	1.5	1.6	0.6
	06 - 07	0.0	0.0	0.0	0.0	0.2	0.5	0.6	0.8	0.8	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.1
	20 - 21	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.0
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.3
	23 - 00	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3

	Runway Visual Range (m) August										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.0	1.0	1.6	1.9	2.3	2.3	50.2
	01 - 02	0.0	0.0	0.0	0.2	0.8	1.9	2.7	3.1	3.6	0.2
	02 - 03	0.0	0.0	0.0	0.0	1.3	2.6	3.1	3.4	4.2	0.2
	03 - 04	0.0	0.0	0.0	0.0	1.8	4.1	4.9	4.9	5.5	0.6
	04 - 05	0.0	0.0	0.0	0.2	1.5	2.9	4.0	4.4	6.1	0.2
	05 - 06	0.0	0.0	0.0	0.6	1.1	2.8	3.7	4.4	5.2	0.3
	06 - 07	0.0	0.0	0.0	0.0	0.5	1.3	2.1	2.8	3.2	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.5	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.2
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	1.0	0.6
	23 - 00	0.0	0.0	0.0	0.0	0.2	0.5	0.5	0.8	1.1	0.6

	Runway Visual Range (m) September										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	2.3	5.3	8.0	8.3	9.7	11.0	50.0
	01 - 02	0.0	0.0	0.0	2.4	6.2	8.9	10.9	11.9	13.4	0.8
	02 - 03	0.0	0.0	0.0	1.3	6.5	11.7	14.5	15.5	17.2	0.0
	03 - 04	0.0	0.0	0.0	0.5	6.2	10.7	14.4	16.2	18.2	0.3
	04 - 05	0.0	0.0	0.0	1.2	5.0	10.0	12.4	14.5	17.4	0.2
	05 - 06	0.0	0.0	0.0	2.3	6.3	11.2	13.2	14.5	16.2	0.2
	06 - 07	0.0	0.0	0.0	1.5	5.4	7.2	8.6	10.4	11.9	0.7
	07 - 08	0.0	0.0	0.0	0.2	2.0	4.0	5.9	7.0	8.4	0.7
	08 - 09	0.0	0.0	0.0	0.0	0.2	0.8	1.8	3.0	3.2	0.2
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.5
	20 - 21	0.0	0.0	0.0	0.2	0.5	0.8	1.5	1.5	1.5	0.3
	21 - 22	0.0	0.0	0.0	0.2	0.7	1.8	2.3	2.7	3.3	0.2
	22 - 23	0.0	0.0	0.0	0.7	2.7	4.3	5.3	6.2	6.7	0.2
	23 - 00	0.0	0.0	0.0	1.7	3.0	5.5	6.7	7.2	8.0	0.5

	Runway Visual Range (m) October										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	1.9	6.8	12.9	16.1	17.4	20.6	50.0
	01 - 02	0.0	0.0	0.0	2.1	9.2	13.5	16.0	17.9	19.8	0.0
	02 - 03	0.0	0.0	0.0	1.8	9.2	14.1	15.3	18.3	18.9	0.2
	03 - 04	0.0	0.0	0.0	1.3	8.1	13.7	16.0	16.8	18.5	0.0
	04 - 05	0.0	0.0	0.0	1.3	7.6	12.6	15.2	16.5	18.1	0.0
	05 - 06	0.0	0.0	0.0	1.0	6.5	13.2	15.5	17.4	19.4	0.2
	06 - 07	0.0	0.0	0.0	2.9	8.1	11.8	14.0	16.1	18.7	0.0
	07 - 08	0.0	0.0	0.0	3.2	6.8	8.9	10.4	11.8	14.7	0.3
	08 - 09	0.0	0.0	0.0	0.5	3.1	5.6	6.6	7.7	10.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.5	1.0	1.8	2.7	4.5	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.5	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	18 - 19	0.0	0.0	0.0	0.0	0.2	0.3	1.0	1.5	1.9	0.3
	19 - 20	0.0	0.0	0.0	0.3	0.7	2.0	2.6	3.1	4.9	1.5
	20 - 21	0.0	0.0	0.0	0.8	1.8	3.2	5.2	6.3	8.6	0.6
	21 - 22	0.0	0.0	0.0	1.3	4.5	6.5	7.9	9.1	11.0	0.3
	22 - 23	0.0	0.0	0.0	2.4	5.2	8.4	10.9	12.8	14.3	0.5
	23 - 00	0.0	0.0	0.0	2.9	8.4	13.6	14.9	15.7	17.2	0.5

	Runway Visual Range (m) November										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	1.0	5.0	7.7	9.0	10.4	11.7	50.2
	01 - 02	0.0	0.0	0.0	1.2	5.2	7.2	8.4	10.1	10.6	0.5
	02 - 03	0.0	0.0	0.0	0.8	3.4	6.7	9.2	10.4	11.6	0.5
	03 - 04	0.0	0.0	0.2	1.0	3.7	7.0	9.4	11.0	12.5	0.3
	04 - 05	0.0	0.0	0.0	0.7	3.5	6.7	9.2	10.7	12.4	0.3
	05 - 06	0.0	0.0	0.0	0.3	1.8	6.0	8.7	9.7	12.7	0.5
	06 - 07	0.0	0.0	0.2	1.3	4.5	6.4	8.4	9.9	11.8	0.8
	07 - 08	0.0	0.0	0.0	2.0	3.3	4.8	6.0	8.2	11.2	0.3
	08 - 09	0.0	0.0	0.2	1.7	3.2	4.7	6.7	7.7	10.4	0.5
	09 - 10	0.0	0.0	0.0	1.3	1.8	2.9	4.0	5.5	7.7	0.7
	10 - 11	0.0	0.0	0.0	0.0	0.5	0.7	1.2	1.8	4.5	0.3
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	2.5	0.5
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	0.8
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3
	14 - 15	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.8	0.7
	15 - 16	0.0	0.0	0.0	0.3	0.3	0.5	0.8	0.8	1.2	0.8
	16 - 17	0.0	0.0	0.0	0.2	0.7	0.8	1.2	1.5	1.7	0.8
	17 - 18	0.0	0.0	0.0	0.0	0.5	0.7	1.4	1.4	1.5	1.3
	18 - 19	0.0	0.0	0.0	0.0	0.3	1.3	1.7	2.7	3.2	1.0
	19 - 20	0.0	0.0	0.0	0.3	1.0	2.6	3.1	3.5	4.0	4.2
	20 - 21	0.0	0.0	0.0	0.8	2.0	3.4	4.4	4.9	5.9	1.0
	21 - 22	0.0	0.0	0.0	0.8	2.7	4.5	5.5	6.4	7.6	0.8
	22 - 23	0.0	0.0	0.0	1.0	3.0	5.4	6.4	8.7	9.9	0.5
	23 - 00	0.0	0.0	0.0	0.8	4.0	6.4	7.9	9.1	10.6	1.0

	Runway Visual Range (m) December										
Time (UTC)		< 50	< 100	< 200	< 350	< 550	< 800	< 1000	< 1200	< 1500	NA
	00 - 01	0.0	0.0	0.0	0.6	2.5	4.5	5.7	8.0	8.3	49.4
	01 - 02	0.0	0.0	0.0	0.5	2.3	3.9	6.0	7.1	8.2	0.0
	02 - 03	0.0	0.0	0.0	0.2	2.1	2.7	3.7	4.5	6.1	0.2
	03 - 04	0.0	0.0	0.0	0.2	2.4	4.0	5.0	5.8	7.1	0.0
	04 - 05	0.0	0.0	0.0	0.2	1.8	3.1	4.7	5.7	7.1	0.3
	05 - 06	0.0	0.0	0.0	0.0	2.1	3.6	5.0	6.5	7.0	0.3
	06 - 07	0.0	0.0	0.0	0.2	1.8	2.9	3.9	4.9	5.8	0.5
	07 - 08	0.0	0.0	0.0	0.6	1.1	2.1	3.2	4.2	5.5	0.6
	08 - 09	0.0	0.0	0.0	0.6	1.3	2.8	4.7	5.5	6.5	0.3
	09 - 10	0.0	0.0	0.0	0.6	1.1	1.5	2.3	2.9	4.9	0.5
	10 - 11	0.0	0.0	0.0	0.6	0.6	0.6	0.8	1.5	2.1	0.0
	11 - 12	0.0	0.0	0.0	0.3	0.5	0.6	1.0	1.1	1.3	0.6
	12 - 13	0.0	0.0	0.0	0.3	0.3	0.5	0.8	1.1	1.8	0.3
	13 - 14	0.0	0.0	0.0	0.3	0.5	0.6	0.8	1.3	1.9	0.3
	14 - 15	0.0	0.0	0.0	0.5	0.8	1.0	1.3	1.3	1.8	0.2
	15 - 16	0.0	0.0	0.0	0.3	0.5	1.1	1.8	1.8	1.9	0.3
	16 - 17	0.0	0.0	0.0	0.2	0.5	1.1	1.6	1.9	2.3	0.0
	17 - 18	0.0	0.0	0.0	0.0	0.3	1.0	1.5	1.6	2.4	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.6	1.1	1.5	1.8	2.6	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.7	1.8	2.6	3.3	3.4	1.3
	20 - 21	0.0	0.0	0.0	0.2	0.6	2.3	3.4	4.0	4.8	0.0
	21 - 22	0.0	0.0	0.0	0.5	1.5	2.6	3.4	4.4	5.3	0.0
	22 - 23	0.0	0.0	0.0	0.3	1.0	2.1	3.2	4.4	5.8	0.3
	23 - 00	0.0	0.0	0.0	0.5	2.3	2.8	4.2	4.7	6.3	0.8

3.3. Ceiling

3.3.1. Hourly Ceiling 10 Years

Frequencies in percent of the base height of the lowest cloud layer of BKN or OVC extent below specified values at specified times (months in 3.3.2). Frequencies are calculated relative to all potentially possible observations each hour (month) minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 7.7% of all observations between 04 and 05 UTC showed a base height of the lowest cloud layer of BKN or OVC below 1000 ft.

	Ceiling (ft) 10 Years									
Time (UTC)		< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
	00 - 01	0.1	0.9	2.4	3.7	5.0	6.2	7.9	47.6	51.6
	01 - 02	0.2	1.1	2.6	4.0	5.6	6.9	8.7	48.2	4.0
	02 - 03	0.3	1.3	2.8	4.3	6.4	7.7	9.4	49.6	4.5
	03 - 04	0.2	1.4	3.1	4.5	7.0	8.4	10.6	50.7	5.1
	04 - 05	0.2	1.4	3.4	5.1	7.7	9.4	11.9	51.0	5.7
	05 - 06	0.3	1.6	3.8	5.5	8.6	10.5	13.5	51.5	5.7
	06 - 07	0.3	1.8	4.4	6.2	9.4	11.8	14.6	51.5	5.0
	07 - 08	0.4	1.6	4.4	6.3	9.2	11.7	14.5	51.8	4.1
	08 - 09	0.3	1.2	3.9	5.9	8.5	10.9	14.0	51.0	3.1
	09 - 10	0.2	1.0	3.2	5.3	7.5	9.6	12.6	50.7	2.2
	10 - 11	0.1	0.7	2.4	4.1	6.3	8.2	10.8	50.6	1.3
	11 - 12	0.1	0.4	1.6	3.0	5.1	6.6	8.9	51.0	1.2
	12 - 13	0.0	0.2	1.0	2.2	3.9	5.3	7.3	51.9	0.9
	13 - 14	0.0	0.2	0.7	1.6	3.1	4.3	6.0	51.7	0.9
	14 - 15	0.0	0.2	0.7	1.5	2.9	4.1	5.5	51.7	0.9
	15 - 16	0.0	0.3	0.9	1.5	2.7	3.7	5.1	51.4	0.9
	16 - 17	0.0	0.3	0.9	1.6	2.7	3.7	5.1	51.6	1.1
	17 - 18	0.0	0.4	0.9	1.8	2.9	3.8	5.2	50.8	1.2
	18 - 19	0.1	0.5	1.2	2.1	3.3	4.1	5.6	50.0	1.2
	19 - 20	0.1	0.6	1.3	2.4	3.6	4.5	5.9	49.6	3.0
	20 - 21	0.1	0.6	1.4	2.3	3.7	4.5	5.8	48.3	1.9
	21 - 22	0.1	0.6	1.6	2.9	4.2	5.0	6.3	47.4	2.1
	22 - 23	0.1	0.7	1.9	3.2	4.5	5.5	7.0	47.2	2.6
	23 - 00	0.2	0.7	2.2	3.4	5.0	6.0	7.4	47.5	3.2

3.3.2. Monthly Ceiling 10 Years

Example (dark shading): In the 10 years period 10.8% of all observations in October showed a base height of the lowest cloud layer of BKN or OVC below 1200 ft.

	Ceiling (ft) 10 Years									
Time (Month)		< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
	January	0.7	2.4	7.8	12.4	18.5	22.1	26.2	48.5	8.1
	February	0.1	0.7	2.3	3.9	5.6	7.2	9.5	53.4	6.3
	March	0.0	0.1	0.4	0.7	1.5	2.1	3.6	53.3	4.4
	April	0.0	0.1	0.2	0.4	0.9	1.8	2.9	52.9	3.5
	May	0.0	0.1	0.2	0.4	0.6	1.1	2.4	47.1	2.9
	June	0.0	0.1	0.2	0.3	0.5	0.7	0.9	45.7	2.8
	July	0.0	0.1	0.2	0.2	0.4	0.6	0.8	43.3	2.7
	August	0.0	0.2	0.4	0.5	0.9	1.2	1.8	40.6	3.0
	September	0.1	0.5	1.0	1.5	2.4	3.2	4.4	51.7	4.9
	October	0.1	1.3	3.3	5.6	8.5	10.8	13.8	49.4	6.9
	November	0.4	2.3	5.8	8.8	13.7	16.5	20.7	56.3	6.6
	December	0.3	1.8	4.7	7.9	11.7	14.8	19.3	61.7	4.8

3.3.3. Hourly Ceiling per Season

Example (dark shading): In the 10 years period in winter 15.5% of all observations between 04 and 05 UTC showed a base height of the lowest cloud layer of BKN or OVC below 1000 ft.

	Ceiling (ft) Winter (Dec/Jan/Feb)								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.5	2.3	6.2	9.2	12.4	15.5	18.2	52.5	52.5
01 - 02	0.5	2.5	6.3	9.5	13.5	16.0	18.9	53.7	6.0
02 - 03	0.7	2.9	6.8	9.9	14.7	17.1	20.3	54.7	5.6
03 - 04	0.5	3.1	6.9	10.2	15.4	17.9	21.8	54.9	6.3
04 - 05	0.4	2.7	7.3	10.8	15.5	18.3	22.6	53.8	6.6
05 - 06	0.5	2.9	7.9	11.2	15.6	18.8	24.2	55.2	6.2
06 - 07	0.5	2.9	8.1	11.7	16.6	20.7	25.6	54.9	5.6
07 - 08	0.8	2.2	8.1	11.7	16.2	20.0	24.5	56.4	5.5
08 - 09	0.5	1.7	7.6	11.7	16.4	20.4	24.3	56.3	5.5
09 - 10	0.3	1.6	6.2	11.3	15.7	19.4	23.6	56.3	4.9
10 - 11	0.3	1.4	5.0	9.0	14.3	17.7	21.9	54.6	3.5
11 - 12	0.3	1.2	3.5	6.9	12.2	15.3	19.2	56.4	3.2
12 - 13	0.1	0.6	2.5	5.5	10.0	12.4	16.4	58.3	2.1
13 - 14	0.0	0.5	2.1	4.6	8.4	10.7	14.5	57.3	2.2
14 - 15	0.1	0.7	2.1	4.6	7.9	10.7	13.7	57.5	2.8
15 - 16	0.2	0.8	2.6	4.6	7.5	10.3	13.2	56.6	2.8
16 - 17	0.1	0.6	2.7	4.9	7.9	9.9	13.5	55.6	2.9
17 - 18	0.0	0.7	2.5	5.3	8.2	10.6	13.8	53.2	2.9
18 - 19	0.2	1.1	3.4	6.4	9.2	11.6	14.7	53.0	3.4
19 - 20	0.5	1.6	3.7	6.6	9.5	11.7	14.9	53.1	4.7
20 - 21	0.3	1.6	3.9	6.5	9.7	11.5	14.7	52.2	4.0
21 - 22	0.4	1.7	4.5	8.1	10.8	12.9	15.9	51.8	4.1
22 - 23	0.5	1.9	5.1	8.6	11.5	14.2	17.4	50.8	4.8
23 - 00	0.6	1.8	5.8	8.7	12.1	14.9	18.0	51.4	5.4

	Ceiling (ft) Spring (Mar/Apr/May)								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.2	0.4	0.7	1.2	2.3	47.7	51.0
01 - 02	0.1	0.1	0.4	0.7	1.1	1.7	2.9	48.0	2.3
02 - 03	0.1	0.1	0.3	0.6	1.2	1.8	3.1	50.4	2.4
03 - 04	0.2	0.2	0.4	0.6	1.0	2.1	4.0	50.1	2.8
04 - 05	0.0	0.2	0.3	1.0	1.9	3.6	5.6	50.8	3.3
05 - 06	0.1	0.3	0.9	1.3	3.0	4.5	7.0	50.6	3.5
06 - 07	0.0	0.6	1.3	1.7	3.4	5.5	7.6	50.3	3.0
07 - 08	0.1	0.4	1.3	1.9	3.6	5.7	8.2	51.3	2.5
08 - 09	0.0	0.0	0.4	1.2	2.0	3.4	6.8	52.5	1.9
09 - 10	0.0	0.2	0.4	0.7	1.4	2.6	5.3	52.4	1.1
10 - 11	0.0	0.1	0.1	0.3	0.7	1.2	3.0	52.6	0.9
11 - 12	0.0	0.0	0.0	0.0	0.4	0.5	1.6	52.3	0.7
12 - 13	0.0	0.0	0.0	0.0	0.4	0.6	1.5	53.4	0.9
13 - 14	0.0	0.0	0.0	0.0	0.3	0.5	1.3	53.2	0.5
14 - 15	0.0	0.0	0.0	0.0	0.1	0.5	0.9	53.2	0.4
15 - 16	0.0	0.0	0.0	0.1	0.2	0.5	0.7	52.9	0.3
16 - 17	0.0	0.0	0.0	0.0	0.0	0.3	0.6	54.1	0.4
17 - 18	0.0	0.0	0.0	0.0	0.0	0.1	0.4	54.0	0.4
18 - 19	0.0	0.0	0.0	0.0	0.1	0.2	0.8	52.1	0.2
19 - 20	0.0	0.0	0.0	0.1	0.3	0.4	1.2	51.5	2.2
20 - 21	0.0	0.0	0.1	0.1	0.4	0.4	1.2	49.5	0.7
21 - 22	0.0	0.0	0.2	0.3	0.6	0.8	1.4	46.9	1.1
22 - 23	0.0	0.1	0.2	0.4	0.6	0.7	1.7	46.8	1.6
23 - 00	0.0	0.0	0.2	0.6	1.1	1.3	2.2	47.0	1.9

	Ceiling (ft) Summer (Jun/Jul/Aug)								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.1	0.2	0.3	0.4	0.7	40.1	50.1
01 - 02	0.1	0.3	0.4	0.4	0.5	0.7	1.1	39.6	0.9
02 - 03	0.0	0.2	0.2	0.3	0.4	0.8	1.0	40.8	1.8
03 - 04	0.0	0.1	0.7	0.8	1.1	1.2	1.8	43.2	2.4
04 - 05	0.1	0.4	0.8	0.9	1.5	1.7	2.6	44.5	2.6
05 - 06	0.1	0.6	1.1	1.3	2.6	3.4	4.4	44.6	2.6
06 - 07	0.2	0.7	1.6	2.1	3.6	4.6	5.6	44.1	1.5
07 - 08	0.0	0.2	0.9	1.4	2.2	3.6	4.5	44.3	0.5
08 - 09	0.0	0.0	0.1	0.3	1.1	1.7	3.0	42.5	0.2
09 - 10	0.0	0.0	0.0	0.0	0.1	0.5	1.3	41.8	0.2
10 - 11	0.0	0.0	0.0	0.0	0.2	0.2	0.6	43.6	0.0
11 - 12	0.0	0.0	0.0	0.0	0.1	0.1	0.4	42.0	0.3
12 - 13	0.0	0.0	0.0	0.0	0.0	0.1	0.2	41.1	0.1
13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.6	0.2
14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.1	0.1
15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.2	0.1
16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.6	0.2
17 - 18	0.0	0.0	0.0	0.0	0.0	0.1	0.1	46.2	0.2
18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.2	45.6	0.2
19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.6	1.6
20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.0	0.3
21 - 22	0.0	0.0	0.0	0.1	0.1	0.1	0.1	42.6	0.3
22 - 23	0.0	0.0	0.1	0.2	0.2	0.2	0.2	42.2	0.4
23 - 00	0.1	0.1	0.2	0.3	0.3	0.4	0.4	40.9	0.5

	Ceiling (ft) Autumn (Sep/Oct/Nov)								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.1	1.3	3.3	5.2	7.3	8.4	11.2	50.8	52.9
01 - 02	0.3	1.5	3.7	6.0	8.1	10.2	12.9	52.3	6.9
02 - 03	0.4	2.0	4.4	7.0	10.1	12.0	14.3	53.2	8.1
03 - 04	0.3	2.4	4.7	6.9	11.4	13.2	15.8	55.1	9.0
04 - 05	0.6	2.4	5.6	8.1	12.7	14.8	18.0	55.4	10.2
05 - 06	0.7	2.8	5.9	8.5	13.9	16.2	19.5	56.2	10.6
06 - 07	0.6	3.0	7.2	9.7	14.9	17.5	20.6	57.6	9.8
07 - 08	1.0	3.6	7.8	10.9	15.7	18.5	21.9	56.1	8.1
08 - 09	0.6	3.2	7.9	11.2	15.4	19.2	23.1	53.1	4.9
09 - 10	0.3	2.2	6.7	9.7	13.3	16.5	21.0	53.0	2.5
10 - 11	0.2	1.4	4.5	7.2	10.5	14.3	18.4	51.9	0.9
11 - 12	0.2	0.6	2.8	5.4	8.0	10.9	14.8	53.5	0.6
12 - 13	0.1	0.1	1.6	3.4	5.4	8.2	11.4	55.3	0.5
13 - 14	0.0	0.1	0.9	1.9	4.1	6.2	8.5	53.9	0.7
14 - 15	0.0	0.3	0.9	1.7	3.9	5.4	7.9	53.2	0.4
15 - 16	0.0	0.3	0.9	1.7	3.4	4.3	7.1	52.2	0.5
16 - 17	0.0	0.4	0.9	1.8	3.2	4.7	6.9	51.4	0.9
17 - 18	0.0	0.8	1.4	2.1	3.8	4.8	7.1	49.9	1.2
18 - 19	0.0	0.9	1.3	2.3	4.1	5.1	7.3	49.4	1.3
19 - 20	0.0	0.7	1.5	3.1	5.0	6.2	8.1	48.3	3.5
20 - 21	0.0	0.8	1.6	3.0	5.1	6.4	7.9	47.7	2.6
21 - 22	0.1	0.8	1.8	3.5	5.7	6.8	8.2	48.6	3.0
22 - 23	0.1	0.8	2.3	3.9	6.3	7.6	9.4	49.5	3.6
23 - 00	0.2	1.0	2.8	4.6	7.1	8.0	9.9	51.0	4.9

3.3.4. Hourly Ceiling per Month

Example (dark shading): In the 10 years period in January 23.5% of all observations between 04 and 05 UTC showed a base height of the lowest cloud layer of BKN or OVC below 1000 ft.

	Ceiling (ft) January								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.7	2.8	9.4	13.3	17.8	22.7	25.5	48.6	53.9
01 - 02	1.1	3.4	10.5	15.1	21.3	24.8	27.8	48.4	9.0
02 - 03	1.2	4.4	10.4	14.2	22.5	25.3	29.4	48.0	8.9
03 - 04	1.1	4.5	10.3	14.6	23.5	26.4	30.5	48.3	9.5
04 - 05	0.9	3.7	10.7	15.8	23.5	27.2	31.0	47.9	9.4
05 - 06	1.2	4.4	12.1	16.7	23.6	27.5	31.9	48.4	8.4
06 - 07	1.2	4.7	12.8	18.8	24.7	28.8	34.2	46.7	7.1
07 - 08	1.6	3.3	12.6	18.3	24.6	28.0	32.7	47.6	6.8
08 - 09	1.4	2.8	11.8	17.4	23.6	27.3	30.6	50.2	7.1
09 - 10	0.7	1.7	8.4	16.4	22.1	26.2	31.6	48.6	6.5
10 - 11	0.5	1.2	7.3	13.4	20.9	25.1	29.7	48.2	5.0
11 - 12	0.5	2.0	5.4	11.1	19.8	23.0	27.1	50.1	4.0
12 - 13	0.0	0.8	3.8	8.6	16.0	19.0	23.3	51.3	2.3
13 - 14	0.0	0.7	3.6	7.4	13.4	16.3	20.8	50.3	2.3
14 - 15	0.0	0.7	3.7	7.5	12.8	16.3	20.3	50.7	3.2
15 - 16	0.0	1.0	4.2	7.0	12.2	16.0	20.0	48.3	3.2
16 - 17	0.0	1.0	4.0	7.4	12.9	15.2	20.2	48.2	3.5
17 - 18	0.0	1.3	3.9	8.6	12.9	16.1	20.5	47.7	3.9
18 - 19	0.3	1.7	6.0	10.7	14.8	19.3	23.5	47.0	5.3
19 - 20	1.0	2.7	6.9	10.7	14.9	19.1	23.9	48.3	6.1
20 - 21	0.3	2.6	6.9	10.1	14.9	18.2	22.7	47.8	6.1
21 - 22	0.7	2.8	6.9	11.8	16.6	20.2	23.0	46.7	6.8
22 - 23	0.7	3.0	7.8	12.2	16.9	21.6	24.2	47.4	7.4
23 - 00	1.0	2.4	8.9	13.5	18.5	22.0	25.7	48.4	7.7

	Ceiling (ft) February								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.4	1.9	3.0	4.8	6.3	8.9	10.0	47.8	52.1
01 - 02	0.0	1.7	2.6	5.0	6.5	8.1	10.7	50.1	4.1
02 - 03	0.2	1.7	3.5	5.6	7.2	9.3	11.5	51.4	4.4
03 - 04	0.2	1.7	4.1	5.8	8.1	10.2	13.0	50.8	5.7
04 - 05	0.0	1.1	4.6	6.5	8.2	9.5	13.5	51.0	6.6
05 - 06	0.0	1.3	5.1	6.2	8.3	10.0	15.5	56.0	6.2
06 - 07	0.0	2.1	6.0	7.5	9.8	12.6	16.7	57.3	5.7
07 - 08	0.2	1.7	5.9	7.4	8.9	11.2	14.0	61.1	6.2
08 - 09	0.2	1.3	5.1	7.8	9.8	13.2	16.6	58.4	6.2
09 - 10	0.2	1.1	3.8	6.8	9.0	11.8	14.6	61.2	5.5
10 - 11	0.4	1.3	2.8	5.6	8.3	10.6	13.2	57.1	4.4
11 - 12	0.0	0.0	1.3	2.8	5.5	7.0	10.4	56.2	4.1
12 - 13	0.2	0.2	0.2	1.5	3.8	4.2	7.0	59.0	3.2
13 - 14	0.0	0.0	0.0	0.9	2.9	3.3	5.7	58.2	3.2
14 - 15	0.0	0.0	0.0	0.4	2.0	3.3	5.0	57.4	3.4
15 - 16	0.0	0.0	0.0	0.4	1.8	2.8	4.0	55.5	3.5
16 - 17	0.0	0.0	0.0	0.7	2.2	2.9	4.0	53.9	3.4
17 - 18	0.0	0.0	0.0	0.7	2.0	3.1	4.0	48.7	3.2
18 - 19	0.0	0.0	0.2	1.6	2.6	3.8	4.4	48.7	3.2
19 - 20	0.0	0.0	0.7	2.4	3.7	4.5	5.6	49.2	4.4
20 - 21	0.0	0.0	1.5	2.8	4.2	5.0	5.9	48.6	3.4
21 - 22	0.0	0.5	2.0	3.6	5.1	6.0	6.9	48.5	2.3
22 - 23	0.2	0.7	2.4	4.7	5.3	5.8	8.2	47.3	2.8
23 - 00	0.0	0.4	1.9	4.1	4.8	7.1	8.6	45.8	4.8

	Ceiling (ft) March								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.0	0.0	0.7	1.0	1.7	55.7	51.6
01 - 02	0.0	0.0	0.3	0.7	0.8	1.2	1.8	55.5	3.9
02 - 03	0.0	0.0	0.3	0.7	1.0	1.3	3.0	54.8	3.7
03 - 04	0.0	0.0	0.5	0.5	1.0	1.7	3.5	53.8	3.7
04 - 05	0.0	0.0	0.3	1.0	2.0	3.4	5.7	53.0	4.4
05 - 06	0.0	0.2	1.2	2.0	3.2	4.6	7.8	54.9	4.5
06 - 07	0.0	0.8	1.5	2.4	4.9	6.6	9.3	55.6	4.8
07 - 08	0.2	0.8	1.7	2.4	5.1	6.6	9.3	54.7	4.7
08 - 09	0.0	0.0	1.0	2.7	4.2	5.1	9.6	54.5	4.4
09 - 10	0.0	0.5	1.2	2.1	4.1	4.8	8.6	55.0	2.3
10 - 11	0.0	0.2	0.3	0.8	1.6	2.9	5.2	53.2	1.5
11 - 12	0.0	0.0	0.0	0.0	0.7	1.1	2.4	54.8	1.1
12 - 13	0.0	0.0	0.0	0.0	0.7	1.1	1.8	54.0	1.5
13 - 14	0.0	0.0	0.0	0.0	0.6	0.8	1.5	52.5	0.5
14 - 15	0.0	0.0	0.0	0.0	0.3	1.0	1.1	53.2	0.2
15 - 16	0.0	0.0	0.0	0.0	0.2	1.0	1.1	52.5	0.2
16 - 17	0.0	0.0	0.0	0.0	0.0	0.3	0.8	54.0	0.5
17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.6	54.5	0.3
18 - 19	0.0	0.0	0.0	0.0	0.0	0.2	1.0	51.6	0.0
19 - 20	0.0	0.0	0.0	0.2	0.5	0.7	1.8	51.9	2.4
20 - 21	0.0	0.0	0.2	0.2	0.8	0.8	1.8	51.1	1.0
21 - 22	0.0	0.0	0.5	0.7	1.3	1.5	1.8	49.9	2.1
22 - 23	0.0	0.2	0.7	0.7	1.2	1.2	2.5	48.7	3.2
23 - 00	0.0	0.0	0.5	0.5	1.3	1.5	2.3	51.4	3.4

	Ceiling (ft) April								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.3	1.0	1.0	1.4	2.0	46.6	51.0
01 - 02	0.0	0.0	0.3	0.7	1.4	1.9	3.0	47.3	1.3
02 - 03	0.0	0.0	0.2	0.5	1.9	2.4	3.0	52.1	1.5
03 - 04	0.0	0.0	0.2	0.7	1.4	2.9	4.4	49.8	2.3
04 - 05	0.0	0.0	0.0	0.9	1.9	3.9	6.5	50.9	2.8
05 - 06	0.0	0.5	0.7	0.7	3.1	5.5	7.9	49.2	3.2
06 - 07	0.0	0.3	1.0	1.0	2.9	5.6	7.2	49.0	2.3
07 - 08	0.0	0.3	1.0	1.4	2.9	5.6	8.2	52.0	2.2
08 - 09	0.0	0.0	0.2	0.5	1.2	3.2	6.7	53.1	1.2
09 - 10	0.0	0.0	0.0	0.0	0.0	2.0	4.7	51.5	0.7
10 - 11	0.0	0.0	0.0	0.0	0.3	0.5	1.7	55.0	0.8
11 - 12	0.0	0.0	0.0	0.0	0.5	0.5	1.3	54.1	0.8
12 - 13	0.0	0.0	0.0	0.0	0.5	0.7	1.9	55.9	1.0
13 - 14	0.0	0.0	0.0	0.0	0.2	0.7	1.8	56.0	0.8
14 - 15	0.0	0.0	0.0	0.0	0.0	0.5	1.2	55.9	1.0
15 - 16	0.0	0.0	0.0	0.2	0.2	0.5	0.7	56.5	0.8
16 - 17	0.0	0.0	0.0	0.0	0.0	0.7	0.7	58.7	0.7
17 - 18	0.0	0.0	0.0	0.0	0.0	0.2	0.7	58.2	0.8
18 - 19	0.0	0.0	0.0	0.0	0.0	0.3	0.5	56.9	0.7
19 - 20	0.0	0.0	0.0	0.0	0.3	0.3	0.3	55.7	2.7
20 - 21	0.0	0.0	0.0	0.0	0.3	0.3	0.3	52.4	1.2
21 - 22	0.0	0.0	0.0	0.2	0.3	0.5	1.0	49.3	1.0
22 - 23	0.0	0.0	0.0	0.5	0.7	1.0	1.0	50.4	1.5
23 - 00	0.0	0.0	0.2	1.0	1.7	1.7	2.0	49.4	1.2

	Ceiling (ft) May								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.3	0.3	0.3	1.3	3.2	40.9	50.3
01 - 02	0.2	0.3	0.5	0.7	1.0	2.0	3.8	41.4	1.8
02 - 03	0.2	0.3	0.3	0.5	0.8	1.6	3.1	44.4	1.9
03 - 04	0.7	0.7	0.7	0.7	0.7	1.8	4.0	46.6	2.4
04 - 05	0.0	0.7	0.7	1.0	1.7	3.5	4.6	48.6	2.7
05 - 06	0.2	0.2	0.8	1.2	2.7	3.3	5.3	47.8	2.9
06 - 07	0.0	0.7	1.3	1.8	2.5	4.3	6.3	46.5	1.9
07 - 08	0.0	0.2	1.3	1.9	2.8	4.9	7.1	47.4	0.6
08 - 09	0.0	0.0	0.2	0.3	0.8	2.1	4.2	50.1	0.2
09 - 10	0.0	0.0	0.0	0.0	0.2	1.0	2.8	50.6	0.3
10 - 11	0.0	0.0	0.0	0.0	0.2	0.2	2.1	49.8	0.3
11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	1.1	48.1	0.0
12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	1.0	50.4	0.2
13 - 14	0.0	0.0	0.0	0.0	0.0	0.2	0.5	51.1	0.3
14 - 15	0.0	0.0	0.0	0.0	0.0	0.2	0.3	50.8	0.0
15 - 16	0.0	0.0	0.0	0.0	0.2	0.2	0.2	50.0	0.0
16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.3	49.7	0.0
17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.6	0.2
18 - 19	0.0	0.0	0.0	0.0	0.2	0.2	0.8	47.9	0.0
19 - 20	0.0	0.0	0.0	0.0	0.0	0.2	1.3	47.0	1.6
20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	1.5	45.2	0.0
21 - 22	0.0	0.0	0.0	0.0	0.2	0.3	1.5	41.5	0.2
22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	1.5	41.5	0.0
23 - 00	0.0	0.0	0.0	0.2	0.2	0.8	2.1	40.5	1.1

	Ceiling (ft) June								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.0	0.0	0.0	0.0	0.3	42.0	50.0
01 - 02	0.0	0.0	0.0	0.0	0.0	0.0	0.7	41.9	0.5
02 - 03	0.0	0.0	0.0	0.2	0.2	0.5	0.7	43.5	2.0
03 - 04	0.0	0.2	0.8	1.0	1.4	1.4	1.4	46.3	1.8
04 - 05	0.0	0.7	0.9	1.4	2.1	2.1	2.7	46.2	2.7
05 - 06	0.0	0.3	0.9	1.7	3.6	3.9	4.6	43.8	2.2
06 - 07	0.3	0.8	1.7	2.0	3.7	4.9	5.7	44.7	0.8
07 - 08	0.0	0.2	0.3	0.8	1.3	2.4	3.2	44.7	0.8
08 - 09	0.0	0.0	0.0	0.0	0.2	0.3	0.7	43.7	0.5
09 - 10	0.0	0.0	0.0	0.0	0.0	0.3	0.3	44.4	0.2
10 - 11	0.0	0.0	0.0	0.0	0.3	0.3	0.5	48.8	0.0
11 - 12	0.0	0.0	0.0	0.0	0.2	0.2	0.5	45.2	0.5
12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.2	43.1	0.2
13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.3	0.3
14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.0	0.3
15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.8	0.0
16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.1	0.2
17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.5	0.0
18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.5	0.3
19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.2	1.7
20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.7	0.2
21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.7	0.5
22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.7	0.2
23 - 00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.9	0.5

	Ceiling (ft) July								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.0	0.3	0.3	0.6	1.0	43.4	49.8
01 - 02	0.2	0.3	0.5	0.5	0.6	1.0	1.5	41.7	0.5
02 - 03	0.0	0.0	0.0	0.0	0.3	0.8	0.8	42.3	1.3
03 - 04	0.0	0.0	0.0	0.0	0.3	0.3	0.8	44.0	2.6
04 - 05	0.0	0.0	0.2	0.2	0.5	0.5	0.8	44.1	2.7
05 - 06	0.0	0.3	0.5	0.5	0.8	1.8	2.5	45.1	2.4
06 - 07	0.2	0.7	1.8	2.0	3.3	3.6	4.6	43.6	1.0
07 - 08	0.0	0.2	1.3	1.3	1.6	2.7	3.2	43.8	0.2
08 - 09	0.0	0.0	0.0	0.3	0.8	1.6	3.2	41.0	0.0
09 - 10	0.0	0.0	0.0	0.0	0.0	0.6	1.3	40.0	0.0
10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.2	42.1	0.0
11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.1	0.3
12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.1	0.0
13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.1	0.2
14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.4	0.0
15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.6	0.2
16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.2	0.3
17 - 18	0.0	0.0	0.0	0.0	0.0	0.2	0.2	45.0	0.3
18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.2	0.0
19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.2	1.1
20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.9	0.0
21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.3	0.3
22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.7	0.3
23 - 00	0.3	0.3	0.3	0.3	0.3	0.5	0.5	45.5	0.3

	Ceiling (ft) August								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.3	0.3	0.7	0.7	0.7	34.9	50.5
01 - 02	0.2	0.7	0.8	0.8	0.8	1.1	1.1	35.2	1.6
02 - 03	0.0	0.5	0.7	0.7	0.7	1.0	1.5	36.5	2.3
03 - 04	0.0	0.2	1.2	1.5	1.5	1.8	3.2	39.1	2.7
04 - 05	0.3	0.5	1.3	1.3	2.0	2.6	4.1	43.1	2.3
05 - 06	0.3	1.2	1.8	1.8	3.3	4.5	6.0	44.9	3.1
06 - 07	0.0	0.5	1.3	2.3	3.8	5.3	6.5	43.9	2.6
07 - 08	0.0	0.3	1.1	2.1	3.7	5.7	7.1	44.5	0.6
08 - 09	0.0	0.0	0.2	0.5	2.3	3.2	5.0	42.9	0.0
09 - 10	0.0	0.0	0.0	0.0	0.3	0.6	2.3	41.0	0.5
10 - 11	0.0	0.0	0.0	0.0	0.2	0.3	1.1	40.0	0.0
11 - 12	0.0	0.0	0.0	0.0	0.0	0.2	0.8	38.9	0.0
12 - 13	0.0	0.0	0.0	0.0	0.0	0.3	0.5	39.2	0.0
13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.3	0.0
14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.0	0.0
15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.2	0.0
16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.6	0.2
17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.1	0.3
18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.6	43.1	0.2
19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.4	1.9
20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.4	0.6
21 - 22	0.0	0.0	0.0	0.2	0.3	0.3	0.3	37.0	0.2
22 - 23	0.0	0.0	0.3	0.5	0.5	0.6	0.6	35.2	0.6
23 - 00	0.0	0.0	0.3	0.5	0.5	0.6	0.6	35.4	0.6

	Ceiling (ft) September								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	0.0	0.0	0.3	1.0	1.4	2.4	48.6	52.3
01 - 02	0.0	0.0	0.0	0.7	1.1	2.0	3.2	50.5	6.0
02 - 03	0.4	0.5	0.9	1.4	2.3	3.5	4.6	52.2	5.8
03 - 04	0.2	0.7	1.4	2.2	3.8	5.1	5.8	54.9	8.0
04 - 05	0.4	2.0	2.6	3.5	5.7	6.8	8.1	56.4	9.3
05 - 06	0.9	1.7	2.4	3.1	6.5	8.1	10.4	58.0	9.8
06 - 07	0.7	1.8	3.5	4.6	8.3	11.0	13.8	58.3	9.3
07 - 08	0.0	2.3	4.6	6.6	8.8	11.6	14.5	56.6	6.7
08 - 09	0.3	2.0	5.1	6.5	9.0	11.1	14.3	53.7	2.0
09 - 10	0.0	0.3	3.0	4.0	4.8	7.0	9.5	54.2	0.0
10 - 11	0.0	0.0	0.7	1.5	2.3	3.5	5.8	54.1	0.2
11 - 12	0.0	0.0	0.0	0.7	1.3	1.8	3.2	54.4	0.2
12 - 13	0.0	0.0	0.0	0.2	0.5	0.8	1.5	55.9	0.2
13 - 14	0.0	0.0	0.0	0.0	0.2	0.3	0.8	53.3	0.2
14 - 15	0.0	0.0	0.0	0.2	0.2	0.3	0.7	50.3	0.2
15 - 16	0.0	0.0	0.0	0.3	0.3	0.3	0.7	50.0	0.0
16 - 17	0.0	0.0	0.0	0.2	0.2	0.3	0.7	48.4	0.2
17 - 18	0.0	0.0	0.0	0.0	0.0	0.2	0.2	48.7	0.3
18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.3	47.8	0.3
19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.7	47.5	1.5
20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.5	46.6	0.5
21 - 22	0.0	0.0	0.0	0.0	0.2	0.2	0.3	45.4	0.5
22 - 23	0.0	0.2	0.2	0.3	1.0	1.4	1.5	46.6	1.3
23 - 00	0.3	0.3	0.7	1.0	1.4	1.7	2.6	49.7	2.5

	Ceiling (ft) October								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.0	1.0	2.4	4.9	7.0	8.0	11.5	46.9	53.9
01 - 02	0.2	1.4	3.4	6.8	9.3	11.9	14.6	49.9	9.5
02 - 03	0.4	1.8	4.4	7.7	12.0	14.8	16.8	51.9	11.5
03 - 04	0.4	2.7	4.6	7.7	14.2	15.5	17.7	54.8	11.5
04 - 05	0.4	1.1	5.0	9.1	15.6	16.7	19.4	55.4	12.9
05 - 06	0.2	2.4	6.2	11.1	16.9	18.8	20.9	55.6	14.4
06 - 07	0.4	3.0	7.9	13.3	16.5	19.0	21.8	56.9	12.7
07 - 08	1.3	4.7	9.0	14.5	19.3	21.7	24.2	52.4	10.8
08 - 09	0.2	3.6	9.0	14.5	19.4	23.0	26.8	49.3	6.8
09 - 10	0.0	2.3	7.5	11.3	16.5	19.7	24.5	48.7	3.2
10 - 11	0.0	2.3	5.2	7.8	12.6	17.7	21.7	47.0	0.5
11 - 12	0.0	0.6	2.8	4.2	7.1	11.9	16.7	49.7	0.6
12 - 13	0.0	0.0	0.6	2.1	2.8	6.8	11.7	51.9	0.3
13 - 14	0.0	0.0	0.0	0.6	1.6	3.7	7.6	50.6	0.0
14 - 15	0.0	0.0	0.0	0.6	1.6	3.1	6.9	51.5	0.2
15 - 16	0.0	0.0	0.2	0.6	1.5	2.1	6.1	49.4	0.2
16 - 17	0.0	0.3	0.6	1.5	1.8	3.6	6.5	48.6	0.2
17 - 18	0.0	0.6	1.1	1.5	2.6	4.0	6.6	45.9	0.2
18 - 19	0.0	0.8	1.1	1.8	3.1	5.0	7.3	45.1	0.5
19 - 20	0.0	1.0	1.3	2.6	4.1	7.1	8.1	44.2	1.9
20 - 21	0.0	1.0	2.0	2.9	5.1	7.2	8.8	42.1	1.5
21 - 22	0.0	0.7	2.2	3.2	5.8	7.3	8.8	44.9	2.7
22 - 23	0.0	0.5	2.3	4.0	6.2	8.2	9.5	47.7	3.5
23 - 00	0.2	0.5	2.2	3.8	6.3	7.2	10.1	46.2	5.8

	Ceiling (ft) November								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.3	2.8	7.3	10.5	14.0	15.7	19.6	57.0	52.3
01 - 02	0.7	3.2	7.6	10.5	14.1	16.5	20.9	56.4	5.2
02 - 03	0.4	3.6	8.1	12.0	16.1	17.7	21.8	55.5	6.8
03 - 04	0.4	3.6	8.1	10.8	16.0	18.9	24.0	55.7	7.5
04 - 05	0.9	4.0	9.1	11.8	16.9	20.9	26.4	54.4	8.3
05 - 06	0.9	4.3	9.0	11.4	18.2	21.4	27.2	55.0	7.5
06 - 07	0.7	4.1	10.1	11.1	19.7	22.3	26.2	57.6	7.2
07 - 08	1.6	3.8	9.6	11.6	18.9	22.1	27.1	59.1	6.7
08 - 09	1.2	4.1	9.6	12.7	17.9	23.9	28.3	56.5	5.8
09 - 10	0.9	4.0	9.7	13.9	18.8	23.1	29.2	56.2	4.2
10 - 11	0.5	2.0	7.7	12.4	16.5	21.8	27.7	54.9	2.0
11 - 12	0.5	1.2	5.7	11.3	15.7	19.2	24.4	56.4	1.0
12 - 13	0.2	0.3	4.2	8.1	13.1	17.2	21.2	58.2	1.0
13 - 14	0.0	0.3	2.7	5.3	10.7	14.8	17.3	57.9	1.8
14 - 15	0.0	0.8	2.9	4.4	9.9	12.8	16.2	57.9	1.0
15 - 16	0.0	0.8	2.7	4.1	8.6	10.5	14.6	57.4	1.5
16 - 17	0.0	1.0	2.2	3.9	7.7	10.4	13.7	57.3	2.5
17 - 18	0.0	1.7	3.1	5.0	8.9	10.5	14.6	55.5	3.0
18 - 19	0.0	2.1	2.9	5.2	9.3	10.3	14.4	55.7	3.0
19 - 20	0.0	1.3	3.2	6.8	11.1	11.8	16.1	53.6	7.0
20 - 21	0.0	1.4	2.8	6.2	10.6	12.4	14.7	55.1	6.0
21 - 22	0.2	1.8	3.2	7.4	11.3	13.3	15.7	55.8	5.7
22 - 23	0.2	1.8	4.4	7.6	12.1	13.7	17.6	54.4	6.0
23 - 00	0.0	2.1	5.7	9.3	13.9	15.5	17.4	57.3	6.3

	Ceiling (ft) December								
Time (UTC)	< 200	< 300	< 500	< 700	< 1000	< 1200	< 1500	≥ 1500	NA
00 - 01	0.3	2.3	6.0	9.3	12.7	14.7	18.7	60.3	51.6
01 - 02	0.5	2.4	5.6	8.3	12.4	14.7	17.8	62.0	4.8
02 - 03	0.7	2.7	6.2	9.7	14.2	16.4	19.7	64.1	3.4
03 - 04	0.2	3.0	6.2	10.0	14.4	16.7	21.4	64.7	3.5
04 - 05	0.2	3.2	6.5	9.9	14.6	17.8	22.7	61.7	3.9
05 - 06	0.3	2.9	6.2	10.4	14.4	18.3	24.7	60.9	3.9
06 - 07	0.3	2.0	5.4	8.7	15.0	20.2	25.2	60.7	4.0
07 - 08	0.5	1.5	5.7	9.2	14.5	20.1	25.8	60.7	3.5
08 - 09	0.0	1.0	5.8	9.8	15.4	20.0	25.0	60.4	3.4
09 - 10	0.2	1.8	6.1	10.3	15.6	19.6	23.8	59.3	2.9
10 - 11	0.2	1.6	4.7	7.8	13.2	17.0	22.2	58.4	1.1
11 - 12	0.3	1.5	3.8	6.5	10.8	15.1	19.3	62.7	1.5
12 - 13	0.0	0.8	3.4	6.0	9.6	13.2	17.9	64.5	1.0
13 - 14	0.0	0.8	2.5	5.2	8.3	11.8	16.2	63.2	1.3
14 - 15	0.3	1.3	2.3	5.6	8.2	11.7	14.9	64.2	1.8
15 - 16	0.5	1.3	3.4	5.9	8.0	11.5	14.8	65.7	1.8
16 - 17	0.3	0.8	3.8	6.1	8.0	10.8	15.4	64.4	1.8
17 - 18	0.0	0.7	3.3	6.2	9.2	12.0	15.9	62.7	1.8
18 - 19	0.3	1.5	3.8	6.4	9.8	11.3	15.6	62.5	1.6
19 - 20	0.3	1.8	3.3	6.3	9.3	11.0	14.7	61.4	3.4
20 - 21	0.5	2.1	3.3	6.4	9.6	10.9	15.0	59.7	2.4
21 - 22	0.5	1.8	4.5	8.7	10.3	12.3	17.3	59.7	3.1
22 - 23	0.5	2.0	5.0	8.6	11.9	14.6	19.3	57.3	4.0
23 - 00	0.7	2.3	6.4	8.4	12.6	15.1	19.1	59.3	3.7

3.4. Runway Visual Range (RVR) and Ceiling

3.4.1. Hourly RVR and Ceiling 10 Years

Cumulative frequencies in percent of runway visual range **or** the base height of the lowest cloud layer of BKN or OVC extent below specified values at specified times (months in 3.4.2.). Frequencies are calculated relative to all potentially possible observations each hour (month) minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 7.8% of all observations between 06 and 07 UTC showed a RVR below 1500 m or a base height of the lowest cloud layer of BKN or OVC below 300 ft.

10 Years							
RVR (m)	**<50**	**<200**	**<350**	**<550**	**<1500**	**≥1500**	**NA**
Ceiling (ft)			**<100**	**<200**	**<300**	**≥300**	
00 - 01	0.0	0.0	0.8	2.6	7.1	94.3	50.2
01 - 02	0.0	0.0	0.9	3.1	7.6	93.8	0.5
02 - 03	0.0	0.0	0.7	3.2	8.7	93.0	0.4
03 - 04	0.0	0.0	0.7	3.5	9.8	92.2	0.5
04 - 05	0.0	0.0	0.9	3.5	9.8	91.9	0.5
05 - 06	0.0	0.1	1.0	3.3	9.3	92.5	0.6
06 - 07	0.0	0.0	0.9	2.9	7.8	94.0	0.6
07 - 08	0.0	0.0	1.0	2.3	6.2	95.3	0.6
08 - 09	0.0	0.0	0.6	1.6	4.9	96.6	0.5
09 - 10	0.0	0.0	0.4	0.9	3.5	97.7	0.5
10 - 11	0.0	0.0	0.2	0.4	2.1	98.8	0.4
11 - 12	0.0	0.0	0.1	0.3	1.3	99.4	0.6
12 - 13	0.0	0.0	0.1	0.1	0.8	99.6	0.5
13 - 14	0.0	0.0	0.1	0.1	0.6	99.6	0.6
14 - 15	0.0	0.0	0.1	0.2	0.7	99.6	0.5
15 - 16	0.0	0.0	0.2	0.3	0.8	99.5	0.4
16 - 17	0.0	0.0	0.2	0.3	1.0	99.4	0.5
17 - 18	0.0	0.0	0.1	0.3	1.0	99.4	0.5
18 - 19	0.0	0.0	0.1	0.4	1.5	99.1	0.5
19 - 20	0.0	0.0	0.1	0.5	2.1	98.6	2.1
20 - 21	0.0	0.0	0.2	0.8	3.0	97.8	0.6
21 - 22	0.0	0.0	0.4	1.3	3.7	97.0	0.6
22 - 23	0.0	0.0	0.5	1.7	4.8	96.0	0.7
23 - 00	0.0	0.0	0.8	2.4	5.7	95.3	0.9

3.4.2. Monthly RVR and Ceiling 10 Years

Example (dark shading): In the 10 years period 9.9% of all observations in October showed a RVR below 1500 m or a base height of the lowest cloud layer of BKN or OVC below 300 ft.

	10 Years							
	RVR (m)	**<50**	**<200**	**<350**	**<550**	**<1500**	**≥1500**	**NA**
	Ceiling (ft)			**<100**	**<200**	**<300**	**≥300**	
Time (Month)	**January**	0.0	0.0	1.2	3.7	9.4	93.3	3.3
	February	0.0	0.0	0.8	1.6	4.3	96.8	4.1
	March	0.0	0.0	0.5	1.0	2.4	98.0	2.5
	April	0.0	0.0	0.2	0.4	1.3	99.0	3.0
	May	0.0	0.0	0.1	0.5	1.3	98.9	2.3
	June	0.0	0.0	0.0	0.2	0.7	99.5	2.3
	July	0.0	0.0	0.0	0.2	0.6	99.5	2.3
	August	0.0	0.0	0.1	0.4	1.4	98.8	2.4
	September	0.0	0.0	0.6	2.1	5.8	94.9	2.4
	October	0.0	0.0	1.0	3.6	9.9	91.7	2.3
	November	0.0	0.0	0.7	2.4	8.4	94.1	2.9
	December	0.0	0.0	0.3	1.5	5.7	96.2	2.4

3.4.3. Hourly RVR and Ceiling per Season

Example (dark shading): In the 10 years period in winter 9.6% of all observations between 06 and 07 UTC showed a RVR below 1500 m or a base height of the lowest cloud layer of BKN or OVC below 300 ft.

	Winter (Dec/Jan/Feb)							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	1.2	3.1	9.5	93.1	50.4
	01 - 02	0.0	0.0	1.0	3.6	9.7	92.6	1.0
	02 - 03	0.0	0.0	1.1	4.0	9.7	92.8	1.0
	03 - 04	0.0	0.1	1.2	4.2	10.9	92.3	1.0
	04 - 05	0.0	0.0	1.0	3.7	11.9	91.1	1.2
	05 - 06	0.0	0.0	0.8	3.6	11.0	92.2	1.1
	06 - 07	0.0	0.0	0.8	3.1	9.6	93.2	1.1
	07 - 08	0.0	0.0	1.8	3.5	9.4	93.6	1.2
	08 - 09	0.0	0.0	1.6	3.2	9.2	93.7	1.2
	09 - 10	0.0	0.0	1.2	2.6	8.0	94.6	1.1
	10 - 11	0.0	0.0	0.8	1.3	5.4	96.5	1.0
	11 - 12	0.0	0.0	0.3	0.9	4.1	97.9	1.6
	12 - 13	0.0	0.0	0.2	0.3	2.6	98.7	1.1
	13 - 14	0.0	0.0	0.2	0.4	2.1	98.4	1.1
	14 - 15	0.0	0.0	0.5	0.8	2.4	98.5	1.2
	15 - 16	0.0	0.0	0.7	1.0	2.4	98.3	1.0
	16 - 17	0.0	0.0	0.6	0.9	2.9	98.2	1.1
	17 - 18	0.0	0.0	0.4	1.0	2.9	98.1	1.0
	18 - 19	0.0	0.0	0.3	1.3	3.5	98.0	1.2
	19 - 20	0.0	0.0	0.2	1.6	4.4	97.2	2.2
	20 - 21	0.0	0.0	0.3	1.6	5.5	96.0	1.1
	21 - 22	0.0	0.0	0.7	2.3	6.3	95.2	1.0
	22 - 23	0.0	0.0	0.6	3.1	7.1	94.8	1.1
	23 - 00	0.0	0.0	1.2	3.8	8.2	93.7	1.6

	Spring (Mar/Apr/May)							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	0.3	1.0	2.2	98.4	50.3
	01 - 02	0.0	0.1	0.4	1.3	3.1	97.6	0.5
	02 - 03	0.0	0.0	0.2	1.4	4.7	96.0	0.4
	03 - 04	0.0	0.0	0.6	2.5	6.3	94.7	0.4
	04 - 05	0.0	0.0	1.2	2.8	5.8	95.0	0.3
	05 - 06	0.0	0.2	1.9	3.1	5.4	95.1	0.4
	06 - 07	0.0	0.1	0.9	1.7	4.1	96.6	0.4
	07 - 08	0.0	0.1	0.5	0.9	2.3	98.0	0.7
	08 - 09	0.0	0.0	0.3	0.4	1.1	99.1	0.7
	09 - 10	0.0	0.0	0.1	0.2	0.8	99.7	0.4
	10 - 11	0.0	0.0	0.0	0.0	0.2	99.9	0.4
	11 - 12	0.0	0.0	0.0	0.0	0.1	100.0	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	0.5
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.5
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.4
	15 - 16	0.0	0.0	0.0	0.0	0.1	100.0	0.3
	16 - 17	0.0	0.0	0.0	0.0	0.1	99.9	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.1	99.9	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.1	99.9	0.1
	19 - 20	0.0	0.0	0.0	0.0	0.2	99.8	2.1
	20 - 21	0.0	0.0	0.0	0.0	0.3	99.8	0.4
	21 - 22	0.0	0.0	0.0	0.1	0.7	99.5	0.7
	22 - 23	0.0	0.0	0.0	0.2	0.9	99.2	0.8
	23 - 00	0.0	0.0	0.1	0.3	1.4	98.8	0.8

	Summer (Jun/Jul/Aug)							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	0.0	0.4	1.3	98.8	49.9
	01 - 02	0.0	0.0	0.2	0.4	2.0	98.4	0.2
	02 - 03	0.0	0.0	0.0	0.9	3.2	97.4	0.1
	03 - 04	0.0	0.0	0.1	1.3	4.3	96.3	0.3
	04 - 05	0.0	0.0	0.3	1.5	4.5	96.0	0.2
	05 - 06	0.0	0.0	0.3	0.9	3.3	97.4	0.4
	06 - 07	0.0	0.0	0.0	0.4	1.9	98.6	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.4	99.9	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	0.1
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.1
	15 - 16	0.0	0.0	0.0	0.0	0.0	100.0	0.1
	16 - 17	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	19 - 20	0.0	0.0	0.0	0.0	0.1	100.0	1.6
	20 - 21	0.0	0.0	0.0	0.1	0.1	100.0	0.3
	21 - 22	0.0	0.0	0.0	0.0	0.2	99.8	0.3
	22 - 23	0.0	0.0	0.0	0.0	0.5	99.7	0.4
	23 - 00	0.0	0.0	0.1	0.2	0.7	99.6	0.4

	Autumn (Sep/Oct/Nov)							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	1.8	5.8	15.4	86.8	50.1
	01 - 02	0.0	0.0	1.9	7.1	15.7	86.6	0.4
	02 - 03	0.0	0.0	1.5	6.7	17.4	85.8	0.2
	03 - 04	0.0	0.1	0.9	6.3	18.0	85.5	0.2
	04 - 05	0.0	0.0	1.0	5.9	17.2	85.4	0.2
	05 - 06	0.0	0.0	1.2	5.5	17.8	85.3	0.3
	06 - 07	0.0	0.1	1.9	6.5	15.6	87.4	0.5
	07 - 08	0.0	0.0	1.8	4.9	13.0	89.8	0.4
	08 - 09	0.0	0.1	0.7	2.7	9.5	93.3	0.2
	09 - 10	0.0	0.0	0.4	1.0	5.5	96.5	0.2
	10 - 11	0.0	0.0	0.0	0.3	2.8	98.6	0.2
	11 - 12	0.0	0.0	0.0	0.2	1.3	99.4	0.3
	12 - 13	0.0	0.0	0.0	0.1	0.6	99.8	0.3
	13 - 14	0.0	0.0	0.0	0.0	0.4	99.8	0.5
	14 - 15	0.0	0.0	0.0	0.1	0.5	99.8	0.3
	15 - 16	0.0	0.0	0.1	0.1	0.7	99.7	0.3
	16 - 17	0.0	0.0	0.1	0.2	1.0	99.4	0.4
	17 - 18	0.0	0.0	0.0	0.2	1.2	99.5	0.5
	18 - 19	0.0	0.0	0.0	0.2	2.6	98.5	0.5
	19 - 20	0.0	0.0	0.2	0.6	3.7	97.2	2.4
	20 - 21	0.0	0.0	0.6	1.4	6.1	95.1	0.7
	21 - 22	0.0	0.0	0.8	2.7	7.9	93.2	0.4
	22 - 23	0.0	0.0	1.4	3.7	10.8	90.1	0.4
	23 - 00	0.0	0.0	1.8	5.4	12.7	89.2	0.7

3.4.4. Hourly RVR and Ceiling per Month

Example (dark shading): In the 10 years period in January 13.5% of all observations between 06 and 07 UTC showed a RVR below 1500 m or a base height of the lowest cloud layer of BKN or OVC below 300 ft.

	January							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	2.0	4.9	12.4	90.8	50.6
	01 - 02	0.0	0.0	1.1	5.7	12.4	90.7	1.3
	02 - 03	0.0	0.0	0.8	5.5	13.5	89.6	1.1
	03 - 04	0.0	0.0	1.0	4.9	14.7	90.0	1.1
	04 - 05	0.0	0.0	1.3	5.4	16.3	87.4	1.1
	05 - 06	0.0	0.0	1.1	5.2	15.0	89.4	1.3
	06 - 07	0.0	0.0	1.0	4.1	13.5	90.4	1.1
	07 - 08	0.0	0.0	2.4	4.7	12.6	90.9	1.1
	08 - 09	0.0	0.0	2.0	4.7	12.2	91.4	1.1
	09 - 10	0.0	0.0	1.8	4.2	10.6	92.5	1.0
	10 - 11	0.0	0.0	1.6	2.8	8.5	94.1	1.1
	11 - 12	0.0	0.0	0.5	1.6	6.4	96.2	1.6
	12 - 13	0.0	0.0	0.3	0.3	3.4	98.4	1.0
	13 - 14	0.0	0.0	0.3	0.7	2.4	98.2	1.0
	14 - 15	0.0	0.0	1.0	1.1	2.9	98.0	1.3
	15 - 16	0.0	0.0	1.6	2.0	3.6	97.6	1.0
	16 - 17	0.0	0.0	1.5	1.8	5.1	96.7	1.3
	17 - 18	0.0	0.0	1.1	2.4	5.0	96.3	1.0
	18 - 19	0.0	0.0	0.8	2.8	6.1	96.1	1.5
	19 - 20	0.0	0.0	0.5	3.8	7.6	94.9	2.3
	20 - 21	0.0	0.0	0.5	3.3	9.3	93.6	1.3
	21 - 22	0.0	0.0	1.5	4.4	10.0	92.1	1.5
	22 - 23	0.0	0.0	1.0	6.2	10.8	92.0	1.5
	23 - 00	0.0	0.0	1.6	6.5	12.1	91.2	1.5

	February							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	1.1	1.5	5.8	96.0	51.2
	01 - 02	0.0	0.0	1.3	2.2	6.7	95.3	1.8
	02 - 03	0.0	0.0	2.5	3.6	7.8	94.0	1.8
	03 - 04	0.0	0.2	2.5	5.2	8.9	92.6	2.0
	04 - 05	0.0	0.0	1.4	3.8	9.4	91.8	2.1
	05 - 06	0.0	0.0	1.3	3.2	8.7	92.8	1.8
	06 - 07	0.0	0.0	1.3	3.2	7.9	94.0	1.8
	07 - 08	0.0	0.0	2.3	4.2	9.2	93.1	1.8
	08 - 09	0.0	0.0	2.2	3.6	8.3	94.7	2.3
	09 - 10	0.0	0.0	1.3	2.2	7.4	94.9	1.8
	10 - 11	0.0	0.0	0.0	0.4	4.5	97.1	2.0
	11 - 12	0.0	0.0	0.0	0.2	3.3	98.9	2.5
	12 - 13	0.0	0.0	0.0	0.2	2.0	98.9	2.1
	13 - 14	0.0	0.0	0.0	0.0	1.6	98.9	2.1
	14 - 15	0.0	0.0	0.0	0.0	1.1	99.1	2.1
	15 - 16	0.0	0.0	0.0	0.0	0.7	99.5	1.8
	16 - 17	0.0	0.0	0.0	0.0	0.2	99.8	2.0
	17 - 18	0.0	0.0	0.0	0.0	0.2	100.0	2.0
	18 - 19	0.0	0.0	0.0	0.0	0.2	99.8	1.8
	19 - 20	0.0	0.0	0.0	0.0	0.5	99.8	3.2
	20 - 21	0.0	0.0	0.2	0.2	0.5	99.5	2.1
	21 - 22	0.0	0.0	0.2	0.4	2.0	98.7	1.6
	22 - 23	0.0	0.0	0.5	1.6	3.1	97.7	1.4
	23 - 00	0.0	0.0	1.5	1.8	4.4	96.0	2.5

	March							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	1.0	1.9	2.3	98.1	50.0
	01 - 02	0.0	0.0	0.6	1.9	3.2	97.2	0.3
	02 - 03	0.0	0.0	0.5	2.1	5.2	95.3	0.3
	03 - 04	0.0	0.0	1.1	3.9	7.7	93.2	0.0
	04 - 05	0.0	0.0	1.3	3.7	7.3	93.5	0.3
	05 - 06	0.0	0.3	2.3	4.0	7.4	93.4	0.2
	06 - 07	0.0	0.3	2.3	3.2	6.5	94.8	0.0
	07 - 08	0.0	0.3	1.5	2.1	4.9	95.5	0.5
	08 - 09	0.0	0.0	1.0	1.1	2.4	97.7	1.1
	09 - 10	0.0	0.0	0.3	0.5	1.9	99.0	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.2	99.8	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	0.5
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.5
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.3	100.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.2	99.8	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.3	99.8	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.2	99.8	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.5	99.7	2.4
	20 - 21	0.0	0.0	0.0	0.0	1.0	99.5	0.3
	21 - 22	0.0	0.0	0.0	0.2	1.3	99.2	1.1
	22 - 23	0.0	0.0	0.0	0.2	1.6	98.5	1.1
	23 - 00	0.0	0.0	0.2	0.5	2.1	98.5	0.6

	April							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	0.0	0.3	1.7	99.0	50.8
	01 - 02	0.0	0.2	0.5	0.7	2.5	98.3	1.0
	02 - 03	0.0	0.0	0.2	0.7	4.0	96.8	0.7
	03 - 04	0.0	0.0	0.2	1.3	4.5	96.3	0.8
	04 - 05	0.0	0.0	1.0	1.7	4.9	96.0	0.7
	05 - 06	0.0	0.3	1.9	2.5	4.7	95.8	1.0
	06 - 07	0.0	0.0	0.5	1.2	2.9	97.3	1.0
	07 - 08	0.0	0.0	0.2	0.5	1.2	99.0	1.5
	08 - 09	0.0	0.0	0.0	0.0	1.0	99.7	1.0
	09 - 10	0.0	0.0	0.0	0.0	0.3	100.0	0.7
	10 - 11	0.0	0.0	0.0	0.0	0.3	100.0	0.8
	11 - 12	0.0	0.0	0.0	0.0	0.3	100.0	0.8
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	1.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.8
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	1.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	100.0	0.8
	16 - 17	0.0	0.0	0.0	0.0	0.0	100.0	0.7
	17 - 18	0.0	0.0	0.0	0.0	0.0	100.0	0.5
	18 - 19	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	100.0	2.3
	20 - 21	0.0	0.0	0.0	0.0	0.0	100.0	0.8
	21 - 22	0.0	0.0	0.0	0.0	0.3	99.7	0.7
	22 - 23	0.0	0.0	0.0	0.2	0.5	99.5	1.3
	23 - 00	0.0	0.0	0.0	0.0	1.3	98.7	1.2

	May							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	0.0	0.6	2.6	98.1	50.0
	01 - 02	0.0	0.0	0.2	1.3	3.6	97.3	0.2
	02 - 03	0.0	0.0	0.0	1.3	4.8	95.8	0.2
	03 - 04	0.0	0.0	0.5	2.1	6.5	94.5	0.3
	04 - 05	0.0	0.0	1.3	2.9	5.3	95.6	0.0
	05 - 06	0.0	0.0	1.5	2.6	4.0	96.3	0.2
	06 - 07	0.0	0.0	0.0	0.6	3.1	97.6	0.2
	07 - 08	0.0	0.0	0.0	0.0	0.8	99.5	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	10 - 11	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	11 - 12	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	17 - 18	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.2	99.8	1.6
	20 - 21	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	21 - 22	0.0	0.0	0.0	0.0	0.3	99.7	0.2
	22 - 23	0.0	0.0	0.0	0.2	0.5	99.5	0.0
	23 - 00	0.0	0.0	0.0	0.3	0.8	99.2	0.6

	June							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	0.0	0.0	1.0	99.0	49.8
	01 - 02	0.0	0.0	0.0	0.0	0.8	99.5	0.0
	02 - 03	0.0	0.0	0.0	1.3	2.8	98.0	0.0
	03 - 04	0.0	0.0	0.2	1.2	4.5	96.2	0.0
	04 - 05	0.0	0.0	0.5	1.5	4.0	96.7	0.2
	05 - 06	0.0	0.0	0.0	0.5	2.3	98.5	0.3
	06 - 07	0.0	0.0	0.0	0.3	1.0	99.7	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.2	100.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	100.0	0.5
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	15 - 16	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	18 - 19	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	100.0	1.7
	20 - 21	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	21 - 22	0.0	0.0	0.0	0.0	0.0	100.0	0.5
	22 - 23	0.0	0.0	0.0	0.0	0.3	99.8	0.2
	23 - 00	0.0	0.0	0.0	0.0	0.3	100.0	0.3

	July							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	0.0	0.3	0.6	99.7	49.7
	01 - 02	0.0	0.0	0.2	0.2	1.3	99.0	0.3
	02 - 03	0.0	0.0	0.0	0.2	2.3	98.1	0.2
	03 - 04	0.0	0.0	0.0	1.0	2.7	97.4	0.2
	04 - 05	0.0	0.0	0.0	1.3	3.2	96.9	0.3
	05 - 06	0.0	0.0	0.2	0.8	1.8	98.4	0.6
	06 - 07	0.0	0.0	0.0	0.3	1.1	99.2	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.2	100.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	16 - 17	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.2	100.0	1.1
	20 - 21	0.0	0.0	0.0	0.2	0.2	100.0	0.0
	21 - 22	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	22 - 23	0.0	0.0	0.0	0.0	0.3	99.7	0.3
	23 - 00	0.0	0.0	0.2	0.3	0.6	99.7	0.3

	August							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	0.0	1.0	2.3	97.7	50.2
	01 - 02	0.0	0.0	0.3	1.0	3.9	96.6	0.2
	02 - 03	0.0	0.0	0.0	1.3	4.5	96.3	0.2
	03 - 04	0.0	0.0	0.0	1.8	5.5	95.5	0.6
	04 - 05	0.0	0.0	0.3	1.8	6.1	94.5	0.2
	05 - 06	0.0	0.0	0.6	1.5	5.7	95.3	0.3
	06 - 07	0.0	0.0	0.0	0.5	3.4	97.1	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.8	99.7	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	100.0	0.5
	10 - 11	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	19 - 20	0.0	0.0	0.0	0.0	0.0	100.0	1.9
	20 - 21	0.0	0.0	0.0	0.0	0.0	100.0	0.6
	21 - 22	0.0	0.0	0.0	0.0	0.5	99.5	0.2
	22 - 23	0.0	0.0	0.0	0.0	1.0	99.5	0.6
	23 - 00	0.0	0.0	0.0	0.2	1.1	99.0	0.6

	September							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	2.3	5.3	11.0	89.3	50.0
	01 - 02	0.0	0.0	2.4	6.2	13.4	87.2	0.8
	02 - 03	0.0	0.0	1.5	6.8	17.5	84.7	0.0
	03 - 04	0.0	0.0	0.5	6.4	18.2	83.6	0.3
	04 - 05	0.0	0.0	1.2	5.3	18.2	83.8	0.2
	05 - 06	0.0	0.0	2.3	7.2	17.0	85.1	0.2
	06 - 07	0.0	0.0	1.5	6.0	12.9	88.9	0.7
	07 - 08	0.0	0.0	0.2	2.0	9.6	92.6	0.7
	08 - 09	0.0	0.0	0.0	0.5	4.0	97.2	0.2
	09 - 10	0.0	0.0	0.0	0.0	0.7	100.0	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	100.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	100.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.2	99.8	1.5
	20 - 21	0.0	0.0	0.2	0.5	1.5	98.5	0.3
	21 - 22	0.0	0.0	0.2	0.7	3.3	96.8	0.2
	22 - 23	0.0	0.0	0.7	2.7	6.8	93.8	0.2
	23 - 00	0.0	0.0	1.7	3.4	8.4	92.6	0.5

	October							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	1.9	6.8	21.3	80.6	50.0
	01 - 02	0.0	0.0	2.1	9.2	20.5	82.3	0.0
	02 - 03	0.0	0.0	2.1	9.5	19.9	82.2	0.2
	03 - 04	0.0	0.0	1.3	8.4	20.5	82.9	0.0
	04 - 05	0.0	0.0	1.3	7.9	18.5	83.9	0.0
	05 - 06	0.0	0.0	1.0	6.6	20.7	82.4	0.2
	06 - 07	0.0	0.0	2.9	8.2	19.7	84.0	0.0
	07 - 08	0.0	0.0	3.2	7.8	16.7	86.7	0.3
	08 - 09	0.0	0.0	0.5	3.2	11.8	91.3	0.0
	09 - 10	0.0	0.0	0.0	0.5	6.1	95.8	0.0
	10 - 11	0.0	0.0	0.0	0.0	2.9	98.7	0.0
	11 - 12	0.0	0.0	0.0	0.0	1.0	99.7	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.3	100.0	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.2	99.8	0.0
	14 - 15	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	100.0	0.2
	16 - 17	0.0	0.0	0.0	0.0	0.3	99.8	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.6	100.0	0.0
	18 - 19	0.0	0.0	0.0	0.2	2.8	98.1	0.3
	19 - 20	0.0	0.0	0.3	0.7	5.9	95.4	1.5
	20 - 21	0.0	0.0	0.8	1.8	9.6	92.0	0.6
	21 - 22	0.0	0.0	1.3	4.5	11.7	90.3	0.3
	22 - 23	0.0	0.0	2.4	5.2	14.6	86.5	0.5
	23 - 00	0.0	0.0	2.9	8.6	17.5	83.8	0.5

	November							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	1.0	5.4	13.7	90.6	50.2
	01 - 02	0.0	0.0	1.2	5.9	13.1	90.6	0.5
	02 - 03	0.0	0.0	0.8	3.7	14.7	90.6	0.5
	03 - 04	0.0	0.2	1.0	4.0	15.1	90.0	0.3
	04 - 05	0.0	0.0	0.7	4.3	14.9	88.5	0.3
	05 - 06	0.0	0.0	0.3	2.7	15.6	88.4	0.5
	06 - 07	0.0	0.2	1.3	5.2	13.9	89.2	0.8
	07 - 08	0.0	0.0	2.0	4.8	12.7	90.1	0.3
	08 - 09	0.0	0.2	1.7	4.4	12.6	91.6	0.5
	09 - 10	0.0	0.0	1.3	2.7	9.6	93.8	0.7
	10 - 11	0.0	0.0	0.0	1.0	5.5	97.0	0.3
	11 - 12	0.0	0.0	0.0	0.5	3.0	98.7	0.5
	12 - 13	0.0	0.0	0.0	0.2	1.5	99.5	0.8
	13 - 14	0.0	0.0	0.0	0.0	1.2	99.7	1.3
	14 - 15	0.0	0.0	0.0	0.2	1.5	99.3	0.7
	15 - 16	0.0	0.0	0.3	0.3	2.0	99.0	0.8
	16 - 17	0.0	0.0	0.2	0.7	2.7	98.5	0.8
	17 - 18	0.0	0.0	0.0	0.5	3.0	98.5	1.3
	18 - 19	0.0	0.0	0.0	0.3	5.1	97.5	1.0
	19 - 20	0.0	0.0	0.3	1.0	5.0	96.3	4.2
	20 - 21	0.0	0.0	0.8	2.0	7.2	94.8	1.0
	21 - 22	0.0	0.0	0.8	2.9	8.7	92.6	0.8
	22 - 23	0.0	0.0	1.0	3.2	10.7	90.1	0.5
	23 - 00	0.0	0.0	0.8	4.0	12.0	91.2	1.0

	December							
	RVR (m)	<50	<200	<350	<550	<1500	≥1500	NA
	Ceiling (ft)			<100	<200	<300	≥300	
Time (UTC)	00 - 01	0.0	0.0	0.6	2.9	9.9	92.7	49.4
	01 - 02	0.0	0.0	0.5	2.7	9.7	92.1	0.0
	02 - 03	0.0	0.0	0.2	2.7	7.8	94.8	0.2
	03 - 04	0.0	0.0	0.2	2.6	9.0	94.4	0.0
	04 - 05	0.0	0.0	0.2	1.9	9.7	94.2	0.3
	05 - 06	0.0	0.0	0.0	2.4	9.1	94.3	0.3
	06 - 07	0.0	0.0	0.2	2.1	7.3	95.1	0.5
	07 - 08	0.0	0.0	0.6	1.6	6.5	96.6	0.6
	08 - 09	0.0	0.0	0.6	1.3	7.0	95.1	0.3
	09 - 10	0.0	0.0	0.6	1.3	5.8	96.4	0.5
	10 - 11	0.0	0.0	0.6	0.8	3.1	98.2	0.0
	11 - 12	0.0	0.0	0.3	0.8	2.4	98.7	0.6
	12 - 13	0.0	0.0	0.3	0.3	2.3	98.7	0.3
	13 - 14	0.0	0.0	0.3	0.5	2.1	98.2	0.3
	14 - 15	0.0	0.0	0.5	1.1	3.1	98.4	0.2
	15 - 16	0.0	0.0	0.3	1.0	2.8	98.1	0.3
	16 - 17	0.0	0.0	0.2	0.8	3.1	98.2	0.0
	17 - 18	0.0	0.0	0.0	0.3	3.1	98.2	0.2
	18 - 19	0.0	0.0	0.0	1.0	3.9	98.4	0.3
	19 - 20	0.0	0.0	0.0	1.0	4.7	97.1	1.3
	20 - 21	0.0	0.0	0.2	1.1	6.1	95.3	0.0
	21 - 22	0.0	0.0	0.5	1.9	6.5	95.2	0.0
	22 - 23	0.0	0.0	0.3	1.5	7.1	95.0	0.3
	23 - 00	0.0	0.0	0.5	2.9	7.6	94.1	0.8

3.5. Visibility and Ceiling

3.5.1. Hourly Visibility and Ceiling 10 Years

Cumulative frequencies in percent of visibility **or** base height of the lowest cloud layer of BKN or OVC extent below specified values at specified times (months in 3.5.2.). Frequencies are calculated relative to all potentially possible observations each hour (month) minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 28.9% of all observations between 10 and 11 UTC showed a visibility below 8000 m or a base height of the lowest cloud layer of BKN or OVC below 2000 ft.

	10 Years							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	4.8	7.6	12.7	20.8	33.2	80.5	50.2
	01 - 02	5.4	8.4	13.8	21.9	35.5	79.2	0.5
	02 - 03	6.0	9.3	15.5	24.2	38.4	77.4	0.4
	03 - 04	6.9	10.7	17.6	27.8	42.2	75.0	0.5
	04 - 05	7.2	11.1	18.7	29.6	43.9	73.4	0.5
	05 - 06	6.8	11.1	19.3	30.2	44.7	72.8	0.6
	06 - 07	6.0	10.4	18.5	29.7	43.9	73.5	0.6
	07 - 08	4.8	9.3	17.3	27.7	41.4	75.3	0.6
	08 - 09	3.6	7.5	14.9	24.4	37.2	78.2	0.5
	09 - 10	2.1	5.6	11.9	20.5	32.7	81.0	0.5
	10 - 11	1.1	3.6	9.3	17.1	28.9	83.8	0.4
	11 - 12	0.6	2.4	7.2	14.4	24.8	86.4	0.6
	12 - 13	0.3	1.7	5.5	11.9	21.9	88.3	0.5
	13 - 14	0.3	1.2	4.6	9.9	19.4	89.7	0.6
	14 - 15	0.4	1.3	4.4	9.6	18.8	90.7	0.5
	15 - 16	0.4	1.5	4.6	10.2	18.9	90.8	0.4
	16 - 17	0.6	1.7	4.7	11.3	20.4	90.2	0.5
	17 - 18	0.6	1.6	4.7	11.3	21.1	89.8	0.5
	18 - 19	0.7	1.9	5.1	11.8	21.8	88.8	0.5
	19 - 20	1.1	2.4	5.7	12.4	22.7	88.0	2.1
	20 - 21	1.4	3.0	6.7	13.2	24.0	86.8	0.6
	21 - 22	2.0	3.9	8.2	14.7	25.7	85.5	0.6
	22 - 23	2.7	5.1	9.8	16.4	27.7	84.1	0.7
	23 - 00	3.9	6.5	11.5	18.3	30.5	82.2	0.9

3.5.2. Monthly Visibility and Ceiling 10 Years

Example (dark shading): In the 10 years period 54.5% of all observations in November showed a visibility below 8000 m or a base height of the lowest cloud layer of BKN or OVC below 2000 ft.

	10 Years							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (Month)	January	6.3	14.2	29.4	44.3	58.5	59.7	3.3
	February	2.5	5.8	12.3	21.6	37.8	78.7	4.1
	March	1.4	2.4	5.2	12.7	25.6	86.6	2.5
	April	0.9	1.3	3.4	7.7	17.4	92.8	3.0
	May	1.0	1.3	2.2	6.0	14.0	94.4	2.3
	June	0.4	0.7	1.5	3.7	9.9	96.6	2.3
	July	0.4	0.7	1.1	3.0	8.1	96.9	2.3
	August	0.9	1.5	2.8	6.2	14.7	92.8	2.4
	September	4.1	5.4	8.3	14.2	26.6	85.7	2.4
	October	7.2	10.9	18.1	29.9	43.7	72.2	2.3
	November	5.6	11.5	22.7	38.0	54.5	67.8	2.9
	December	3.6	8.5	18.7	32.3	49.1	71.6	2.4

3.5.3. Hourly Visibility and Ceiling per Season

Example (dark shading): In the 10 years period in winter 52.5% of all observations between 10 and 11 UTC showed a visibility below 8000 m or a base height of the lowest cloud layer of BKN or OVC below 2000 ft.

Winter (Dec/Jan/Feb)

Time (UTC)	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
00 - 01		6.6	12.7	22.9	35.3	51.4	67.6	50.4
01 - 02		6.9	13.4	24.3	35.4	52.7	66.9	1.0
02 - 03		6.6	13.3	25.8	37.3	55.1	65.7	1.0
03 - 04		7.1	14.2	26.5	39.9	56.9	63.7	1.0
04 - 05		7.7	15.1	26.9	40.9	57.3	62.6	1.2
05 - 06		7.0	15.4	26.9	41.4	57.3	62.8	1.1
06 - 07		6.4	14.8	27.4	42.7	58.6	61.5	1.1
07 - 08		6.9	15.5	30.1	43.2	57.4	63.0	1.2
08 - 09		7.1	14.7	29.9	42.5	56.6	63.6	1.2
09 - 10		4.9	12.3	26.7	39.4	55.6	65.1	1.1
10 - 11		3.0	8.9	22.3	35.7	52.5	68.5	1.0
11 - 12		2.1	6.6	18.8	31.4	47.7	71.6	1.6
12 - 13		1.2	5.0	15.4	27.6	43.4	74.8	1.1
13 - 14		1.1	4.0	12.9	24.1	39.7	76.7	1.1
14 - 15		1.4	4.0	12.5	24.1	39.4	78.2	1.2
15 - 16		1.6	4.5	12.9	25.1	38.9	77.7	1.0
16 - 17		1.7	4.8	13.5	27.5	41.5	76.2	1.1
17 - 18		1.7	4.3	12.8	26.4	42.3	75.1	1.0
18 - 19		2.0	5.3	13.5	26.9	43.1	74.3	1.2
19 - 20		2.7	6.1	14.1	27.2	42.6	73.4	2.2
20 - 21		3.1	7.2	15.4	27.6	43.3	73.3	1.1
21 - 22		3.7	8.3	17.9	29.6	44.5	71.6	1.0
22 - 23		4.3	9.9	19.8	31.3	46.8	70.6	1.1
23 - 00		5.3	11.4	21.4	33.4	48.9	68.5	1.6

Spring (Mar/Apr/May)

Time (UTC)	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
00 - 01		1.6	1.7	4.2	9.6	21.7	90.4	50.3
01 - 02		1.9	2.5	4.6	10.9	23.4	88.9	0.5
02 - 03		3.1	4.0	6.3	13.6	26.7	86.9	0.4
03 - 04		4.0	5.2	8.1	17.3	32.4	84.3	0.4
04 - 05		4.3	5.5	9.9	19.6	34.0	82.7	0.3
05 - 06		4.0	5.7	11.3	20.4	36.4	80.6	0.4
06 - 07		2.9	4.8	10.4	19.2	34.4	81.3	0.4
07 - 08		1.5	3.6	7.7	17.1	31.4	83.0	0.7
08 - 09		0.9	1.8	4.7	13.2	26.5	86.6	0.7
09 - 10		0.3	0.9	2.8	9.0	20.3	89.7	0.4
10 - 11		0.2	0.2	2.0	6.1	16.3	92.6	0.4
11 - 12		0.0	0.2	1.1	4.4	13.2	94.8	0.3
12 - 13		0.0	0.0	0.8	4.0	11.3	96.0	0.5
13 - 14		0.0	0.0	0.9	3.1	8.9	96.4	0.5
14 - 15		0.0	0.0	0.6	2.4	8.8	96.9	0.4
15 - 16		0.0	0.2	1.0	3.3	8.9	97.2	0.3
16 - 17		0.1	0.2	0.8	3.5	9.2	97.4	0.3
17 - 18		0.1	0.2	0.8	3.7	10.4	97.2	0.3
18 - 19		0.1	0.1	0.5	4.2	11.4	96.0	0.1
19 - 20		0.1	0.1	0.9	4.3	12.3	96.2	2.1
20 - 21		0.1	0.2	1.4	4.4	12.7	95.4	0.4
21 - 22		0.1	0.6	1.5	5.2	13.8	94.7	0.7
22 - 23		0.4	0.9	1.8	5.9	15.3	93.2	0.8
23 - 00		1.2	1.5	3.2	7.2	17.9	91.7	0.8

Summer (Jun/Jul/Aug)

Time (UTC)	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
00 - 01		0.7	1.0	1.6	4.6	11.6	94.9	49.9
01 - 02		1.1	1.5	2.5	5.6	14.5	93.0	0.2
02 - 03		1.7	2.6	3.9	7.9	18.2	90.3	0.1
03 - 04		3.2	4.6	7.1	13.4	24.5	86.3	0.3
04 - 05		3.4	4.6	7.9	14.8	26.3	84.7	0.2
05 - 06		2.6	3.5	6.4	13.3	25.4	85.4	0.4
06 - 07		1.4	2.8	5.1	10.6	22.2	88.0	0.3
07 - 08		0.1	1.1	3.0	7.5	19.0	90.9	0.2
08 - 09		0.0	0.1	1.5	4.5	12.2	95.1	0.0
09 - 10		0.0	0.0	0.2	2.7	8.4	97.1	0.2
10 - 11		0.0	0.1	0.3	1.7	6.1	98.6	0.0
11 - 12		0.0	0.0	0.1	1.3	5.3	98.9	0.3
12 - 13		0.0	0.0	0.0	0.7	4.6	99.1	0.1
13 - 14		0.0	0.0	0.0	0.4	3.8	99.4	0.2
14 - 15		0.0	0.0	0.2	0.7	3.3	99.6	0.1
15 - 16		0.0	0.0	0.0	0.5	3.8	99.4	0.1
16 - 17		0.0	0.0	0.2	0.5	4.5	99.4	0.2
17 - 18		0.0	0.0	0.3	1.5	5.2	99.3	0.2
18 - 19		0.0	0.0	0.4	1.7	5.7	99.4	0.2
19 - 20		0.0	0.1	0.3	1.6	6.8	99.4	1.6
20 - 21		0.0	0.0	0.2	1.5	6.8	99.0	0.3
21 - 22		0.0	0.0	0.4	1.7	7.1	98.3	0.3
22 - 23		0.1	0.3	0.7	2.3	7.5	97.8	0.4
23 - 00		0.2	0.8	1.1	2.7	9.9	96.4	0.4

Autumn (Sep/Oct/Nov)

Time (UTC)	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
00 - 01		10.6	15.2	22.4	34.3	48.6	68.5	50.1
01 - 02		11.9	16.6	24.2	36.4	52.2	67.6	0.4
02 - 03		12.8	17.5	26.3	38.6	54.4	66.0	0.2
03 - 04		13.5	19.0	29.0	41.2	55.8	65.5	0.2
04 - 05		13.4	19.3	30.4	43.4	58.4	63.2	0.2
05 - 06		13.8	20.1	33.0	46.0	60.3	62.1	0.3
06 - 07		13.5	19.5	31.6	47.0	61.0	62.8	0.5
07 - 08		10.7	17.2	28.8	43.4	58.6	63.7	0.4
08 - 09		6.6	13.6	24.2	38.3	54.1	67.0	0.2
09 - 10		3.1	9.6	18.3	31.7	47.3	71.5	0.2
10 - 11		1.1	5.4	12.8	25.5	41.6	74.9	0.2
11 - 12		0.4	3.1	9.3	21.0	33.7	79.6	0.3
12 - 13		0.1	1.8	6.2	15.9	29.2	82.9	0.3
13 - 14		0.0	0.9	5.0	12.6	25.8	85.9	0.5
14 - 15		0.1	1.3	4.7	11.8	24.5	87.9	0.3
15 - 16		0.2	1.5	4.8	12.2	24.6	88.5	0.3
16 - 17		0.7	1.7	4.6	14.2	26.9	87.5	0.4
17 - 18		0.7	2.0	5.1	14.1	27.1	87.1	0.5
18 - 19		0.9	2.4	6.2	14.9	27.7	85.0	0.5
19 - 20		1.7	3.4	7.8	16.9	29.7	82.6	2.4
20 - 21		2.6	4.8	10.3	19.9	34.1	79.3	0.7
21 - 22		4.2	6.7	13.4	22.7	37.9	76.9	0.4
22 - 23		6.2	9.4	17.0	26.6	42.0	74.4	0.4
23 - 00		8.8	12.6	20.6	30.6	46.0	71.8	0.7

3.5.4. Hourly Visibility and Ceiling per Month

Example (dark shading): In the 10 years period in January 61.8% of all observations between 10 and 11 UTC showed a visibility below 8000 m or a base height of the lowest cloud layer of BKN or OVC below 2000 ft.

	January							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	8.8	19.3	33.7	48.4	59.5	59.5	50.6
	01 - 02	9.5	19.4	36.9	47.9	60.0	57.2	1.3
	02 - 03	10.0	18.9	38.2	49.6	62.6	55.1	1.1
	03 - 04	10.0	20.2	37.8	51.4	64.9	54.3	1.1
	04 - 05	10.6	20.4	37.5	50.7	67.2	53.7	1.1
	05 - 06	9.5	21.6	37.7	50.5	65.7	54.2	1.3
	06 - 07	8.5	20.1	35.9	51.4	67.2	53.2	1.1
	07 - 08	9.1	21.5	41.1	53.0	65.4	54.3	1.1
	08 - 09	10.1	20.7	40.1	50.9	64.9	54.0	1.1
	09 - 10	7.2	16.8	35.2	49.8	64.8	54.9	1.0
	10 - 11	5.7	14.4	30.7	47.0	61.8	56.6	1.1
	11 - 12	4.1	10.5	28.2	43.1	56.7	60.7	1.6
	12 - 13	2.1	7.2	22.6	38.6	53.3	64.0	1.0
	13 - 14	1.6	5.4	18.4	34.7	50.5	67.1	1.0
	14 - 15	2.1	5.7	18.8	35.6	50.7	68.3	1.3
	15 - 16	2.0	7.2	20.2	36.0	50.2	66.0	1.0
	16 - 17	2.8	7.8	20.9	38.9	52.1	64.7	1.3
	17 - 18	3.3	7.0	19.9	38.6	54.6	63.7	1.0
	18 - 19	4.1	9.5	20.9	40.1	54.5	62.7	1.5
	19 - 20	4.8	10.7	21.5	40.6	53.8	62.4	2.3
	20 - 21	5.2	12.3	23.7	40.7	53.8	63.1	1.3
	21 - 22	6.2	13.4	27.7	40.9	54.7	62.4	1.5
	22 - 23	6.9	15.4	29.3	43.0	56.8	60.7	1.5
	23 - 00	7.9	17.2	31.6	44.8	58.3	60.7	1.5

	February							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	3.3	6.2	12.7	22.5	40.4	76.7	51.2
	01 - 02	3.2	7.2	13.9	25.3	44.2	74.7	1.8
	02 - 03	3.6	8.7	16.1	28.2	47.3	72.7	1.8
	03 - 04	5.8	10.8	18.6	29.3	50.1	68.9	2.0
	04 - 05	7.4	12.3	19.0	31.9	49.8	69.0	2.1
	05 - 06	6.7	12.8	19.9	33.2	49.6	68.8	1.8
	06 - 07	6.0	13.2	22.6	35.7	50.5	68.6	1.8
	07 - 08	6.9	14.1	22.6	34.1	49.8	70.6	1.8
	08 - 09	6.2	11.6	22.9	35.0	48.5	71.5	2.3
	09 - 10	4.3	9.9	19.1	28.3	47.3	73.5	1.8
	10 - 11	2.0	6.0	14.3	23.0	42.9	77.2	2.0
	11 - 12	0.9	4.0	10.9	18.7	38.7	79.1	2.5
	12 - 13	0.4	2.7	8.7	15.0	32.6	84.6	2.1
	13 - 14	0.0	1.6	6.7	13.4	28.3	86.1	2.1
	14 - 15	0.2	1.4	4.7	12.9	25.4	88.0	2.1
	15 - 16	0.0	0.7	4.3	12.3	22.2	89.9	1.8
	16 - 17	0.0	0.5	5.1	13.0	26.9	88.6	2.0
	17 - 18	0.0	0.5	5.1	12.7	27.5	86.4	2.0
	18 - 19	0.0	0.5	4.9	11.7	29.2	86.1	1.8
	19 - 20	0.0	0.9	5.3	12.6	27.1	84.6	3.2
	20 - 21	0.2	2.0	6.3	12.9	29.0	83.7	2.1
	21 - 22	0.2	2.5	8.5	16.4	31.2	80.9	1.6
	22 - 23	1.6	4.1	10.4	19.1	34.0	82.0	1.4
	23 - 00	2.4	4.7	12.4	21.8	36.9	76.5	2.5

	March							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	1.9	1.9	5.5	13.2	30.0	85.8	50.0
	01 - 02	2.3	2.8	5.7	14.4	31.2	83.8	0.3
	02 - 03	3.1	4.5	7.1	17.5	34.0	83.0	0.3
	03 - 04	3.7	5.2	8.5	19.7	35.2	81.0	0.0
	04 - 05	4.4	5.5	9.7	21.8	36.1	79.6	0.3
	05 - 06	4.5	7.1	13.9	26.0	40.7	76.3	0.2
	06 - 07	4.5	7.6	15.2	27.3	40.8	76.3	0.0
	07 - 08	3.6	6.5	13.5	25.8	39.5	76.3	0.5
	08 - 09	2.0	4.1	10.1	23.8	36.7	79.0	1.1
	09 - 10	0.6	2.3	6.9	15.7	31.7	80.9	0.2
	10 - 11	0.2	0.3	4.5	11.1	27.1	84.8	0.2
	11 - 12	0.0	0.0	2.3	8.4	22.7	89.2	0.0
	12 - 13	0.0	0.0	1.3	6.3	18.5	91.4	0.5
	13 - 14	0.0	0.0	1.6	4.7	13.9	92.7	0.5
	14 - 15	0.0	0.0	1.0	4.0	14.1	93.9	0.2
	15 - 16	0.0	0.5	1.3	5.2	13.5	94.4	0.0
	16 - 17	0.2	0.6	1.3	6.0	15.7	94.7	0.3
	17 - 18	0.2	0.5	1.1	6.5	16.2	93.9	0.2
	18 - 19	0.2	0.3	0.6	6.6	17.7	92.7	0.0
	19 - 20	0.3	0.3	1.5	6.4	17.0	93.2	2.4
	20 - 21	0.2	0.6	2.6	7.0	17.5	91.4	0.3
	21 - 22	0.2	1.6	2.8	7.7	20.1	89.7	1.1
	22 - 23	0.8	2.0	2.9	9.5	21.9	87.6	1.1
	23 - 00	1.8	2.4	4.7	10.6	25.2	86.9	0.6

	April							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	1.0	1.4	3.4	7.1	18.3	92.5	50.8
	01 - 02	1.2	2.0	4.5	8.6	20.5	91.2	1.0
	02 - 03	2.3	3.4	6.4	11.7	24.2	88.1	0.7
	03 - 04	4.0	5.2	8.4	15.6	31.6	86.2	0.8
	04 - 05	4.2	5.0	11.6	19.3	34.6	83.1	0.7
	05 - 06	3.7	4.9	11.8	21.0	39.1	79.6	1.0
	06 - 07	1.9	3.2	9.9	18.5	34.8	81.1	1.0
	07 - 08	0.8	2.4	5.6	14.9	31.3	84.1	1.5
	08 - 09	0.7	1.2	2.7	9.6	24.4	88.7	1.0
	09 - 10	0.3	0.3	1.0	7.4	17.1	92.6	0.7
	10 - 11	0.3	0.3	0.8	4.5	13.1	95.8	0.8
	11 - 12	0.0	0.5	1.0	3.2	9.7	97.1	0.8
	12 - 13	0.0	0.0	1.0	3.5	9.1	97.8	1.0
	13 - 14	0.0	0.0	1.0	2.9	7.7	97.5	0.8
	14 - 15	0.0	0.0	0.7	2.4	6.6	97.5	1.0
	15 - 16	0.0	0.0	1.2	3.0	8.1	98.7	0.8
	16 - 17	0.0	0.0	0.8	2.9	7.0	98.7	0.7
	17 - 18	0.0	0.0	0.7	3.0	8.2	98.7	0.5
	18 - 19	0.0	0.0	0.5	3.2	9.4	97.5	0.3
	19 - 20	0.0	0.0	0.9	3.2	10.9	97.8	2.3
	20 - 21	0.0	0.0	1.0	3.2	10.8	97.6	0.8
	21 - 22	0.2	0.2	1.2	4.4	11.4	97.3	0.7
	22 - 23	0.0	0.2	1.7	4.6	13.2	95.4	1.3
	23 - 00	1.0	1.2	3.4	5.9	16.4	93.3	1.2

	May							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	1.9	1.9	3.5	8.4	16.8	92.9	50.0
	01 - 02	2.1	2.6	3.6	9.7	18.4	91.6	0.2
	02 - 03	3.7	4.2	5.5	11.5	21.8	89.7	0.2
	03 - 04	4.4	5.2	7.4	16.5	30.3	85.8	0.3
	04 - 05	4.4	5.8	8.4	17.6	31.3	85.5	0.0
	05 - 06	3.7	5.2	8.2	14.1	29.6	85.9	0.2
	06 - 07	2.3	3.6	6.0	11.8	27.6	86.4	0.2
	07 - 08	0.2	1.8	4.0	10.7	23.3	88.7	0.2
	08 - 09	0.0	0.2	1.1	6.1	18.4	92.1	0.0
	09 - 10	0.0	0.0	0.5	3.9	12.1	95.6	0.3
	10 - 11	0.0	0.0	0.5	2.6	8.6	97.4	0.3
	11 - 12	0.0	0.0	0.2	1.6	7.1	98.2	0.0
	12 - 13	0.0	0.0	0.0	2.1	6.1	98.7	0.2
	13 - 14	0.0	0.0	0.0	1.6	5.0	99.0	0.3
	14 - 15	0.0	0.0	0.2	0.8	5.8	99.4	0.0
	15 - 16	0.0	0.0	0.5	1.6	5.2	98.7	0.0
	16 - 17	0.0	0.0	0.3	1.8	4.8	99.0	0.0
	17 - 18	0.0	0.0	0.5	1.5	6.8	99.0	0.2
	18 - 19	0.0	0.0	0.5	2.9	7.1	97.9	0.0
	19 - 20	0.0	0.0	0.3	3.3	8.9	97.5	1.6
	20 - 21	0.0	0.0	0.5	2.9	9.7	97.1	0.0
	21 - 22	0.0	0.0	0.6	3.6	10.0	97.1	0.2
	22 - 23	0.3	0.5	0.8	3.7	10.8	96.6	0.0
	23 - 00	0.6	0.8	1.5	5.2	12.2	95.1	0.6

	June							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	0.0	0.0	0.7	3.7	11.0	96.3	49.8
	01 - 02	0.0	0.0	0.7	5.7	13.8	95.3	0.0
	02 - 03	0.8	1.7	3.3	8.3	18.5	91.8	0.0
	03 - 04	3.5	4.8	8.5	14.8	25.5	87.8	0.0
	04 - 05	3.0	4.3	7.3	13.2	23.7	88.0	0.2
	05 - 06	1.7	2.7	6.2	11.0	20.6	88.8	0.3
	06 - 07	0.7	1.7	3.8	8.2	17.4	91.0	0.3
	07 - 08	0.0	0.3	1.3	4.7	13.2	93.5	0.2
	08 - 09	0.0	0.0	0.2	1.3	8.3	96.8	0.0
	09 - 10	0.0	0.0	0.0	0.7	4.7	98.3	0.2
	10 - 11	0.0	0.0	0.3	1.2	4.0	99.5	0.0
	11 - 12	0.0	0.0	0.2	0.8	3.9	99.7	0.5
	12 - 13	0.0	0.0	0.0	0.8	4.2	99.5	0.2
	13 - 14	0.0	0.0	0.0	0.7	3.2	100.0	0.3
	14 - 15	0.0	0.0	0.2	0.2	3.8	99.7	0.3
	15 - 16	0.0	0.0	0.0	0.2	3.8	99.5	0.0
	16 - 17	0.0	0.0	0.0	0.2	4.5	99.5	0.2
	17 - 18	0.0	0.0	0.2	2.0	5.5	99.5	0.0
	18 - 19	0.0	0.0	0.5	2.2	6.0	99.3	0.3
	19 - 20	0.0	0.2	0.7	1.9	8.8	99.3	1.7
	20 - 21	0.0	0.0	0.3	1.3	8.8	99.0	0.2
	21 - 22	0.0	0.0	0.7	1.7	7.9	98.3	0.5
	22 - 23	0.0	0.0	0.3	2.3	8.3	98.8	0.2
	23 - 00	0.2	0.2	0.5	2.0	9.7	98.0	0.3

	July							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	0.6	0.6	1.0	3.8	7.7	97.1	49.7
	01 - 02	0.8	1.3	1.8	3.7	8.6	96.3	0.3
	02 - 03	1.6	1.9	2.6	4.7	11.6	94.0	0.2
	03 - 04	2.4	3.2	4.4	9.4	18.9	90.0	0.2
	04 - 05	2.8	3.6	5.3	9.9	18.9	89.0	0.3
	05 - 06	1.5	2.1	3.2	9.3	20.3	89.4	0.6
	06 - 07	0.5	2.3	3.7	6.8	17.2	91.3	0.3
	07 - 08	0.0	1.3	1.8	4.7	13.6	94.0	0.2
	08 - 09	0.0	0.0	1.0	3.7	8.2	96.8	0.0
	09 - 10	0.0	0.0	0.0	2.3	5.6	98.4	0.0
	10 - 11	0.0	0.2	0.3	1.6	5.3	99.2	0.0
	11 - 12	0.0	0.0	0.0	1.1	4.9	99.5	0.3
	12 - 13	0.0	0.0	0.0	0.3	3.9	99.4	0.0
	13 - 14	0.0	0.0	0.0	0.0	3.1	99.0	0.2
	14 - 15	0.0	0.0	0.3	0.6	2.9	99.7	0.0
	15 - 16	0.0	0.0	0.0	0.5	3.1	99.5	0.2
	16 - 17	0.0	0.0	0.0	0.2	3.4	99.7	0.3
	17 - 18	0.0	0.0	0.2	0.8	4.0	99.2	0.3
	18 - 19	0.0	0.0	0.3	1.3	4.8	99.8	0.0
	19 - 20	0.0	0.0	0.2	1.8	5.1	99.3	1.1
	20 - 21	0.0	0.0	0.2	1.9	4.7	99.2	0.0
	21 - 22	0.0	0.0	0.0	1.3	5.5	99.4	0.3
	22 - 23	0.2	0.2	0.2	1.5	6.0	98.4	0.3
	23 - 00	0.3	0.5	0.6	2.1	7.4	97.6	0.3

	August							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	1.3	2.3	3.2	6.1	16.2	91.3	50.2
	01 - 02	2.4	3.2	5.0	7.3	21.2	87.4	0.2
	02 - 03	2.7	4.2	5.7	10.8	24.6	85.1	0.2
	03 - 04	3.7	5.8	8.4	15.9	29.1	81.0	0.6
	04 - 05	4.4	5.8	11.0	21.3	36.2	77.2	0.2
	05 - 06	4.5	5.7	9.7	19.6	35.3	78.2	0.3
	06 - 07	2.9	4.5	7.6	16.7	31.9	81.9	0.3
	07 - 08	0.3	1.6	5.8	13.1	30.0	85.3	0.2
	08 - 09	0.0	0.2	3.2	8.2	20.0	91.6	0.0
	09 - 10	0.0	0.0	0.6	5.0	14.9	94.7	0.5
	10 - 11	0.0	0.0	0.2	2.4	9.0	97.1	0.0
	11 - 12	0.0	0.0	0.2	1.8	7.3	97.6	0.0
	12 - 13	0.0	0.0	0.0	1.0	5.6	98.4	0.0
	13 - 14	0.0	0.0	0.0	0.6	5.0	99.2	0.0
	14 - 15	0.0	0.0	0.2	1.3	3.1	99.5	0.0
	15 - 16	0.0	0.0	0.0	0.8	4.5	99.2	0.0
	16 - 17	0.0	0.0	0.6	1.1	5.7	99.0	0.2
	17 - 18	0.0	0.0	0.5	1.8	6.0	99.2	0.3
	18 - 19	0.0	0.0	0.5	1.6	6.1	99.0	0.2
	19 - 20	0.0	0.0	0.0	1.2	6.6	99.7	1.9
	20 - 21	0.0	0.0	0.0	1.1	6.8	98.7	0.6
	21 - 22	0.0	0.0	0.5	2.1	8.1	97.3	0.2
	22 - 23	0.0	0.8	1.6	3.2	8.3	96.1	0.6
	23 - 00	0.2	1.8	2.1	3.9	12.5	93.7	0.6

	September							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	7.0	8.7	11.3	18.7	33.0	80.0	50.0
	01 - 02	9.7	10.8	13.4	22.5	36.8	77.8	0.8
	02 - 03	12.0	12.5	16.8	26.3	41.7	75.0	0.0
	03 - 04	13.5	16.4	21.4	30.3	45.3	72.2	0.3
	04 - 05	13.0	16.5	24.0	34.1	50.4	68.3	0.2
	05 - 06	13.9	17.0	27.0	38.4	53.8	66.9	0.2
	06 - 07	11.6	14.6	23.5	37.4	53.7	68.6	0.7
	07 - 08	7.6	11.6	17.8	31.7	48.8	72.0	0.7
	08 - 09	3.2	7.0	11.9	21.0	40.9	78.1	0.2
	09 - 10	0.0	3.0	5.7	13.0	30.7	85.2	0.0
	10 - 11	0.0	0.7	2.3	7.7	23.0	89.0	0.2
	11 - 12	0.0	0.0	1.5	5.0	14.5	93.0	0.2
	12 - 13	0.0	0.0	0.5	3.2	11.2	94.3	0.2
	13 - 14	0.0	0.0	0.2	1.8	10.4	95.8	0.2
	14 - 15	0.0	0.0	0.2	1.2	8.0	98.0	0.2
	15 - 16	0.0	0.0	0.3	1.0	7.2	98.5	0.0
	16 - 17	0.0	0.0	0.2	2.0	9.3	97.7	0.2
	17 - 18	0.0	0.0	0.0	2.3	11.0	97.2	0.3
	18 - 19	0.0	0.0	0.0	2.2	12.0	97.0	0.3
	19 - 20	0.0	0.0	0.5	3.7	12.4	95.1	1.5
	20 - 21	0.0	0.0	1.7	4.5	15.1	94.0	0.3
	21 - 22	0.2	0.7	3.5	7.5	20.5	89.1	0.2
	22 - 23	2.3	3.5	7.2	10.9	23.4	86.8	0.2
	23 - 00	5.4	7.2	9.4	16.4	28.1	83.9	0.5

	October							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	15.8	20.6	28.7	42.6	54.8	61.0	50.0
	01 - 02	16.6	21.6	30.3	42.9	57.7	60.8	0.0
	02 - 03	17.0	22.0	32.5	46.0	58.6	59.8	0.2
	03 - 04	16.6	21.6	34.5	47.1	58.9	60.5	0.0
	04 - 05	16.0	21.3	34.4	47.6	61.0	59.5	0.0
	05 - 06	17.6	23.9	38.6	50.1	61.7	58.5	0.2
	06 - 07	18.2	24.7	36.6	51.3	61.9	61.0	0.0
	07 - 08	14.2	21.2	35.0	47.2	61.2	59.9	0.3
	08 - 09	7.9	16.1	28.9	43.5	56.8	61.6	0.0
	09 - 10	3.4	11.0	21.0	36.6	50.3	66.8	0.0
	10 - 11	0.6	5.6	13.2	28.9	44.2	71.3	0.0
	11 - 12	0.3	3.1	7.6	22.0	36.0	77.5	0.2
	12 - 13	0.0	0.8	2.9	14.7	31.1	81.3	0.0
	13 - 14	0.0	0.0	1.8	10.3	25.5	86.0	0.0
	14 - 15	0.0	0.0	1.6	9.0	24.1	88.2	0.2
	15 - 16	0.0	0.2	1.8	8.9	22.1	90.0	0.2
	16 - 17	0.2	0.6	2.1	12.0	25.8	88.9	0.2
	17 - 18	0.2	1.1	3.2	12.7	25.6	87.9	0.0
	18 - 19	0.0	1.3	5.0	14.2	26.5	85.1	0.3
	19 - 20	1.6	3.3	7.2	16.4	30.4	81.3	1.5
	20 - 21	2.9	5.8	11.2	22.7	37.7	74.0	0.6
	21 - 22	6.6	10.0	15.9	26.4	41.1	72.2	0.3
	22 - 23	9.4	13.1	20.6	32.9	47.6	68.9	0.5
	23 - 00	12.8	16.2	25.3	36.5	53.2	65.0	0.5

	November							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	8.7	16.1	27.1	41.5	57.9	64.9	50.2
	01 - 02	9.2	17.3	28.5	43.4	61.8	64.5	0.5
	02 - 03	9.4	17.9	29.3	43.2	62.8	63.5	0.5
	03 - 04	10.2	18.9	30.8	46.0	63.0	63.9	0.3
	04 - 05	11.2	19.9	32.6	48.5	63.9	62.0	0.3
	05 - 06	9.7	19.1	33.2	49.4	65.3	61.0	0.5
	06 - 07	10.6	19.2	34.5	52.3	67.2	58.8	0.8
	07 - 08	10.2	18.6	33.3	51.0	65.6	59.5	0.3
	08 - 09	8.7	17.6	31.8	50.3	64.5	61.3	0.5
	09 - 10	6.0	14.8	28.2	45.5	60.9	62.6	0.7
	10 - 11	2.7	9.9	22.9	40.0	57.4	64.5	0.3
	11 - 12	1.0	6.4	18.9	36.0	50.4	68.3	0.5
	12 - 13	0.3	4.5	15.5	30.1	45.2	72.9	0.8
	13 - 14	0.0	2.7	13.3	25.8	41.7	75.7	1.3
	14 - 15	0.3	3.9	12.4	25.3	41.4	77.3	0.7
	15 - 16	0.7	4.4	12.4	26.9	44.7	76.8	0.8
	16 - 17	1.8	4.5	11.8	28.7	45.7	75.8	0.8
	17 - 18	1.9	5.1	12.3	27.5	44.8	76.0	1.3
	18 - 19	2.7	5.9	13.8	28.3	44.8	72.7	1.0
	19 - 20	3.5	7.1	16.0	31.1	46.8	71.0	4.2
	20 - 21	4.9	8.6	18.0	32.3	49.7	69.9	1.0
	21 - 22	5.9	9.2	20.7	34.3	52.1	69.6	0.8
	22 - 23	6.9	11.4	23.1	35.8	54.8	67.5	0.5
	23 - 00	8.1	14.3	26.9	38.9	56.4	66.7	1.0

	December							
	Vis. (m)	<800	<1500	<3000	<5000	<8000	≥8000	NA
	Ceil. (ft)	<200	<500	<1000	<1500	<2000	≥2000	
Time (UTC)	00 - 01	7.3	12.1	21.3	33.8	53.2	67.5	49.4
	01 - 02	7.6	12.9	21.1	32.1	53.1	69.4	0.0
	02 - 03	5.8	11.8	22.1	33.4	54.6	70.0	0.2
	03 - 04	5.3	11.3	22.4	38.1	55.0	68.4	0.0
	04 - 05	5.0	12.5	23.5	39.2	54.2	65.9	0.3
	05 - 06	4.9	11.7	22.5	39.6	56.0	65.9	0.3
	06 - 07	4.7	11.0	23.2	40.2	57.2	63.5	0.5
	07 - 08	4.7	10.9	25.8	41.7	56.3	64.8	0.6
	08 - 09	4.9	11.5	25.9	40.8	55.7	66.0	0.3
	09 - 10	3.2	10.0	25.0	38.9	54.0	67.7	0.5
	10 - 11	1.3	6.1	21.3	35.8	51.8	72.4	0.0
	11 - 12	1.3	5.0	16.6	31.2	46.9	75.6	0.6
	12 - 13	1.1	5.0	14.2	28.0	43.2	76.7	0.3
	13 - 14	1.5	4.9	12.9	23.1	39.3	77.8	0.3
	14 - 15	1.8	4.7	13.1	22.8	40.9	79.2	0.2
	15 - 16	2.6	5.2	13.3	25.9	42.6	78.5	0.3
	16 - 17	2.1	5.7	13.6	29.1	44.1	76.4	0.2
	17 - 18	1.6	4.8	12.8	26.5	43.3	76.4	0.2
	18 - 19	1.8	5.3	13.8	27.5	44.2	75.2	0.3
	19 - 20	3.1	6.2	14.7	26.8	45.3	74.2	1.3
	20 - 21	3.7	6.9	15.3	27.7	45.6	74.0	0.0
	21 - 22	4.4	8.5	16.8	30.2	46.3	72.4	0.0
	22 - 23	4.2	9.5	18.9	30.7	48.4	70.2	0.3
	23 - 00	5.5	11.5	19.3	32.4	50.2	69.1	0.8

4. TEMPERATURE

4.1. Temperature

4.1.1. Temperature 10 Years

Frequencies in percent of surface temperature in specified ranges of 5° C at specified times. Frequencies are calculated relative to all potentially possible observations each hour minus the not available (NA) observations. The value of NA is calculated relative to the potentially possible observations. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomena were observed.

Example (dark shading): In the 10 years period 17.9% of all observations between 14 and 15 UTC showed a temperature between 5 and 9 degrees Celsius.

	Temperature (° C) 10 Years														
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.2	2.1	10.5	21.0	24.2	27.1	14.0	0.9	0.0	0.0	0.0	50.2
	01 - 02	0.0	0.0	0.2	2.2	10.8	21.3	24.6	27.3	13.1	0.5	0.0	0.0	0.0	0.5
	02 - 03	0.0	0.0	0.3	2.2	11.4	21.2	25.0	27.5	12.0	0.3	0.0	0.0	0.0	0.4
	03 - 04	0.0	0.0	0.3	2.3	11.8	21.5	25.8	26.8	11.2	0.3	0.0	0.0	0.0	0.5
	04 - 05	0.0	0.0	0.3	2.2	11.9	21.7	25.0	26.8	11.9	0.3	0.0	0.0	0.0	0.5
	05 - 06	0.0	0.0	0.3	2.1	11.9	20.8	23.4	25.5	14.9	1.0	0.0	0.0	0.0	0.6
	06 - 07	0.0	0.0	0.3	2.0	11.4	19.8	21.5	22.8	18.3	3.8	0.1	0.0	0.0	0.6
	07 - 08	0.0	0.0	0.2	1.9	10.0	18.8	20.6	21.4	19.0	7.7	0.5	0.0	0.0	0.6
	08 - 09	0.0	0.0	0.2	1.6	8.3	17.2	20.6	20.0	19.2	11.3	1.7	0.0	0.0	0.5
	09 - 10	0.0	0.0	0.1	1.2	7.3	15.8	19.6	19.7	19.0	13.1	4.1	0.1	0.0	0.5
	10 - 11	0.0	0.0	0.1	0.9	6.0	15.0	18.5	19.6	18.7	14.7	6.3	0.4	0.0	0.4
	11 - 12	0.0	0.0	0.0	0.6	5.2	13.8	17.9	19.5	18.9	15.4	7.6	1.0	0.0	0.6
	12 - 13	0.0	0.0	0.0	0.5	4.6	13.3	17.5	19.1	18.9	15.7	8.9	1.5	0.0	0.5
	13 - 14	0.0	0.0	0.0	0.4	4.2	12.7	17.4	19.4	18.3	15.8	9.8	2.0	0.0	0.6
	14 - 15	0.0	0.0	0.0	0.4	4.4	12.2	17.9	18.7	18.3	15.9	9.9	2.2	0.0	0.5
	15 - 16	0.0	0.0	0.1	0.4	5.0	12.7	18.3	18.4	18.5	15.2	9.3	2.1	0.0	0.4
	16 - 17	0.0	0.0	0.1	0.6	5.7	14.3	18.7	18.4	17.9	14.1	8.9	1.5	0.0	0.5
	17 - 18	0.0	0.0	0.1	1.0	5.9	15.7	19.6	19.3	17.5	13.2	7.0	0.8	0.0	0.5
	18 - 19	0.0	0.0	0.1	1.1	6.4	16.8	20.6	21.4	17.2	12.8	3.5	0.1	0.0	0.5
	19 - 20	0.0	0.0	0.1	1.2	7.1	17.7	21.5	22.2	19.4	9.6	1.1	0.0	0.0	2.1
	20 - 21	0.0	0.0	0.2	1.3	7.9	18.5	22.1	23.7	19.6	6.5	0.2	0.0	0.0	0.6
	21 - 22	0.0	0.0	0.2	1.5	8.8	19.2	22.9	24.0	19.6	3.8	0.1	0.0	0.0	0.6
	22 - 23	0.0	0.0	0.3	1.7	9.2	20.6	22.8	25.2	17.8	2.4	0.0	0.0	0.0	0.7
	23 - 00	0.0	0.0	0.3	2.0	9.4	20.8	23.6	26.1	16.3	1.5	0.0	0.0	0.0	0.0

4.1.2. Temperature per Month

Example (dark shading): In the 10 years period in January 30.1% of all observations between 14 and 15 UTC showed a temperature between 5 and 9 degrees Celsius.

	Temperature (° C) January													
Time (UTC)	< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
00 - 01	0.0	0.0	1.3	10.8	33.3	39.2	12.4	2.9	0.0	0.0	0.0	0.0	0.0	50.6
01 - 02	0.0	0.0	1.1	10.6	33.0	40.4	12.1	2.8	0.0	0.0	0.0	0.0	0.0	1.3
02 - 03	0.0	0.0	1.1	10.4	34.4	40.1	11.6	2.3	0.0	0.0	0.0	0.0	0.0	1.1
03 - 04	0.0	0.0	1.0	12.1	33.6	39.0	12.2	2.1	0.0	0.0	0.0	0.0	0.0	1.1
04 - 05	0.0	0.0	1.0	12.1	34.1	38.7	12.2	2.0	0.0	0.0	0.0	0.0	0.0	1.1
05 - 06	0.0	0.0	1.0	12.3	34.3	38.1	12.6	1.8	0.0	0.0	0.0	0.0	0.0	1.3
06 - 07	0.0	0.0	1.3	10.8	35.1	38.0	13.4	1.5	0.0	0.0	0.0	0.0	0.0	1.1
07 - 08	0.0	0.0	1.3	11.1	33.1	38.5	14.4	1.6	0.0	0.0	0.0	0.0	0.0	1.1
08 - 09	0.0	0.0	0.8	9.6	33.0	37.5	17.5	1.6	0.0	0.0	0.0	0.0	0.0	1.1
09 - 10	0.0	0.0	0.2	8.5	30.8	38.1	20.0	2.3	0.2	0.0	0.0	0.0	0.0	1.0
10 - 11	0.0	0.0	0.0	6.0	29.2	36.7	23.8	3.9	0.3	0.0	0.0	0.0	0.0	1.1
11 - 12	0.0	0.0	0.0	3.4	27.4	36.1	27.6	5.1	0.3	0.0	0.0	0.0	0.0	1.8
12 - 13	0.0	0.0	0.0	2.6	24.3	38.3	27.9	7.0	0.0	0.0	0.0	0.0	0.0	1.0
13 - 14	0.0	0.0	0.0	2.3	22.3	38.1	27.5	9.8	0.0	0.0	0.0	0.0	0.0	1.0
14 - 15	0.0	0.0	0.0	2.0	23.4	35.1	30.1	9.5	0.0	0.0	0.0	0.0	0.0	1.3
15 - 16	0.0	0.0	0.0	2.4	24.8	37.8	28.3	6.7	0.0	0.0	0.0	0.0	0.0	1.0
16 - 17	0.0	0.0	0.0	3.8	26.5	41.5	25.2	3.1	0.0	0.0	0.0	0.0	0.0	1.3
17 - 18	0.0	0.0	0.3	5.9	25.6	44.5	20.5	3.3	0.0	0.0	0.0	0.0	0.0	1.0
18 - 19	0.0	0.0	0.3	6.2	26.4	44.5	19.6	2.9	0.0	0.0	0.0	0.0	0.0	1.5
19 - 20	0.0	0.0	0.7	6.4	29.0	44.1	16.7	3.1	0.0	0.0	0.0	0.0	0.0	2.3
20 - 21	0.0	0.0	1.0	6.7	30.1	43.5	16.2	2.5	0.0	0.0	0.0	0.0	0.0	1.5
21 - 22	0.0	0.0	1.3	8.4	31.8	41.5	13.9	3.1	0.0	0.0	0.0	0.0	0.0	1.6
22 - 23	0.0	0.0	1.3	8.8	31.9	42.1	13.1	2.8	0.0	0.0	0.0	0.0	0.0	1.5
23 - 00	0.0	0.0	1.5	10.5	31.8	40.6	13.3	2.5	0.0	0.0	0.0	0.0	0.0	1.5

	Temperature (° C) February													
Time (UTC)	< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
00 - 01	0.0	0.0	0.7	8.0	28.4	41.8	18.9	2.2	0.0	0.0	0.0	0.0	0.0	51.2
01 - 02	0.0	0.0	0.7	8.3	29.1	40.4	19.3	2.2	0.0	0.0	0.0	0.0	0.0	1.8
02 - 03	0.0	0.0	1.3	7.2	30.5	39.5	19.3	2.2	0.0	0.0	0.0	0.0	0.0	1.8
03 - 04	0.0	0.4	1.3	7.8	31.1	38.2	19.3	2.0	0.0	0.0	0.0	0.0	0.0	2.0
04 - 05	0.0	0.4	0.9	6.9	32.8	37.9	20.1	1.1	0.0	0.0	0.0	0.0	0.0	2.1
05 - 06	0.0	0.2	1.1	6.0	34.7	36.3	20.6	1.3	0.0	0.0	0.0	0.0	0.0	1.8
06 - 07	0.0	0.0	1.6	6.0	33.4	37.4	20.8	0.9	0.0	0.0	0.0	0.0	0.0	1.8
07 - 08	0.0	0.0	0.4	6.7	28.2	41.3	22.2	1.3	0.0	0.0	0.0	0.0	0.0	1.8
08 - 09	0.0	0.0	0.0	5.3	22.0	44.1	26.3	2.4	0.0	0.0	0.0	0.0	0.0	2.3
09 - 10	0.0	0.0	0.0	2.5	20.6	40.8	32.1	4.0	0.0	0.0	0.0	0.0	0.0	1.8
10 - 11	0.0	0.0	0.0	1.3	14.6	38.2	34.0	11.9	0.0	0.0	0.0	0.0	0.0	2.0
11 - 12	0.0	0.0	0.0	0.5	11.3	36.5	32.9	18.2	0.5	0.0	0.0	0.0	0.0	2.5
12 - 13	0.0	0.0	0.0	0.4	10.5	33.7	31.3	22.3	1.8	0.0	0.0	0.0	0.0	2.1
13 - 14	0.0	0.0	0.0	0.4	8.2	31.5	33.5	24.6	1.8	0.0	0.0	0.0	0.0	2.1
14 - 15	0.0	0.0	0.0	0.4	7.4	30.4	35.3	23.9	2.5	0.0	0.0	0.0	0.0	2.1
15 - 16	0.0	0.0	0.0	0.4	7.8	31.9	35.0	23.3	1.6	0.0	0.0	0.0	0.0	1.8
16 - 17	0.0	0.0	0.0	0.4	10.1	35.4	36.0	17.4	0.7	0.0	0.0	0.0	0.0	2.0
17 - 18	0.0	0.0	0.0	1.4	12.8	38.2	37.1	10.5	0.0	0.0	0.0	0.0	0.0	2.0
18 - 19	0.0	0.0	0.0	2.3	15.5	41.3	34.5	6.3	0.0	0.0	0.0	0.0	0.0	1.8
19 - 20	0.0	0.0	0.0	2.9	18.3	42.7	31.7	4.4	0.0	0.0	0.0	0.0	0.0	3.2
20 - 21	0.0	0.0	0.0	3.6	20.1	45.7	26.1	4.5	0.0	0.0	0.0	0.0	0.0	2.1
21 - 22	0.0	0.0	0.0	4.3	24.0	45.2	22.7	3.8	0.0	0.0	0.0	0.0	0.0	1.6
22 - 23	0.0	0.0	0.4	5.2	25.2	46.0	20.3	2.9	0.0	0.0	0.0	0.0	0.0	1.4
23 - 00	0.0	0.0	0.7	6.2	25.6	45.3	19.6	2.5	0.0	0.0	0.0	0.0	0.0	2.5

	Temperature (° C) March													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	0.6	17.4	37.4	37.7	6.8	0.0	0.0	0.0	0.0	0.0	50.0
	01 - 02	0.0	0.0	0.0	0.6	18.9	39.2	34.5	6.8	0.0	0.0	0.0	0.0	0.0	0.3
	02 - 03	0.0	0.0	0.0	1.3	19.3	38.1	33.2	8.1	0.0	0.0	0.0	0.0	0.0	0.5
	03 - 04	0.0	0.0	0.0	1.9	20.3	39.0	31.0	7.7	0.0	0.0	0.0	0.0	0.0	0.0
	04 - 05	0.0	0.0	0.0	2.3	20.4	39.3	31.2	6.8	0.0	0.0	0.0	0.0	0.0	0.3
	05 - 06	0.0	0.0	0.0	2.6	18.7	42.0	30.0	6.6	0.0	0.0	0.0	0.0	0.0	0.2
	06 - 07	0.0	0.0	0.0	2.1	16.9	41.8	32.7	6.5	0.0	0.0	0.0	0.0	0.0	0.0
	07 - 08	0.0	0.0	0.0	0.8	9.6	38.7	40.0	10.5	0.3	0.0	0.0	0.0	0.0	0.5
	08 - 09	0.0	0.0	0.0	0.0	4.1	33.4	44.2	17.0	1.3	0.0	0.0	0.0	0.0	1.1
	09 - 10	0.0	0.0	0.0	0.0	2.6	27.5	41.2	25.8	2.9	0.0	0.0	0.0	0.0	0.2
	10 - 11	0.0	0.0	0.0	0.0	2.1	22.8	37.8	30.4	6.9	0.0	0.0	0.0	0.0	0.2
	11 - 12	0.0	0.0	0.0	0.0	1.5	17.1	35.5	34.0	11.9	0.0	0.0	0.0	0.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.5	12.3	37.0	31.9	16.2	2.1	0.0	0.0	0.0	0.5
	13 - 14	0.0	0.0	0.0	0.0	0.3	10.7	36.5	31.4	18.3	2.8	0.0	0.0	0.0	0.5
	14 - 15	0.0	0.0	0.0	0.0	0.3	10.3	36.2	31.8	18.4	2.9	0.0	0.0	0.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.6	10.6	36.8	31.1	18.1	2.7	0.0	0.0	0.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.6	15.0	36.1	32.2	14.1	1.9	0.0	0.0	0.0	0.3
	17 - 18	0.0	0.0	0.0	0.0	1.0	22.6	34.9	33.6	7.6	0.3	0.0	0.0	0.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	1.9	27.3	38.4	29.2	3.2	0.0	0.0	0.0	0.0	0.0
	19 - 20	0.0	0.0	0.0	0.0	3.1	29.8	42.8	23.0	1.3	0.0	0.0	0.0	0.0	2.4
	20 - 21	0.0	0.0	0.0	0.0	6.5	30.7	44.0	17.8	1.0	0.0	0.0	0.0	0.0	0.3
	21 - 22	0.0	0.0	0.0	0.2	9.5	32.8	43.7	12.9	1.0	0.0	0.0	0.0	0.0	1.1
	22 - 23	0.0	0.0	0.0	0.3	11.4	38.0	39.8	9.5	1.0	0.0	0.0	0.0	0.0	1.1
	23 - 00	0.0	0.0	0.0	0.6	13.1	39.3	38.6	7.6	0.6	0.0	0.0	0.0	0.0	0.6

	Temperature (° C) April													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	0.0	2.0	31.9	47.1	18.6	0.3	0.0	0.0	0.0	0.0	50.8
	01 - 02	0.0	0.0	0.0	0.0	3.4	34.0	47.0	15.7	0.0	0.0	0.0	0.0	0.0	1.0
	02 - 03	0.0	0.0	0.0	0.0	5.7	35.4	46.0	12.9	0.0	0.0	0.0	0.0	0.0	0.7
	03 - 04	0.0	0.0	0.0	0.0	6.4	38.0	44.2	11.4	0.0	0.0	0.0	0.0	0.0	0.8
	04 - 05	0.0	0.0	0.0	0.0	6.4	40.4	42.4	10.7	0.0	0.0	0.0	0.0	0.0	0.7
	05 - 06	0.0	0.0	0.0	0.0	4.4	37.3	44.5	13.7	0.2	0.0	0.0	0.0	0.0	1.2
	06 - 07	0.0	0.0	0.0	0.0	0.8	30.5	44.4	23.2	1.0	0.0	0.0	0.0	0.0	1.0
	07 - 08	0.0	0.0	0.0	0.0	0.0	20.1	45.9	29.1	4.9	0.0	0.0	0.0	0.0	1.5
	08 - 09	0.0	0.0	0.0	0.0	0.0	12.8	41.4	33.7	11.6	0.5	0.0	0.0	0.0	1.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	8.9	35.6	34.6	18.5	2.5	0.0	0.0	0.0	0.7
	10 - 11	0.0	0.0	0.0	0.0	0.0	6.6	30.9	33.3	23.0	6.2	0.0	0.0	0.0	0.8
	11 - 12	0.0	0.0	0.0	0.0	0.0	5.9	25.9	32.8	26.6	8.7	0.2	0.0	0.0	0.8
	12 - 13	0.0	0.0	0.0	0.0	0.0	5.1	23.6	31.8	27.6	11.1	0.8	0.0	0.0	1.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	3.7	20.8	33.1	28.1	12.6	1.7	0.0	0.0	0.8
	14 - 15	0.0	0.0	0.0	0.0	0.0	3.7	23.7	28.1	28.8	13.8	1.9	0.0	0.0	1.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	4.0	24.9	28.6	28.2	12.8	1.5	0.0	0.0	0.8
	16 - 17	0.0	0.0	0.0	0.0	0.0	4.7	26.0	29.5	28.0	11.1	0.7	0.0	0.0	0.7
	17 - 18	0.0	0.0	0.0	0.0	0.0	5.0	32.3	30.5	25.5	6.5	0.2	0.0	0.0	0.5
	18 - 19	0.0	0.0	0.0	0.0	0.0	8.5	35.3	37.0	16.9	2.3	0.0	0.0	0.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	12.6	38.6	36.2	12.3	0.3	0.0	0.0	0.0	2.3
	20 - 21	0.0	0.0	0.0	0.0	0.0	16.3	41.8	34.1	7.6	0.2	0.0	0.0	0.0	0.8
	21 - 22	0.0	0.0	0.0	0.0	0.0	20.1	47.3	28.7	3.9	0.0	0.0	0.0	0.0	0.7
	22 - 23	0.0	0.0	0.0	0.0	0.3	25.7	45.1	27.2	1.7	0.0	0.0	0.0	0.0	1.3
	23 - 00	0.0	0.0	0.0	0.0	0.8	28.7	45.4	24.1	1.0	0.0	0.0	0.0	0.0	1.2

	Temperature (° C) May													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	0.0	0.0	1.9	31.9	58.1	8.1	0.0	0.0	0.0	0.0	50.0
	01 - 02	0.0	0.0	0.0	0.0	0.0	1.9	34.6	57.2	6.3	0.0	0.0	0.0	0.0	0.2
	02 - 03	0.0	0.0	0.0	0.0	0.0	2.9	38.9	54.3	3.9	0.0	0.0	0.0	0.0	0.2
	03 - 04	0.0	0.0	0.0	0.0	0.0	4.9	41.3	51.5	2.4	0.0	0.0	0.0	0.0	0.3
	04 - 05	0.0	0.0	0.0	0.0	0.0	3.9	38.7	54.0	3.4	0.0	0.0	0.0	0.0	0.0
	05 - 06	0.0	0.0	0.0	0.0	0.0	1.9	26.4	62.6	8.9	0.2	0.0	0.0	0.0	0.3
	06 - 07	0.0	0.0	0.0	0.0	0.0	0.8	13.7	60.4	23.3	1.8	0.0	0.0	0.0	0.2
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.6	9.2	47.5	36.2	6.5	0.0	0.0	0.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.2	6.1	37.1	44.2	12.3	0.2	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	4.9	29.4	43.5	20.1	2.1	0.0	0.0	0.3
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	3.7	24.4	39.2	27.3	5.3	0.0	0.0	0.3
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	3.2	20.5	37.6	31.5	7.3	0.0	0.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	3.2	18.1	37.0	31.8	9.5	0.3	0.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	3.2	16.8	34.1	31.4	14.1	0.3	0.0	0.3
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.2	2.7	17.1	32.6	32.7	14.7	0.0	0.0	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.3	3.4	17.1	34.5	30.3	14.2	0.2	0.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.3	3.5	20.8	33.4	29.5	12.4	0.0	0.0	0.0
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.3	4.4	23.4	36.5	27.0	8.4	0.0	0.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.3	5.8	32.7	38.1	21.8	1.3	0.0	0.0	0.0
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.5	8.7	40.0	41.5	9.3	0.0	0.0	0.0	1.6
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.8	10.3	51.3	34.0	3.5	0.0	0.0	0.0	0.0
	21 - 22	0.0	0.0	0.0	0.0	0.0	1.0	12.8	59.6	25.4	1.3	0.0	0.0	0.0	0.2
	22 - 23	0.0	0.0	0.0	0.0	0.0	1.1	17.9	62.9	17.7	0.3	0.0	0.0	0.0	0.0
	23 - 00	0.0	0.0	0.0	0.0	0.0	1.1	24.8	62.0	11.7	0.3	0.0	0.0	0.0	0.6

	Temperature (° C) June													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	0.0	0.0	0.0	10.0	54.8	33.6	1.7	0.0	0.0	0.0	49.8
	01 - 02	0.0	0.0	0.0	0.0	0.0	0.3	12.3	57.0	29.5	0.8	0.0	0.0	0.0	0.0
	02 - 03	0.0	0.0	0.0	0.0	0.0	0.2	14.7	59.2	25.8	0.2	0.0	0.0	0.0	0.0
	03 - 04	0.0	0.0	0.0	0.0	0.0	0.7	20.2	54.7	24.3	0.2	0.0	0.0	0.0	0.0
	04 - 05	0.0	0.0	0.0	0.0	0.0	0.2	13.5	56.9	28.7	0.7	0.0	0.0	0.0	0.2
	05 - 06	0.0	0.0	0.0	0.0	0.0	0.0	6.0	50.0	40.3	3.7	0.0	0.0	0.0	0.3
	06 - 07	0.0	0.0	0.0	0.0	0.0	0.0	3.5	38.3	44.0	14.0	0.2	0.0	0.0	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	2.2	29.9	40.6	25.2	2.2	0.0	0.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	2.7	19.3	39.3	32.8	5.8	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	1.5	16.2	35.7	33.1	13.5	0.0	0.0	0.2
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.5	15.3	30.8	32.0	20.7	0.7	0.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12.2	28.5	35.0	21.3	2.7	0.0	0.5
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.7	11.4	24.9	35.7	23.5	3.8	0.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.5	10.9	25.3	32.1	25.9	5.4	0.0	0.3
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	27.1	30.9	25.9	6.5	0.0	0.3
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.8	26.8	32.2	24.7	6.5	0.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	29.5	31.9	22.0	5.5	0.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.3	13.4	32.1	31.4	19.9	3.0	0.0	0.2
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.7	18.1	35.5	33.1	12.4	0.3	0.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	2.0	23.1	43.4	28.0	3.6	0.0	0.0	1.7
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	3.5	31.9	45.9	17.7	1.0	0.0	0.0	0.2
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	4.9	37.4	47.6	9.9	0.3	0.0	0.0	0.5
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	6.3	43.7	42.7	7.0	0.2	0.0	0.0	0.2
	23 - 00	0.0	0.0	0.0	0.0	0.0	0.0	7.4	50.8	37.3	4.5	0.0	0.0	0.0	0.3

	Temperature (° C) July													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	0.0	0.0	0.0	2.2	42.0	51.0	4.8	0.0	0.0	0.0	49.7
	01 - 02	0.0	0.0	0.0	0.0	0.0	0.0	2.6	43.2	50.8	3.4	0.0	0.0	0.0	0.3
	02 - 03	0.0	0.0	0.0	0.0	0.0	0.0	4.5	44.6	48.5	2.4	0.0	0.0	0.0	0.2
	03 - 04	0.0	0.0	0.0	0.0	0.0	0.0	5.2	48.1	44.6	2.1	0.0	0.0	0.0	0.2
	04 - 05	0.0	0.0	0.0	0.0	0.0	0.0	4.7	45.5	47.9	1.9	0.0	0.0	0.0	0.3
	05 - 06	0.0	0.0	0.0	0.0	0.0	0.0	1.6	32.3	60.2	5.8	0.0	0.0	0.0	0.6
	06 - 07	0.0	0.0	0.0	0.0	0.0	0.0	0.5	18.8	61.3	18.9	0.5	0.0	0.0	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12.1	50.9	33.6	3.1	0.0	0.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9.4	39.5	41.6	9.0	0.2	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	31.3	44.0	17.7	0.5	0.0	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	25.6	44.0	23.4	1.9	0.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	22.2	39.8	28.8	4.9	0.0	0.3
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	20.5	35.0	32.3	7.9	0.0	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	17.9	35.4	33.6	9.0	0.0	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	16.9	34.7	33.4	10.3	0.0	0.0
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	18.6	33.4	32.6	9.9	0.3	0.2
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	18.4	33.8	34.5	6.5	0.0	0.3
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	21.5	37.4	30.3	3.6	0.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	27.8	43.1	18.6	0.5	0.0	0.2
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.4	42.3	39.3	5.9	0.2	0.0	1.1
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.5	15.5	51.9	31.3	0.6	0.2	0.0	0.0
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	0.3	20.1	58.7	20.7	0.2	0.0	0.0	0.3
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	0.6	26.2	60.2	12.9	0.0	0.0	0.0	0.3
	23 - 00	0.0	0.0	0.0	0.0	0.0	0.0	1.1	30.1	61.3	7.4	0.0	0.0	0.0	0.3

	Temperature (° C) August													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	0.0	0.0	0.0	2.9	36.9	56.3	3.9	0.0	0.0	0.0	50.2
	01 - 02	0.0	0.0	0.0	0.0	0.0	0.0	3.1	41.4	53.8	1.8	0.0	0.0	0.0	0.2
	02 - 03	0.0	0.0	0.0	0.0	0.0	0.0	3.6	45.9	49.4	1.1	0.0	0.0	0.0	0.2
	03 - 04	0.0	0.0	0.0	0.0	0.0	0.0	4.7	46.3	48.2	0.8	0.0	0.0	0.0	0.6
	04 - 05	0.0	0.0	0.0	0.0	0.0	0.2	4.7	46.8	47.3	1.0	0.0	0.0	0.0	0.2
	05 - 06	0.0	0.0	0.0	0.0	0.0	0.0	3.1	39.5	55.8	1.6	0.0	0.0	0.0	0.3
	06 - 07	0.0	0.0	0.0	0.0	0.0	0.0	1.8	19.7	68.6	9.9	0.0	0.0	0.0	0.3
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.0	0.5	10.7	62.0	25.8	1.0	0.0	0.0	0.2
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	48.7	40.6	4.8	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	35.0	44.2	15.1	0.8	0.0	0.5
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.4	27.3	43.4	23.7	1.9	0.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.7	20.8	42.3	29.0	4.0	0.0	0.0
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	18.4	38.2	33.7	6.0	0.0	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	15.8	36.9	33.5	8.7	0.2	0.0
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	15.7	36.2	34.1	9.4	0.2	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	18.4	36.5	31.8	8.9	0.2	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	22.0	35.2	32.5	5.3	0.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	28.3	40.0	23.0	2.9	0.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.6	38.1	44.1	9.4	0.5	0.0	0.2
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10.9	49.7	35.9	3.3	0.0	0.0	1.9
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.0	0.6	15.4	59.7	23.2	1.0	0.0	0.0	0.6
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.0	1.1	18.6	67.9	12.1	0.3	0.0	0.0	0.2
	22 - 23	0.0	0.0	0.0	0.0	0.0	0.0	2.8	22.9	66.7	7.6	0.0	0.0	0.0	0.6
	23 - 00	0.0	0.0	0.0	0.0	0.0	0.0	2.6	29.7	63.1	4.2	0.3	0.0	0.0	0.6

	Temperature (° C) September													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	0.0	0.0	2.7	29.7	54.0	13.7	0.0	0.0	0.0	0.0	50.0
	01 - 02	0.0	0.0	0.0	0.0	0.0	3.9	30.8	53.0	12.1	0.2	0.0	0.0	0.0	1.0
	02 - 03	0.0	0.0	0.0	0.0	0.0	4.5	32.0	52.0	11.5	0.0	0.0	0.0	0.0	0.0
	03 - 04	0.0	0.0	0.0	0.0	0.0	5.2	32.9	51.2	10.7	0.0	0.0	0.0	0.0	0.3
	04 - 05	0.0	0.0	0.0	0.0	0.0	6.0	32.2	50.9	10.9	0.0	0.0	0.0	0.0	0.2
	05 - 06	0.0	0.0	0.0	0.0	0.0	4.7	32.7	53.1	9.5	0.0	0.0	0.0	0.0	0.2
	06 - 07	0.0	0.0	0.0	0.0	0.0	1.3	26.7	56.0	15.9	0.0	0.0	0.0	0.0	0.7
	07 - 08	0.0	0.0	0.0	0.0	0.0	0.7	14.4	58.9	25.5	0.5	0.0	0.0	0.0	0.7
	08 - 09	0.0	0.0	0.0	0.0	0.0	0.3	8.7	51.4	35.1	4.5	0.0	0.0	0.0	0.2
	09 - 10	0.0	0.0	0.0	0.0	0.0	0.2	4.2	41.7	42.8	11.0	0.2	0.0	0.0	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.0	0.0	2.7	30.9	48.1	17.4	1.0	0.0	0.0	0.2
	11 - 12	0.0	0.0	0.0	0.0	0.0	0.0	2.3	24.5	49.7	20.2	3.2	0.0	0.0	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.0	2.0	21.7	47.1	24.0	5.2	0.0	0.0	0.2
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.0	1.8	21.4	43.2	26.4	7.2	0.0	0.0	0.2
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.3	2.0	20.7	41.7	27.7	7.5	0.0	0.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.3	1.7	22.7	43.7	25.8	5.8	0.0	0.0	0.0
	16 - 17	0.0	0.0	0.0	0.0	0.0	0.3	2.5	27.4	44.4	21.7	3.7	0.0	0.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.0	0.3	4.8	38.1	42.8	13.2	0.7	0.0	0.0	0.3
	18 - 19	0.0	0.0	0.0	0.0	0.0	0.3	7.5	50.7	34.4	7.0	0.0	0.0	0.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.0	0.2	11.2	55.2	32.5	1.0	0.0	0.0	0.0	1.5
	20 - 21	0.0	0.0	0.0	0.0	0.0	0.7	13.9	58.0	26.8	0.7	0.0	0.0	0.0	0.3
	21 - 22	0.0	0.0	0.0	0.0	0.0	0.8	20.0	54.8	23.7	0.7	0.0	0.0	0.0	0.2
	22 - 23	0.0	0.0	0.0	0.0	0.0	1.3	24.7	55.4	18.2	0.3	0.0	0.0	0.0	0.2
	23 - 00	0.0	0.0	0.0	0.0	0.0	1.8	26.6	55.8	15.1	0.7	0.0	0.0	0.0	0.5

	Temperature (° C) October													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	0.0	1.3	14.2	44.5	37.1	2.9	0.0	0.0	0.0	0.0	50.0
	01 - 02	0.0	0.0	0.0	0.3	1.3	12.7	45.6	36.9	3.1	0.0	0.0	0.0	0.0	0.0
	02 - 03	0.0	0.0	0.0	0.3	1.6	13.1	45.2	36.7	3.1	0.0	0.0	0.0	0.0	0.2
	03 - 04	0.0	0.0	0.0	0.3	2.3	12.4	45.6	36.6	2.7	0.0	0.0	0.0	0.0	0.0
	04 - 05	0.0	0.0	0.0	0.3	2.3	12.0	44.7	37.5	3.2	0.0	0.0	0.0	0.0	0.2
	05 - 06	0.0	0.0	0.0	0.3	2.1	11.8	46.5	36.8	2.4	0.0	0.0	0.0	0.0	0.2
	06 - 07	0.0	0.0	0.0	0.2	2.1	9.7	46.3	39.2	2.6	0.0	0.0	0.0	0.0	0.0
	07 - 08	0.0	0.0	0.0	0.0	1.5	6.8	41.9	45.5	4.4	0.0	0.0	0.0	0.0	0.3
	08 - 09	0.0	0.0	0.0	0.0	1.0	4.2	36.5	49.5	8.1	0.8	0.0	0.0	0.0	0.0
	09 - 10	0.0	0.0	0.0	0.0	0.6	2.4	28.2	51.3	16.5	1.0	0.0	0.0	0.0	0.0
	10 - 11	0.0	0.0	0.0	0.0	0.3	1.9	21.5	52.3	20.5	3.5	0.0	0.0	0.0	0.0
	11 - 12	0.0	0.0	0.0	0.0	0.0	1.3	17.9	49.8	25.0	5.8	0.2	0.0	0.0	0.2
	12 - 13	0.0	0.0	0.0	0.0	0.0	0.8	15.6	45.5	29.8	8.1	0.2	0.0	0.0	0.0
	13 - 14	0.0	0.0	0.0	0.0	0.0	0.3	15.8	42.3	31.5	9.8	0.3	0.0	0.0	0.0
	14 - 15	0.0	0.0	0.0	0.0	0.0	0.3	15.3	41.4	32.8	9.9	0.3	0.0	0.0	0.2
	15 - 16	0.0	0.0	0.0	0.0	0.0	0.8	16.2	45.7	30.2	7.1	0.0	0.0	0.0	0.2
	16 - 17	0.0	0.0	0.0	0.0	0.0	1.5	22.3	50.7	22.5	3.1	0.0	0.0	0.0	0.2
	17 - 18	0.0	0.0	0.0	0.0	0.2	2.7	29.2	53.1	14.2	0.6	0.0	0.0	0.0	0.0
	18 - 19	0.0	0.0	0.0	0.0	0.6	3.6	35.0	50.6	9.9	0.3	0.0	0.0	0.0	0.3
	19 - 20	0.0	0.0	0.0	0.0	0.7	4.6	41.5	46.4	6.9	0.0	0.0	0.0	0.0	1.6
	20 - 21	0.0	0.0	0.0	0.0	0.6	6.2	44.8	42.9	5.5	0.0	0.0	0.0	0.0	0.6
	21 - 22	0.0	0.0	0.0	0.0	1.0	8.4	47.2	39.2	4.2	0.0	0.0	0.0	0.0	0.3
	22 - 23	0.0	0.0	0.0	0.0	1.3	10.7	46.8	38.1	3.1	0.0	0.0	0.0	0.0	0.5
	23 - 00	0.0	0.0	0.0	0.0	1.5	11.5	47.0	37.6	2.4	0.0	0.0	0.0	0.0	0.5

	Temperature (° C) November													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	0.0	1.7	17.4	41.8	33.4	5.7	0.0	0.0	0.0	0.0	0.0	50.2
	01 - 02	0.0	0.0	0.0	2.2	17.4	41.9	32.7	5.9	0.0	0.0	0.0	0.0	0.0	0.5
	02 - 03	0.0	0.0	0.0	2.3	18.6	41.0	32.2	5.9	0.0	0.0	0.0	0.0	0.0	0.5
	03 - 04	0.0	0.0	0.0	1.5	19.9	41.8	32.6	4.2	0.0	0.0	0.0	0.0	0.0	0.3
	04 - 05	0.0	0.0	0.0	1.8	18.1	43.0	33.6	3.5	0.0	0.0	0.0	0.0	0.0	0.3
	05 - 06	0.0	0.0	0.0	1.5	18.6	42.5	33.7	3.7	0.0	0.0	0.0	0.0	0.0	0.5
	06 - 07	0.0	0.0	0.0	1.5	19.0	43.0	31.3	5.2	0.0	0.0	0.0	0.0	0.0	0.8
	07 - 08	0.0	0.0	0.0	1.2	17.6	42.3	33.6	5.4	0.0	0.0	0.0	0.0	0.0	0.3
	08 - 09	0.0	0.0	0.0	0.8	13.7	37.7	39.4	8.4	0.0	0.0	0.0	0.0	0.0	0.5
	09 - 10	0.0	0.0	0.0	0.5	11.6	33.6	41.1	13.1	0.2	0.0	0.0	0.0	0.0	0.7
	10 - 11	0.0	0.0	0.0	0.3	7.7	33.6	40.6	16.9	0.8	0.0	0.0	0.0	0.0	0.3
	11 - 12	0.0	0.0	0.0	0.0	7.0	31.0	40.5	19.8	1.7	0.0	0.0	0.0	0.0	0.5
	12 - 13	0.0	0.0	0.0	0.0	6.7	30.1	39.5	21.2	2.5	0.0	0.0	0.0	0.0	0.8
	13 - 14	0.0	0.0	0.0	0.0	6.1	29.7	38.5	23.5	2.2	0.0	0.0	0.0	0.0	1.3
	14 - 15	0.0	0.0	0.0	0.0	7.0	27.9	39.4	24.2	1.5	0.0	0.0	0.0	0.0	0.7
	15 - 16	0.0	0.0	0.0	0.0	8.4	28.1	43.5	19.3	0.7	0.0	0.0	0.0	0.0	0.8
	16 - 17	0.0	0.0	0.0	0.3	10.4	30.9	46.2	12.1	0.0	0.0	0.0	0.0	0.0	0.8
	17 - 18	0.0	0.0	0.0	0.5	11.7	31.8	47.5	8.4	0.2	0.0	0.0	0.0	0.0	1.3
	18 - 19	0.0	0.0	0.0	0.8	12.1	33.3	46.0	7.4	0.3	0.0	0.0	0.0	0.0	1.0
	19 - 20	0.0	0.0	0.0	1.0	13.0	36.3	42.1	7.3	0.2	0.0	0.0	0.0	0.0	4.2
	20 - 21	0.0	0.0	0.0	1.3	13.8	38.1	41.1	5.6	0.0	0.0	0.0	0.0	0.0	1.2
	21 - 22	0.0	0.0	0.0	1.3	14.5	40.5	38.5	5.2	0.0	0.0	0.0	0.0	0.0	0.8
	22 - 23	0.0	0.0	0.0	1.3	16.1	41.0	36.2	5.4	0.0	0.0	0.0	0.0	0.0	0.5
	23 - 00	0.0	0.0	0.0	1.5	16.7	40.9	35.9	5.1	0.0	0.0	0.0	0.0	0.0	1.0

	Temperature (° C) December													
Time (UTC)		< -20	-20 – -16	-15 – -11	-10 – -6	-5 – - 1	0 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 29	30 – 34	≥35	NA
	00 - 01	0.0	0.0	1.0	4.5	27.7	43.3	20.1	3.5	0.0	0.0	0.0	0.0	0.0	49.4
	01 - 02	0.0	0.0	1.1	4.8	27.6	42.4	20.8	3.1	0.2	0.0	0.0	0.0	0.0	0.0
	02 - 03	0.0	0.0	1.3	5.0	28.3	42.2	19.5	3.6	0.2	0.0	0.0	0.0	0.0	0.2
	03 - 04	0.0	0.0	1.3	4.7	29.5	40.8	20.6	3.1	0.0	0.0	0.0	0.0	0.0	0.0
	04 - 05	0.0	0.0	1.3	3.9	30.3	40.6	21.4	2.6	0.0	0.0	0.0	0.0	0.0	0.3
	05 - 06	0.0	0.0	1.3	3.4	32.2	36.9	23.3	2.9	0.0	0.0	0.0	0.0	0.0	0.3
	06 - 07	0.0	0.0	1.3	3.4	31.4	37.6	23.3	2.9	0.0	0.0	0.0	0.0	0.0	0.5
	07 - 08	0.0	0.0	1.1	3.4	31.0	38.3	23.2	2.9	0.0	0.0	0.0	0.0	0.0	0.6
	08 - 09	0.0	0.0	1.0	3.4	27.2	39.5	25.7	2.9	0.3	0.0	0.0	0.0	0.0	0.3
	09 - 10	0.0	0.0	0.6	3.2	22.2	40.2	27.9	5.5	0.3	0.0	0.0	0.0	0.0	0.5
	10 - 11	0.0	0.0	0.6	2.6	18.4	42.3	28.4	7.4	0.3	0.0	0.0	0.0	0.0	0.0
	11 - 12	0.0	0.0	0.3	3.1	15.4	40.4	30.8	9.6	0.3	0.0	0.0	0.0	0.0	0.6
	12 - 13	0.0	0.0	0.2	2.9	13.4	40.9	31.1	11.2	0.3	0.0	0.0	0.0	0.0	0.3
	13 - 14	0.0	0.0	0.0	2.4	13.4	40.0	32.4	11.5	0.3	0.0	0.0	0.0	0.0	0.3
	14 - 15	0.0	0.0	0.2	2.6	14.9	40.1	32.4	9.5	0.3	0.0	0.0	0.0	0.0	0.3
	15 - 16	0.0	0.0	0.6	2.3	18.3	40.0	31.6	7.1	0.2	0.0	0.0	0.0	0.0	0.3
	16 - 17	0.0	0.0	0.6	2.3	20.5	43.4	28.5	4.5	0.2	0.0	0.0	0.0	0.0	0.0
	17 - 18	0.0	0.0	0.6	3.7	20.2	45.4	26.3	3.6	0.2	0.0	0.0	0.0	0.0	0.2
	18 - 19	0.0	0.0	0.6	4.2	20.7	44.5	26.1	3.6	0.3	0.0	0.0	0.0	0.0	0.3
	19 - 20	0.0	0.0	0.7	4.6	22.1	44.4	24.3	3.6	0.3	0.0	0.0	0.0	0.0	1.3
	20 - 21	0.0	0.0	1.1	3.9	25.2	42.7	23.7	3.2	0.2	0.0	0.0	0.0	0.0	0.0
	21 - 22	0.0	0.0	1.3	4.4	25.6	42.6	22.7	3.4	0.0	0.0	0.0	0.0	0.0	0.0
	22 - 23	0.0	0.0	1.6	4.7	25.2	44.2	20.4	3.9	0.0	0.0	0.0	0.0	0.0	0.3
	23 - 00	0.0	0.0	1.3	5.9	25.2	43.3	21.0	3.4	0.0	0.0	0.0	0.0	0.0	0.8

4.2. Maximum Temperature

4.2.1. Maximum Temperature per Month

Maximum temperatures in ° C in specified time periods of 3 hours each month. Light grey shading denotes absolute maximum values for the respective period (day or year).

Example (dark shading): In the 10 years period in August the maximum temperature reported between 15 and 18 UTC was 35 degrees Celsius.

	Maximum Temperature (° C) 10 Years										
Time (Month)	Time Period (UTC)	00 - 03	03 - 06	06 - 09	09 - 12	12 - 15	15 - 18	18 - 21	21 - 00	Day	NA
	January	13	12	13	15	14	14	12	12	15	3.5
	February	12	12	13	15	17	17	14	13	17	3.9
	March	14	13	17	19	22	23	18	17	23	2.5
	April	15	15	20	25	27	27	22	17	27	3.1
	May	19	20	25	29	30	30	26	22	30	2.3
	June	22	23	29	31	34	34	30	26	34	2.3
	July	22	23	30	33	34	35	30	25	35	2.3
	August	23	21	28	33	35	35	30	26	35	2.4
	September	20	19	22	26	29	28	23	21	29	2.4
	October	18	18	22	25	25	24	20	19	25	2.3
	November	13	13	13	17	19	17	17	13	19	2.5
	December	15	12	15	16	16	15	15	14	16	2.3
	Year	23	23	30	33	35	35	30	26	35	2.6

4.2.2. Maximum Temperature in 10 Years

On the 3rd of July 1994 at 1520 UTC a temperature of 35° C was reported.

4.3. Average Maximum Temperature

Average maximum temperatures in ° C in specified time periods of 3 hours each month.

Example (dark shading): In the 10 years period in August the average maximum temperature reported between 12 and 15 UTC was 30.7 degrees Celsius.

	Average Maximum Temperature (° C) 10 Years									
Time (Months)	Time Period (UTC)	00 - 03	03 - 06	06 - 09	09 - 12	12 - 15	15 - 18	18 - 21	21 - 00	NA
	January	7.3	7.1	7.3	9.7	10.9	9.7	8.0	7.6	3.5
	February	7.3	7.4	7.9	11.7	13.3	12.9	9.2	7.9	3.9
	March	10.1	9.7	12.1	16.0	18.0	17.8	13.4	11.3	2.5
	April	10.6	10.0	14.7	18.9	20.7	20.3	16.1	12.7	3.1
	May	14.5	15.2	21.0	24.9	26.5	26.1	22.7	17.5	2.3
	June	17.9	19.3	24.7	28.3	29.8	29.5	26.5	20.7	2.3
	July	19.4	19.9	25.5	29.3	30.9	30.7	27.4	21.9	2.3
	August	18.9	18.5	24.2	28.9	30.7	30.2	25.9	20.8	2.4
	September	15.5	15.3	18.6	23.2	24.9	24.4	19.0	16.6	2.4
	October	13.7	13.7	15.4	18.8	20.4	19.2	15.4	13.9	2.3
	November	9.2	9.0	9.6	12.0	12.7	11.4	9.7	9.3	2.5
	December	8.5	8.4	8.3	10.3	10.7	9.6	9.1	8.8	2.3

4.4. Minimum Temperature

4.4.1. Minimum Temperature per Month

Minimum temperatures in ° C in specified time periods of 3 hours each month. Light grey shading denotes absolute minimum values for the respective period (day or year).

Example (dark shading): In the 10 years period in February the minimum temperature reported between 03 and 06 UTC was -18 degrees Celsius.

	Minimum Temperature (° C) 10 Years										
Time (Month)	**Time Period (UTC)**	**00 - 03**	**03 - 06**	**06 - 09**	**09 - 12**	**12 - 15**	**15 - 18**	**18 - 21**	**21 - 00**	**Day**	**NA**
	January	-14	-14	-13	-11	-9	-11	-12	-13	-14	3.5
	February	-15	-18	-14	-9	-7	-7	-9	-12	-18	3.9
	March	-8	-10	-9	-5	-2	-3	-5	-7	-10	2.5
	April	-3	-4	-2	1	2	1	0	-1	-4	3.1
	May	0	0	2	5	4	4	3	1	0	2.3
	June	4	4	7	6	8	9	6	6	4	2.3
	July	7	6	9	10	10	10	9	8	6	2.3
	August	5	4	7	8	11	10	8	6	4	2.4
	September	1	0	1	4	4	4	4	3	0	2.4
	October	-6	-7	-6	-2	3	-1	-3	-5	-7	2.3
	November	-10	-10	-9	-7	-5	-6	-8	-9	-10	2.5
	December	-14	-15	-13	-12	-11	-13	-13	-12	-15	2.3
	Year	-15	-18	-14	-12	-11	-13	-13	-13	-18	2.6

4.4.2. Minimum Temperature in 10 Years

On the 12th of February 1999 at 0420 UTC a temperature of -18° C was reported.

4.5. Average Minimum Temperature

Average minimum temperatures in ° C in specified time periods of 3 hours each month.

Example (dark shading): In the 10 years period in January the average minimum temperature reported between 03 and 06 UTC was -6.9 degrees Celsius.

	Average Minimum Temperature (° C) 10 Years									
Time (Months)	**Time Period (UTC)**	**00 - 03**	**03 - 06**	**06 - 09**	**09 - 12**	**12 - 15**	**15 - 18**	**18 - 21**	**21 - 00**	**NA**
	January	-6.8	-6.9	-6.7	-5.5	-3.9	-4.7	-5.5	-6.1	3.5
	February	-7.1	-7.6	-6.6	-3.8	-1.8	-2.6	-4.3	-5.7	3.9
	March	-3.5	-4.2	-3.4	0.5	2.8	1.9	-0.6	-2.3	2.5
	April	0.1	-0.4	2.0	4.7	5.9	5.4	3.5	1.8	3.1
	May	5.2	4.7	7.3	9.5	10.5	10.2	8.4	6.6	2.3
	June	7.9	7.5	10.3	11.8	12.6	12.9	10.9	9.0	2.3
	July	10.5	9.9	12.8	14.8	15.3	15.0	13.2	11.7	2.3
	August	10.1	9.6	12.2	14.5	15.5	14.9	13.0	11.3	2.4
	September	5.1	4.6	6.3	9.9	11.0	10.1	8.1	6.3	2.4
	October	1.8	1.7	2.3	5.3	7.0	5.9	3.9	2.1	2.3
	November	-3.7	-3.6	-3.3	-1.4	0.4	-0.9	-2.4	-3.2	2.5
	December	-6.5	-6.4	-6.1	-5.2	-4.0	-4.9	-6.0	-6.6	2.3

5. PRESSURE

5.1. Average Pressure (QNH)

Average pressure in hPa in specified time periods of 3 hours each month. Light grey shading denotes average pressure values for the times indicated during the whole day or year, respectively.

Example (dark shading): In the 10 years period in January the average pressure reported between 09 and 12 UTC was 1019.5 hPa.

	Average QNH 10 Years										
Time (Month)	Time Period (UTC)	00 - 03	03 - 06	06 - 09	09 - 12	12 - 15	15 - 18	18 - 21	21 - 00	Day	NA
	January	1018.8	1018.7	1019.2	1019.5	1018.6	1018.8	1019.3	1019.4	1019.0	3.5
	February	1019.2	1018.9	1019.4	1019.6	1018.6	1018.6	1019.2	1019.2	1019.1	3.9
	March	1017.5	1017.4	1018.0	1018.0	1017.0	1016.8	1017.6	1017.9	1017.5	2.5
	April	1014.0	1014.0	1014.4	1014.1	1013.2	1013.0	1013.8	1014.2	1013.8	3.1
	May	1015.1	1015.3	1015.7	1015.3	1014.6	1014.2	1015.0	1015.5	1015.1	2.4
	June	1017.7	1017.8	1018.2	1017.9	1017.2	1016.8	1017.5	1018.0	1017.6	2.3
	July	1017.6	1017.7	1018.0	1017.7	1016.9	1016.6	1017.3	1017.9	1017.5	2.3
	August	1017.5	1017.6	1018.1	1017.8	1017.0	1016.6	1017.4	1017.8	1017.5	2.4
	September	1016.1	1015.9	1016.5	1016.3	1015.6	1015.4	1016.1	1016.3	1016.0	2.4
	October	1018.0	1017.9	1018.5	1018.4	1017.5	1017.6	1018.2	1018.4	1018.1	2.3
	November	1017.3	1017.2	1017.6	1017.6	1016.8	1017.1	1017.5	1017.5	1017.3	2.5
	December	1017.1	1016.9	1017.3	1017.5	1016.7	1016.9	1017.2	1017.1	1017.1	2.3
	Year	1017.2	1017.1	1017.6	1017.5	1016.6	1016.5	1017.2	1017.4	1017.1	2.7

5.2. Minimum Pressure (QNH)

5.2.1. Minimum QNH per Month

Minimum pressure in hPa in specified time periods of 3 hours each month. Light grey shading denotes minimum pressure values for the time indicated during the whole day or year, respectively.

Example (dark shading): In the 10 years period in December the minimum pressure reported between 00 and 03 UTC was 976 hPa.

	Minimum QNH 10 Years										
Time (Month)	Time Period (UTC)	00 - 03	03 - 06	06 - 09	09 - 12	12 - 15	15 - 18	18 - 21	21 - 00	Day	NA
	January	990	990	990	988	988	988	988	988	988	3.5
	February	993	991	991	992	991	991	991	991	991	3.9
	March	986	985	986	990	993	991	989	988	985	2.5
	April	991	989	989	991	990	989	989	991	989	3.1
	May	992	992	991	993	994	993	993	993	991	2.4
	June	999	997	996	996	998	998	998	1000	996	2.3
	July	1001	1000	1001	1002	1002	1002	1001	1000	1000	2.3
	August	1001	1001	1004	1005	1005	1005	1005	1004	1001	2.4
	September	994	994	995	997	998	997	997	995	994	2.4
	October	991	991	991	992	993	994	995	995	994	2.3
	November	986	986	987	988	987	986	986	986	989	2.5
	December	976	977	982	986	990	989	984	979	976	2.3
	Year	976	977	982	986	987	986	984	979	976	2.7

5.2.2. Minimum QNH in 10 Years

On the 28th of December 1999 at 0250 UTC a minimum pressure of 976 hPa was reported. This extreme value was caused by the gale Martin.

5.3. Maximum Pressure (QNH)

5.3.1. Maximum QNH per Month

Maximum pressure in hPa in specified time periods of 3 hours each month. Light grey shading denotes maximum pressure values for the time indicated during the whole day or year, respectively.

Example (dark shading): In the 10 years period in February the maximum pressure reported between 06 and 09 UTC was 1039 hPa.

	Maximum QNH 10 Years										
Time (Month)	**Time Period (UTC)**	**00 - 03**	**03 - 06**	**06 - 09**	**09 - 12**	**12 - 15**	**15 - 18**	**18 - 21**	**21 - 00**	**Day**	**NA**
	January	1038	1037	1038	1038	1038	1038	1038	1038	1038	3.5
	February	1038	1039	1039	1039	1038	1038	1039	1039	1039	3.9
	March	1036	1037	1038	1038	1037	1036	1037	1036	1038	2.5
	April	1032	1032	1033	1033	1033	1031	1032	1032	1033	3.1
	May	1028	1029	1029	1029	1028	1027	1028	1028	1029	2.4
	June	1029	1029	1029	1029	1029	1028	1029	1029	1029	2.3
	July	1028	1028	1028	1027	1026	1027	1028	1028	1028	2.3
	August	1028	1028	1029	1029	1028	1028	1029	1029	1029	2.4
	September	1030	1030	1031	1031	1030	1030	1031	1031	1031	2.4
	October	1033	1033	1034	1034	1033	1032	1032	1033	1034	2.3
	November	1038	1038	1039	1039	1037	1037	1037	1038	1039	2.5
	December	1035	1036	1037	1037	1037	1037	1036	1036	1037	2.3
	Year	1038	1039	1039	1039	1038	1038	1039	1039	1039	2.7

5.3.2. Maximum QNH in 10 Years

On the 2nd of February 1993 at 0750 UTC a maximum pressure of 1039 hPa was reported.

6. WEATHER PHENOMENA

6.1. Freezing Rain

Cases of freezing rain in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed

Example (dark shading): In the 10 years period in February between 03 and 06 UTC 2 observations reported freezing rain.

	Cases of Freezing Rain During 10 Years														
Time (UTC)		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
	00 - 03	1	0	0	0	0	0	0	0	0	0	0	2	3	17.0
	03 - 06	3	2	0	0	0	0	0	0	0	0	0	2	7	0.5
	06 - 09	3	0	0	0	0	0	0	0	0	0	0	2	5	0.5
	09 - 12	1	0	0	0	0	0	0	0	0	0	0	0	1	0.5
	12 - 15	0	0	0	0	0	0	0	0	0	0	0	3	3	0.5
	15 - 18	3	0	0	0	0	0	0	0	0	0	0	0	3	0.4
	18 - 21	0	0	0	0	0	0	0	0	0	0	0	1	1	1.0
	21 - 00	2	0	0	0	0	0	0	0	0	0	0	1	3	0.7
	Day	13	2	0	0	0	0	0	0	0	0	0	11	26	2.6

6.2. Freezing Drizzle

Cases of freezing drizzle in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed

Example (dark shading): In the 10 years period in December between 06 and 09 UTC 11 observations reported freezing drizzle.

	Cases of Freezing Drizzle During 10 Years														
Time (UTC)		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
	00 - 03	2	0	0	0	0	0	0	0	0	0	0	4	6	17.0
	03 - 06	8	0	0	0	0	0	0	0	0	0	0	6	14	0.5
	06 - 09	8	0	0	0	0	0	0	0	0	0	6	11	25	0.5
	09 - 12	5	0	0	0	0	0	0	0	0	0	0	0	5	0.5
	12 - 15	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5
	15 - 18	1	0	0	0	0	0	0	0	0	0	0	1	2	0.4
	18 - 21	3	0	0	0	0	0	0	0	0	0	0	0	3	1.0
	21 - 00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.7
	Day	27	0	0	0	0	0	0	0	0	0	6	22	55	2.6

6.3. Snowfall

Frequencies in percent of snowfall in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed

Example (dark shading): In the 10 years period in February between 09 and 12 UTC 8.8% of all observations reported snowfall.

	Frequencies of Snowfall During 10 Years														
Time (UTC)		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
	00 - 03	6.4	7.1	3.5	2.9	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.7	2.7	17.0
	03 - 06	6.4	7.4	1.7	3.6	0.0	0.0	0.0	0.0	0.0	0.0	4.0	8.5	2.6	0.5
	06 - 09	6.2	8.4	2.1	3.6	0.0	0.0	0.0	0.0	0.0	0.0	4.5	7.4	2.6	0.5
	09 - 12	4.6	8.8	1.5	1.6	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.7	2.1	0.5
	12 - 15	2.8	6.1	1.3	0.9	0.0	0.0	0.0	0.0	0.0	0.0	2.9	5.0	1.5	0.5
	15 - 18	2.8	5.0	1.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	4.2	5.4	1.7	0.4
	18 - 21	3.7	4.5	3.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	3.8	7.3	2.0	1.0
	21 - 00	4.1	4.3	4.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	4.3	8.0	2.2	0.7
	Day	4.6	6.4	2.4	2.1	0.0	0.0	0.0	0.0	0.0	0.0	3.8	7.1	2.2	2.6

6.4. Hail

Cases of hail in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed.

Example (dark shading): In the 10 years period in January between 15 and 18 UTC 2 observations reported hail.

	Cases of Hail During 10 Years													
Time (UTC)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
00 - 03	0	0	0	0	0	1	0	0	0	0	0	0	1	17.0
03 - 06	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5
06 - 09	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5
09 - 12	1	0	0	0	0	0	0	0	0	0	0	0	1	0.5
12 - 15	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5
15 - 18	2	0	0	0	0	0	0	0	0	0	0	0	2	0.4
18 - 21	0	0	0	0	0	0	0	0	0	0	0	0	0	1.0
21 - 00	0	0	0	0	0	0	0	0	0	0	0	0	0	0.7
Day	3	0	0	0	0	1	0	0	0	0	0	0	4	2.6

6.5. Snow Pellets

Cases of snow pellets in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed.

Example (dark shading): In the 10 years period in December between 18 and 21 UTC 5 observations reported snow pellets.

	Cases of Snow Pellets During 10 Years													
Time (UTC)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
00 - 03	0	0	1	0	0	0	0	0	0	0	0	0	1	17.0
03 - 06	1	0	1	1	0	0	0	0	0	0	0	1	4	0.5
06 - 09	0	2	0	0	0	0	0	0	0	0	1	0	3	0.5
09 - 12	3	0	2	1	0	1	0	0	0	0	0	3	10	0.5
12 - 15	2	1	4	3	0	0	0	0	0	0	3	0	13	0.5
15 - 18	1	3	0	3	0	0	0	0	0	0	0	1	8	0.4
18 - 21	0	1	0	0	0	0	0	0	0	0	0	5	6	1.0
21 - 00	0	0	0	2	0	0	0	0	0	0	0	1	3	0.7
Day	7	7	8	10	0	1	0	0	0	0	4	11	48	2.6

6.6. Thunderstorm

Frequencies in percent of thunderstorm in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed

Example (dark shading): In the 10 years period in July between 21 and 00 UTC 4.4% of all observations reported thunderstorm.

	Frequencies of Thunderstorm During 10 Years													
Time (UTC)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
00 - 03	0.0	0.0	0.0	0.1	0.4	1.0	1.1	1.1	0.6	0.2	0.0	0.0	0.4	17.0
03 - 06	0.1	0.0	0.0	0.0	0.2	0.8	0.8	1.0	0.2	0.1	0.0	0.0	0.3	0.5
06 - 09	0.0	0.1	0.1	0.0	0.4	0.1	1.4	1.4	0.1	0.0	0.0	0.0	0.3	0.5
09 - 12	0.0	0.0	0.0	0.2	0.1	0.5	0.9	0.8	0.0	0.0	0.0	0.0	0.2	0.5
12 - 15	0.0	0.1	0.1	0.7	0.8	2.0	2.2	1.5	0.3	0.1	0.0	0.1	0.7	0.5
15 - 18	0.1	0.1	0.2	0.9	1.5	2.5	2.6	3.2	0.4	0.0	0.0	0.1	1.0	0.4
18 - 21	0.1	0.1	0.1	0.5	2.0	3.4	2.6	1.9	0.6	0.1	0.1	0.0	1.0	1.0
21 - 00	0.0	0.1	0.2	0.1	1.2	1.8	4.4	1.9	0.3	0.0	0.0	0.1	0.8	0.7
Day	0.0	0.0	0.1	0.3	0.8	1.5	2.0	1.6	0.3	0.1	0.0	0.0	0.6	2.6

6.7. Fog (Without Shallow and Vicinity Fog)

Frequencies in percent of fog in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed.

Example (dark shading): In the 10 years period in October between 03 and 06 UTC 23.1% of all observations reported fog.

	Frequencies of Fog During 10 Years													
Time (UTC)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
00 - 03	14.3	6.6	5.6	3.1	5.0	3.3	1.9	5.0	15.9	22.5	13.1	7.2	8.6	17.0
03 - 06	15.7	8.9	9.7	5.2	6.9	5.3	4.0	8.0	19.9	23.1	14.6	7.4	10.7	0.5
06 - 09	14.1	7.6	5.3	1.4	1.3	0.4	0.2	2.0	8.4	17.0	12.7	5.7	6.3	0.5
09 - 12	10.8	2.8	0.7	0.0	0.0	0.0	0.0	0.0	0.2	2.8	4.8	2.4	2.0	0.5
12 - 15	3.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.1	0.5	0.5
15 - 18	4.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.7	1.7	0.7	0.4
18 - 21	8.1	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.7	6.2	5.6	4.3	2.2	1.0
21 - 00	10.5	4.0	2.0	1.0	0.6	0.2	0.3	0.6	7.8	17.6	10.5	6.0	5.1	0.7
Day	10.2	3.8	3.0	1.3	1.7	1.1	0.8	1.9	6.4	10.9	7.9	4.4	4.4	2.6

6.8. Shallow and Vicinity Fog

Frequencies in percent of shallow **or** vicinity fog in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed.

Example (dark shading): In the 10 years period in August between 03 and 06 UTC 15.1% of all observations reported shallow or vicinity fog.

	Frequencies of Shallow and Vicinity Fog During 10 Years													
Time (UTC)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
00 - 03	3.9	4.2	4.0	5.4	9.1	10.5	8.4	14.5	13.0	7.5	4.7	3.2	7.4	17.0
03 - 06	2.9	3.5	6.3	6.6	8.4	7.7	7.7	15.1	10.4	6.9	3.8	2.6	6.9	0.5
06 - 09	1.3	2.4	1.3	0.1	0.2	0.0	0.1	0.5	1.3	2.2	2.4	2.3	1.2	0.5
09 - 12	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.1	0.1	0.5
12 - 15	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
15 - 18	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.1	0.6	1.0	0.4	0.4
18 - 21	2.2	2.0	0.2	0.3	0.0	0.4	0.1	0.1	3.2	8.7	4.4	2.0	2.0	1.0
21 - 00	4.7	3.1	2.0	1.1	3.3	2.6	1.5	3.0	8.9	8.1	4.0	3.5	3.8	0.7
Day	2.1	1.9	1.7	1.6	2.5	2.5	2.1	3.9	4.4	4.2	2.5	1.8	2.6	2.6

6.9. Freezing Fog

Frequencies in percent of freezing fog in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed

Example (dark shading): In the 10 years period in January between 03 and 06 UTC 7.4% of all observations reported freezing fog.

	Frequencies of Freezing Fog During 10 Years													
Time (UTC)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
00 - 03	6.3	1.7	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.1	1.2	17.0
03 - 06	7.4	2.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.0	1.3	0.5
06 - 09	5.3	2.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.8	1.9	1.1	0.5
09 - 12	3.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.4	0.5
12 - 15	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.2	0.5
15 - 18	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.2	0.4
18 - 21	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.7	0.4	1.0
21 - 00	3.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.7	0.7	0.7
Day	3.8	1.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.3	0.7	2.6

6.10. Rain

Frequencies in percent of rain in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed

Example (dark shading): In the 10 years period in September between 21 and 00 UTC 14.9% of all observations reported rain.

	Frequencies of Rain During 10 Years													
Time (UTC)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
00 - 03	11.3	10.2	11.6	15.0	12.8	13.8	8.6	9.5	12.9	12.1	12.5	12.5	11.9	17.0
03 - 06	12.3	10.5	11.2	15.3	11.1	12.2	10.0	7.4	13.0	9.7	12.8	13.6	11.6	0.5
06 - 09	8.6	10.7	10.0	13.0	9.5	10.1	7.2	6.9	11.3	10.8	14.1	13.1	10.4	0.5
09 - 12	8.9	10.7	8.6	11.3	9.3	9.5	6.8	7.8	10.8	10.0	12.4	12.3	9.8	0.5
12 - 15	9.6	8.6	9.7	11.7	10.2	9.3	6.5	7.0	12.2	9.0	10.8	13.2	9.8	0.5
15 - 18	10.3	8.8	10.2	11.0	12.1	9.5	6.8	8.7	13.2	8.9	13.1	14.2	10.6	0.4
18 - 21	8.9	10.4	12.0	14.0	12.9	12.0	8.1	8.3	13.5	11.0	11.7	13.9	11.4	1.0
21 - 00	8.6	10.2	12.8	13.2	12.9	13.4	8.9	9.5	14.9	12.1	12.0	11.9	11.7	0.7
Day	9.8	10.0	10.7	13.0	11.3	11.2	7.8	8.1	12.7	10.4	12.4	13.1	10.9	2.6

6.11. Drizzle

Frequencies in percent of drizzle in specified time periods of 3 hours per month. The value of NA is calculated relative to the potentially possible observations and is given in percent. It indicates the reduction of the data base due to NA. Light grey shading denotes values where the phenomenon was observed

Example (dark shading): In the 10 years period in November between 03 and 06 UTC 5.1% of all observations reported drizzle.

	Frequencies of Drizzle During 10 Years													
Time (UTC)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year	NA %
00 - 03	1.6	1.7	1.0	3.1	1.5	1.0	0.4	0.9	1.5	2.2	4.3	2.4	1.8	17.0
03 - 06	1.9	1.9	1.3	2.9	1.9	0.8	0.8	0.8	1.9	4.4	5.1	3.6	2.3	0.5
06 - 09	1.3	2.3	1.2	1.6	2.2	0.8	1.0	1.1	1.9	4.0	4.2	2.3	2.0	0.5
09 - 12	0.5	1.5	1.3	1.8	2.0	0.6	1.2	1.0	1.0	2.3	2.5	1.6	1.4	0.5
12 - 15	0.5	1.5	1.0	1.2	0.9	0.3	0.1	0.4	1.1	2.5	2.3	1.4	1.1	0.5
15 - 18	0.7	1.2	1.0	0.7	1.1	0.1	0.1	0.4	1.4	1.6	1.5	2.4	1.0	0.4
18 - 21	1.7	1.9	0.5	1.9	1.2	0.1	0.6	0.2	1.3	3.1	2.4	2.2	1.4	1.0
21 - 00	1.4	1.1	0.4	2.7	0.7	0.6	0.9	1.0	1.7	2.5	3.3	2.8	1.6	0.7
Day	1.2	1.6	1.0	2.0	1.4	0.5	0.6	0.7	1.5	2.9	3.2	2.3	1.6	2.6

Abbreviations

Aeronautical Abbreviations

METAR	Aviation Routine Weather Report
ICAO	International Civil Aviation Organisation
RWY	Runway
GRD	Ground
msl	Mean sea level
UTC	Coordinated Universal Time

Meteorological Abbreviations

RVR	Runway Visual Range
QNH	Reduced pressure to sea level according to ISA (International Standard Atmosphere)
CB	Cumulonimbus
Cloud amount: FEW	Few (1–2 Octas)
SCT	Scattered (3-4 Octas)
BKN	Broken (5-7 Octas)
OVC	Overcast (8 Octas)

Airports

LSZH	Zurich Airport
LSGG	Geneva Airport
LSZB	Bern Airport
LSZA	Lugano Airport
LSZR	Altenrhein Airport
LSZG	Grenchen Airport
LSGS	Sion Airport
LSGC	Les Eplatures Airport
LFSB	Basel Airport

Units of Measurement

ft	Feet
m	Metre
km	Kilometre
NM	Nautical mile
kt	Knot (nautical mile / hour)
° C	Degrees Celsius
hPa	Hectopascal
hr	Hour

Months

Jan	January
Feb	February
Mar	March
Apr	April
May	May
Jun	June
Jul	July
Aug	August
Sep	September
Oct	October
Nov	November
Dec	December

Other

NA	Not available

Arbeitsbericht

MeteoSchweiz

Arbeitsberichte der MeteoSchweiz

Kürzlich erschienen:

200 Bader, S: 2004, Die extreme Sommerhitze im aussergewöhnlichen Witterungsjahr 2003, 25pp, 14 Fr.

199 Frei T, Dössegger R, Galli G, Ruffieux D: 2002, Konzept Messsysteme 2010 von MeteoSchweiz, 100pp, 32 Fr.

198 Kaufmann P: 2002, Swiss Model Simulations for Extreme Rainfall Events on the South Side of the Alps, 40pp, 20 Fr.

197 WRC Davos (Ed): 2001, IPC - IX, 25.9. -13.10. 2000, Davos, Switzerland, 100pp, 32 Fr.

196 Hächler P et al.: 1999, Der Föhnfall vom April 1993, 139pp , 40 Fr.

195 Urfer Ch, Vogt R.; 1999, Die Niederschlagsverhältnisse in Basel 1964-1998, 43pp, 40 Fr.

194 Courvoisier HW: 1998, Statistik der 24-stündigen Starkniederschläge in der Schweiz 1901 – 1996, 20pp, 11 Fr.

193 Defila C, Vonderach G: 1998, Todesfälle und Wetterlagen in Schaffhausen, 72pp, 25 Fr.

192 Maurer H: 1997, Frostprognose in der Schweiz: neue Methode mit automatischen Stationen, 38pp, 16 Fr.

191 Schönbächler M: 1996, Objektive Kontrolle der Textprognose SMA OPKO, 31pp, 14 Fr.

190 Brändli J: 1996, Statistische Auswertungen von täglichen und monatlichen Verdunstungswerten an 22 Standorten der Schweiz, 52pp, 19 Fr.

Veröffentlichungen der MeteoSchweiz

Kürzlich erschienen:

67 Begert M.; Seiz G.; Schlegel T.; Musa M; Baudraz G. und Moesch M: 2003, Homogenisierung von Klimamessreihen der Schweiz und Bestimmung der Normwerte 1961-1990, Schlussbericht des Projektes NORM90, 170pp, 40 Fr.

66 Schär Christoph, Binder Peter, Richner Hans, Eds.: 2003, International Conference on Alpine Meteorology and MAP Meeting 2003, Extended Abstracts volumes A and B, 580pp., 100 Fr.

65 Stübi R.: 2002, SONDEX / OZEX campaigns of dual ozone sondes flights: Report on the data analysis, 78pp., 27 Fr.

64 Bolliger M: 2002, On the characteristics of heavy precipitation systems observed by Meteosat-6 during the MAP-SOP, 116pp., 36 Fr.

63 Favaro G, Jeannet P, Stübi R : 2002, Re-evaluation and trend analysis of the Payerne ozone sounding, 99pp, 33 Fr.

62 Bettems JM: 2001, EUCOS impact study using the limited-area non-hydrostatic NWP model in operational use at MeteoSwiss, 17pp, 12 Fr.

61 Richner H, et al.: 1999, Grundlagen aerologischer Messungen speziell mittels der Schweizer Sonde SRS 400, 140pp, 42 Fr.

60 Gisler O: 1999, Zu r Methodik einer Beschreibung der Entwicklung des linearen Trends der Lufttemperatur über der Schweiz im Zeitabschnitt von 1864 bis 1990, 125pp, 36 Fr.

59 Bettems JM: 1999, The impact of hypothetical wind profiler networks on numerical weather prediction in the Alpine region, 65pp, 25 Fr.

58 Baudenbacher, M: 1997, Homogenisierung langer Klimareihen, dargelegt am Beispiel der Lufttemperatur, 181pp, 50 Fr.

Frühere *Veröffentlichungen* und *Arbeitsberichte* finden sich unter
www.meteoschweiz.ch